



BEVERAGE-AIR

Canada Price List



Effective: July 1, 2026



Visit Welbilt Brand Portal:
<https://assets.welbilt.com/login/>



www.garlandcanada.ca



@thegarlandcanada

GARLAND
CANADA
 **WELBILT DISTRIBUTION**

Price List Canada

NOTICE:

BEVERAGE-AIR PRODUCTS ARE NOT APPROVED OR AUTHORIZED FOR HOME OR RESIDENTIAL USE, BUT ARE INTENDED FOR COMMERCIAL APPLICATIONS ONLY. BEVERAGE-AIR WILL NOT PROVIDE SERVICE, WARRANTY, MAINTENANCE OR SUPPORT OF ANY KIND OTHER THAN IN COMMERCIAL APPLICATIONS.

INSTRUCTIONS AND ASSISTANCE IN ORDERING

Specify the following information when ordering:

1. Your order number
2. Quantity and model number of units
3. Voltage, Cycle, (Hz), & Phase
4. Delivery date and shipping instruction

SERVICE

When corresponding with the factory regarding service, performance or replacement parts, be sure to refer to the particular product by correct model number including prefix and suffix letters, numbers and serial number. This information can be found on the rating plate. Any information pertaining to performance parts or servicing can be obtained by writing our Mississauga office. Continuous product improvement is a Garland policy, therefore specifications and design are subject to change without notice.

TERMS AND CONDITIONS

All prices exclude the Goods and Services Tax (G.S.T.) and Provincial and Local Taxes. All prices are in Canadian Dollars.

Refer to Garland dealer policy for:

- A. Terms of Sale
- B. Equipment Returns or Order Cancellations
- C. Damaged Shipments

Garland Canada reserves the right to change warranties, accessories or product configurations without notice. Access our website at www.GarlandCanada.ca for current information which supercedes any printed information. Further inquiries may also be directed to Customer Service at 1-888-442-7526.

GARLAND CANADA CUSTOMER SERVICE	VOICE	FAX
Sales	(888) 442-7526	(800) 361-2724



BEVERAGE-AIR®

Your Complete Refrigeration Source

Beverage-Air is a leading domestic manufacturer of commercial refrigeration solutions, with a vast product offering including over 1,000 unique models across 31 product series and 11 product categories. Manufactured in Brookville, Pennsylvania and headquartered in Winston-Salem, North Carolina, Beverage-Air is committed to producing American made equipment for the foodservice market.

Founded in 1944, Beverage-Air joined the Welbilt brand portfolio in 2024. Welbilt, Inc., an Ali Group company, was acquired in 2022 and provides award-winning brands to the North American market. Today, the Ali Group employs more than 14,500 people across 29 countries, operates 74 manufacturing facilities worldwide, and includes more than 110 brands. Often times, second and third generation employees work side by side to drive innovative thinking and quality manufacturing.

Our expansive product offering allows us to meet any operator's refrigeration need whether it be front of the house, back of the house, food preparation or point of sale merchandising. With seemingly unlimited customizable options, award winning design innovation and unparalleled customer commitment, Beverage-Air continues to be a trusted partner in the food service industry. Whether it's national accounts, high-end restaurants or small operations, Beverage-Air has a solution for any food service application.

Beverage-Air has a full range of premium refrigeration and food service equipment solutions to meet the diverse needs of restaurant, chain, retail, convenience store, educational, and healthcare settings.





BEVERAGE-AIR®

AFTERMARKET SERVICES

As a Beverage-Air customer, our commitment to you continues with the ongoing support of our aftermarket services. This program provides you access to a full range of support tools.

YOU HAVE ACCESS TO THE FOLLOWING:

- Ongoing technical support via telephone
- Product Customization
- Qualified parts distributor network
- Qualified network of reputable service technicians
- Service and maintenance dispatch
- Online manuals & parts breakdown
- Online warranty claims processing
(warranty at back of catalog)

CUSTOMER COMMITMENT

Committed to innovation, excellence, and customer satisfaction, Beverage-Air continually works to leverage efficiencies in manufacturing and distribution to benefit our customers.

WE COMMIT ALL OF THE FOLLOWING TO YOU:

- Industry-leading quality and customer satisfaction
- Award-winning product innovation
- Competitive pricing
- Factory Inventory
- Energy efficient products
- Complete aftermarket services

Factory Headquarters Sales Office

3779 Champion Blvd
Winston-Salem, NC 27105
Phone: (336) 245-6400
Fax: (336) 245-6453
Email: sales@bevair.com
Web: www.beverage-air.com

Warranty Service Dispatch

(877) 866-1223

Factory Technical Service

Phone: (800) 684-1199
Fax: (800) 262-9381

Factory Customer Service

Phone: (888) 845-9800
Fax: (800) 253-5168



TABLE OF CONTENTS

Top Mount Reach-Ins		4	Food Prep Tables		80
HR/HF	Horizon Series	6	SPE	Sandwich Prep Tables	82
PR/PF	P Series	10	DP	Pizza Prep Tables	94
CT	Cross Temp Series	16	SPE-S	Salad Bars	98
Bottom Mount Reach-Ins		22	TPE	Topping Stations	100
RB/FB	Vista Series	24	Worktops & Undercounters		108
HBR/HBF	Horizon Series	28	WTR/WTF	Worktops	110
RI	RI Series	34	UCR/UCF	Undercounters	122
Warming Cabinets		38	Chef Bases		132
HH	Horizon Series	40	WTRCS/WTFCS	Chef Bases	134
PH	P Series	42	WTCTCS	Cross Temp Chef Bases	138
Glass Door Merchandisers		48	Bar & Wine Equipment		140
MT	Marketeer Series	50	BB	Back Bar Coolers	144
MM	MarketMax Series	52	BBN	Back Bar Coolers	148
CF/CT	Countertop Units	60	DD	Direct Draws	152
BDC	Dipping Cabinets	62	DW	Bottle Coolers	155
NC	Novelty Cases	64	GF/FLG	Glass & Plate Chiller	157
Open Air Merchandisers		68	Milk Coolers		164
BZ	Breeze Series	70	SM/SMF	Single Access	166
VM	VueMax	72	ST/STF	Dual Access	167
Deli Cases		76	Blast Chillers / Shock Freezers		170
CDR	Deli Cases	78	SB/RBS	Self Contained	172
			RCBL	Blast Chiller/Freezer	174
			Beverage-Air		
				Warranty	176
				Contacts/Directory	178

©2026 Beverage-Air. All rights reserved. Beverage-Air®, Horizon®, Vista®, Cross Temp®, Marketeer®, MarketMax®, Breeze®, and VueMax® are trademarks of Beverage-Air. Beverage-Air cannot be held responsible for typographical or photographic errors. Photos of units in working environments may show custom or third-party modifications which may not be available from our factory. Beverage-Air, 3779 Champion Blvd, Winston-Salem, NC 27105



TOP MOUNT REACH-INS

DESIGNED TO EXCEED EXPECTATIONS IN TOUGH KITCHEN ENVIRONMENTS



Horizon Series



P Series



Cross Temp®

HORIZON® SERIES

Refrigerators & Freezers



**Designed to perform in
high ambient conditions**

**7 year warranty on parts,
labour, and compressor**

Made in USA



Heavy Duty Construction

2" CFC and HCFC-free foamed-in place
polyurethane insulation

Full electronic Control

with one-touch defrost

Multiple finish options

Door locks standard

Solid doors only (optional on glass door models)

Field-reversible doors

Solid doors only

Cam-lift hinges

with 120 degree stay open feature

**Sealed system makes service
and maintenance quick and easy**

LED lighting standard

Back rack airflow distribution system

Self-closing doors

6" heavy duty casters standard

3" casters or 6" leg option available
at no charge when specified on order

**Environmentally friendly,
energy efficient R290 refrigerant**

AVAILABLE DOORS

- Solid (*one full-door*)
- Half Solid (*two half-doors*)
- Glass (*one full-door*)
- Half Glass (*two half-doors*)



EXTERIOR FINISHES

- Stainless steel front with gray painted steel sides
- Stainless steel sides/front

INTERIOR FINISHES

- Corrosion resistant aluminum
- Stainless steel

AVAILABLE OPTIONS

- Left hinge doors
- Remote models available

AVAILABLE ACCESSORIES

- Tray Slides
- Additional shelves

MOUNTING OPTIONS

- 6" casters (standard)
- 6" legs
- 3" casters
- Flanged/seismic feet

AGENCY CERTIFICATIONS



BACK CHANNEL
to promote air flow



FIELD-REVERSIBLE DOORS
for flexibility to get your kitchen set up exactly how you want it

1, 2, AND 3 SECTION MODELS AVAILABLE



HORIZON® SERIES

REFRIGERATORS


MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1 SECTION	HR1HC-1S	\$8,850	SOLID	1/3	26	33.63	78.5	115	1/4	2.7	21.17
	HR1HC-1HS	\$9,330	HALF SOLID	2/3							
	HR1HC-1G	\$9,835	GLASS	1/3				115	1/4	2.7	22.28
	HR1HC-1HG	\$10,410	HALF GLASS	2/3							
1 WIDE SECTION	HR1WHC-1S	\$11,630	SOLID	1/3	35	33.63	78.5	115	1/4	2.7	30.76
	HR1WHC-1G	\$13,195	GLASS								
2 SECTIONS	HR2HC-1S	\$11,795	SOLID	2/6	52	33.63	78.5	115	1/3	6	46.88
	HR2HC-1HS	\$12,995	HALF SOLID	4/6							
	HR2HC-1G	\$13,940	GLASS	2/6							
	HR2HC-1HG	\$15,635	HALF GLASS	4/6							
3 SECTIONS	HR3HC-1S	\$15,875	SOLID	3/9	78	33.63	78.5	115	1/3	6	71.52
	HR3HC-1HS	\$17,905	HALF SOLID	6/9							
	HR3HC-1G	\$19,145	GLASS	3/9							
	HR3HC-1HG	\$21,710	HALF GLASS	6/9							


Depth measurement includes handles. For total height, add 3 or 6 inches, based on your mounting choice.

FINISH OPTIONS REFRIGERATOR & FREEZER			
SUFFIX	EXAMPLE	EXTERIOR	INTERIOR
(standard)	HR1HC-1S	Stainless steel front with gray painted steel sides	Corrosion resistant aluminum
P	HRP1HC-1S	Stainless steel front with stainless steel sides	Corrosion resistant aluminum
S	HRS1HC-1S	Stainless steel front with gray painted steel sides	Stainless steel
PS	HRPS1HC-1S	Stainless steel front with stainless steel sides	Stainless steel

AVAILABLE OPTIONS	
SUFFIX	
18	Left hinge doors
R	Remote models available
Append suffix to model # when placing order. Ex: HR2-1S-18	



Stainless steel



Gray painted steel



Left hinge door (-18)

FREEZERS


MAINTAINS PRODUCT TEMPERATURES OF -10°F.

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1 SECTION	HF1HC-1S	\$10,905	SOLID	1/3	26	33.63	78.5	115	3/4	11	21.06
	HF1HC-1HS	\$11,445	HALF SOLID	2/3							
	HF1HC-1G	\$13,350	GLASS	1/3							
	HF1HC-1HG	\$13,935	HALF GLASS	2/3							
1 WIDE SECTION	HF1WHC-1S	\$14,595	SOLID	1/3	35	33.63	78.5	115	3/4	11	30.76
2 SECTIONS	HF2HC-1S	\$15,280	SOLID	2/6	52	33.63	78.5	115	3/4+	10	45.2
	HF2HC-1HS	\$16,310	HALF SOLID	4/6				115	3/4 (X2)	13.2	
	HF2HC-1G	\$18,965	GLASS	2/6				115	3/4 (X2)	13.2	
	HF2HC-1HG	\$20,595	HALF GLASS	4/6				115	3/4 (X2)	13.2	
3 SECTIONS	HF3HC-1S	\$20,045	SOLID	3/9	78	33.63	78.5	115	3/4 (X2)	13.2	69
	HF3HC-1HS	\$21,470	HALF SOLID	6/9							
	HF3HC-1G	\$26,035	GLASS	3/9							
	HF3HC-1HG	\$29,595	HALF GLASS	6/9							

Depth measurement includes handles. For total height, add 3 or 6 inches, based on your mounting choice.

ADAPTIVE DEFROST

- Reduces energy consumption up to 15%
- Units are able to provide a consistent product temperature throughout the cabinet even during defrost cycles
- Reduces the overall time defrosting versus traditional timed defrost
- Example: Adaptive Defrost: 48 min total in 4 cycles versus 60 min in 3 cycles (Traditional 8HR)
- High Ambient and Humidity testing shows the system's ability to perform better in high usage environments under unfavorable conditions



P SERIES

Spec Line Refrigeration



Maximum resistance to wear and tear with stainless steel breaker caps and door liners

Configurable interior gives ultimate flexibility for shelf and slide combinations

7 year warranty on parts, labour, and compressor

LED lighting

Full electronic control

Self-closing doors

with 120° stay-open feature, on cam-lift hinges

Expansion valve technology

Variable speed compressor technology

Door locks standard

Solid and Glass doors

Magnetic gasket attached to each door

for positive seal

Sealed system makes service and maintenance quick and easy

6" adjustable legs

(3" casters or 6" caster option available at no charge when specified on order)

3 epoxy coated wire shelves

per section

Removable access panel

for ease of service and maintenance



AVAILABLE DOORS

- Solid (*one full-door*)
- Half Solid (*two half-doors*)
- Glass (*one full-door*)
- Half Glass (*two half-doors*)



EXTERIOR FINISHES

- Stainless steel

INTERIOR FINISHES

- Corrosion-resistant aluminum
- Stainless steel

AVAILABLE OPTIONS

- Left hinge doors
- Remote models available

AVAILABLE ACCESSORIES

- Additional shelves
- Tray slide kits (reach-in & pass-thru only)
- Stainless steel shelves
- Kick plate


MOUNTING OPTIONS

- 6" legs (standard)
- 6" casters
- 3" casters
- Flanged/seismic feet

AGENCY CERTIFICATIONS



TRAY SLIDES A AVAILABLE
holds one 18x26" or two 14x18"



TRAY SLIDES A/C AVAILABLE
hold one 18x26", or two 14x18", or two 12x20"

1, 2, AND 3 SECTION MODELS AVAILABLE IN REACH-IN, PASS-THRU, ROLL-IN AND ROLL-THRU



P SERIES

REFRIGERATORS - REACH IN

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1 SECTION	PR1HC-1AS	\$12,645	SOLID	1/3	26.50	34.63	77.75	115	1/3	6.5	21.01
	PR1HC-1AHS	\$13,275	HALF SOLID	2/3							
	PR1HC-1BG	\$13,395	GLASS	1/3	26.50	33.38	77.75	115	1/3	6.5	21.01
	PR1HC-1BHG	\$14,140	HALF GLASS	2/3							
2 SECTIONS	PR2HC-1AS	\$16,600	SOLID	2/6	52.13	34.63	77.75	115	1/3	6.5	44.57
	PR2HC-1AHS	\$17,570	HALF SOLID	4/6							
	PR2HC-1BG	\$18,430	GLASS	2/6	52.13	33.38	77.75	115	1/2	6.5	44.57
	PR2HC-1BHG	\$19,295	HALF GLASS	4/6							
3 SECTIONS	PR3HC-1AS	\$21,885	SOLID	3/9	77.75	34.63	77.75	115	3/4	8.5	68.34
	PR3HC-1AHS	\$23,530	HALF SOLID	6/9							
	PR3HC-1BG	\$24,095	GLASS	3/9	77.75	33.38	77.75	115	3/4	8.5	68.34
	PR3HC-1BHG	\$28,810	HALF GLASS	6/9							

Depth measurement includes handles. For total height, add 3 or 6 inches, based on your mounting choice.

REFRIGERATORS - PASS-THRU

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1 SECTION	PRD1HC-1AS	\$15,195	SOLID	2/3	26.50	38.38	77.75	115	1/3	6.5	22.9
	PRD1HC-1AHS	\$15,815	HALF SOLID	4/3							
	PRD1HC-1BG	\$16,495	GLASS	2/3							
	PRD1HC-1BHG	\$19,140	HALF GLASS	4/3							
2 SECTIONS	PRD2HC-1AS	\$19,890	SOLID	4/6	52.13	38.38	77.75	115	1/3	6.5	48.33
	PRD2HC-1AHS	\$21,700	HALF SOLID	8/6							
	PRD2HC-1BG	\$23,680	GLASS	4/6				115	3/4	8.5	48.33
	PRD2HC-1BHG	\$32,585	HALF GLASS	8/6							
3 SECTIONS	PRD3HC-1AS	\$26,610	SOLID	6/9	77.75	38.38	77.75	115	3/4	8.5	74
	PRD3HC-1AHS	\$28,380	HALF SOLID	12/9							
	PRD3HC-1BG	\$30,290	GLASS	6/9				115	1/3 (X2)	10.8	75.1
	PRD3HC-1BHG	\$36,750	HALF GLASS	12/9							

Depth measurement includes handles. For total height, add 3 or 6 inches, based on your mounting choice.

REFRIGERATORS - ROLL-IN

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1 SECTION	PRI1HC-1AS	\$16,195	SOLID	1	36.5	36.13	84	115	1/3	6.5	34.86
	PRI1XTHC-1AS	\$16,515					89.63				38.06
2 SECTIONS	PRI2HC-1AS	\$22,325	SOLID	2	68.88	36.13	84	115	3/4	8.5	70.84
	PRI2XTHC-1AS	\$24,655					89.63				77.35

Depth measurement includes handles.

REFRIGERATORS - ROLL-THRU

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1 SECTION	PRT1HC-1AS	\$18,125	SOLID	2	36.5	39.88	84	115	3/4	8.5	38.69
	PRT1XTHC-1AS	\$22,115					89.63				42.27
2 SECTIONS	PRT2HC-1AS	\$27,950	SOLID	4	68.88	39.88	84	115	3/4	8.5	78.49
	PRT2XTHC-1AS	\$34,185					89.63				85.76

Depth measurement includes handles.

P SERIES

FREEZERS - REACH IN

MAINTAINS PRODUCT TEMPERATURES OF -10°F.

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1 SECTION	PF1HC-1AS	\$15,645	SOLID	1/3	26.50	34.63	77.75	115	3/4	9.1	21.01
	PF1HC-1AHS	\$16,405	HALF SOLID	2/3							
	PF1HC-1BG	\$17,530	GLASS	1/3	26.50	33.38	77.75	115	3/4	9.1	21.01
	PF1HC-1BHG	\$19,410	HALF GLASS	2/3							
2 SECTIONS	PF2HC-1AS	\$21,940	SOLID	2/6	52.13	34.63	77.75	115	3/4+	10.5	44.57
	PF2HC-1AHS	\$23,050	HALF SOLID	4/6							
	PF2HC-1BG	\$25,720	GLASS	2/6	52.13	33.38	77.75	115	2 X 3/4	13.9	44.57
	PF2HC-1BHG	\$27,685	HALF GLASS	4/6							
3 SECTIONS	PF3HC-1AS	\$30,585	SOLID	3/9	77.75	34.63	77.75	115	2 X 3/4	13.9	68.34
	PF3HC-1AHS	\$32,035	HALF SOLID	6/9							
	PF3HC-1BG	\$36,250	GLASS	3/9	77.75	33.38	77.75	115	2 X 3/4	13.9	68.34
	PF3HC-1BHG	\$39,190	HALF GLASS	6/9							

Depth measurement includes handles. For total height, add 3 or 6 inches, based on your mounting choice.

FREEZERS - PASS-THRU

MAINTAINS PRODUCT TEMPERATURES OF -10°F.

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1 SECTION	PFD1HC-1AS	\$17,900	SOLID	2/3	26.50	38.38	77.75	115	3/4	9.1	22.9
	PFD1HC-1AHS	\$18,615	HALF SOLID	4/3							
	PFD1HC-1BG	\$22,080	GLASS	2/3	26.50	35.88	77.75	115	3/4	9.1	22.9
	PFD1HC-1BHG	\$24,090	HALF GLASS	4/3							
2 SECTIONS	PFD2HC-1AS	\$32,220	SOLID	4/6	52.13	38.38	77.75	115	3/4+	10.5	48.33
	PFD2HC-1AHS	\$33,695	HALF SOLID	8/6							
	PFD2HC-1BG	\$39,775	GLASS	4/6	52.13	35.88	77.75	115	2 X 3/4	13.9	48.33
	PFD2HC-1BHG	\$44,585	HALF GLASS	8/6							48.66

Depth measurement includes handles. For total height, add 3 or 6 inches, based on your mounting choice.

FREEZERS - ROLL-IN

MAINTAINS PRODUCT TEMPERATURES OF -10°F.

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1 SECTION	PFI1HC-1AS	\$20,100	SOLID	1	36.5	36.13	84	115	3/4	9.1	34.86
	PFI1XTHC-1AS	\$20,605					89.63				38.06
2 SECTIONS	PFI2HC-1AS	\$31,720	SOLID	2	68.88	36.13	84	115	2 X 3/4	13.9	70.84
	PFI2XTHC-1AS	\$32,595					89.63				77.35

Depth measurement includes handles.

FREEZERS - ROLL-THRU

MAINTAINS PRODUCT TEMPERATURES OF -10°F.

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1 SECTION	PFT1HC-1AS	\$24,980	SOLID	2	36.5	39.88	84	115	3/4+	10.5	38.69
	PFT1XTHC-1AS	\$28,190					89.63				42.27
2 SECTIONS	PFT2HC-1AS	\$38,370	SOLID	4	68.88	39.88	84	115	2 X 3/4	13.9	78.49
	PFT2XTHC-1AS	\$42,415					89.63				85.76

Depth measurement includes handles.

DUAL-TEMPS - REACH-IN

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F (REFRIGERATOR), AND -10°F (FREEZER).

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
2 HALF SECTIONS (1 REFRIGERATOR 1 FREEZER)	PRF12-12HC-1HS	\$19,370	HALF SOLID	2/4	26.63	34.63	77.75	115 (X2)	R: 1/3 F: 1/3	R: 7.5 F: 7.5	R: 9 F: 9
	PRF12-12HC-1HG	\$23,860	HALF GLASS								
2 SECTIONS (1 REFRIGERATOR 1 FREEZER)	PRF24-24HC-1AS	\$25,400	SOLID	2/6	52	33	77.75	115 (X2)	R: 1/3 F: 3/4	R: 6.5 F: 9.1	R: 21 F: 21
	PRF24-24HC-1AHS	\$26,310	HALF SOLID								

Depth measurement includes handles. For total height, add 3 or 6 inches, based on your mounting choice.

CROSS TEMP[®] SERIES

Convertible Refrigeration



**CROSS TEMP
NOW AVAILABLE
IN CHEF BASES!**

SEE PAGE 138!



**Variable speed compressor
technology achieves up to
30% more energy efficiency
compared to a single-speed**

**7 year warranty on parts,
labour, and compressor**

Temperature range of -15 to 40° F

Modulates coil temp to achieve desired set point
while achieving maximum energy efficiency

Single cabinet configurable to all menu initiatives

Intuitive compressor
adjusts for optimal effectiveness in high-use situations

Quicker pull-down
for both air and product temperatures

Improved product stability

Smart-defrost

Expansion valve

Rapid-recovery after defrost

consistent product temperature and ensures food quality

Door locks standard

Solid doors only (optional on glass door models)

Field-reversible doors


(except for CT12-12HC models)

**Featuring environmentally friendly
energy efficient R290 refrigerant**



AVAILABLE DOORS

- Solid (one full-door)
- Half Solid (two half-doors)
- Glass (one full-door)
- Half Glass (two half-doors)
- NEW! One half door and two drawers (dual temp only)

**EXTERIOR FINISHES**

- Stainless steel front with gray painted steel sides
- Stainless steel sides/front

INTERIOR FINISHES

- Corrosion resistant aluminum
- Stainless steel

AVAILABLE OPTIONS

- Left hinge doors

AVAILABLE ACCESSORIES

- Tray Slides
- Additional shelves

MOUNTING OPTIONS


- 6" casters (standard)
- 6" legs
- 3" casters (single section only)
- Flanged/seismic feet

AGENCY CERTIFICATIONS

EASY-TO-USE CONTROLLER
to quickly adjust set points



VARIABLE SPEED SYSTEM
modulates coil temp



Easily converts from refrigerator to freezer
with Beverage-Air's exclusive Cross Temp® technology

WHAT IS CROSS TEMP® TECHNOLOGY?

New from Beverage-Air, Cross Temp™ technology allows the user to easily switch the unit back and forth from refrigerator to freezer as needed, with a range of -15° to 40°F.

THE PURPOSE OF CROSS TEMP®

Simply put, Cross Temp technology lets the user get the most flexibility from the unit, by letting them switch from fridge to freezer as their menus change with the seasons and initiatives, including ice-cream storage.

IS CROSS TEMP ENERGY EFFICIENT?

The Cross Temp® units are intuitive and self-adjust for optimal effectiveness based on usage. Even in high-usage situations, Cross Temp units adjust to maintain maximum energy efficiency.

HOW LONG DOES THE CONVERSION TAKE?

On average, a Cross Temp unit can convert from refrigerator to freezer or vice versa, in under an hour. (Conditions and results will vary)

CROSS TEMP® SERIES

1 & 2 SECTIONS

CAN CONVERT BETWEEN FREEZER AND REFRIGERATOR
TEMPERATURES FROM -15° TO 40°F

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1 SECTION	CT1HC-1S	\$11,655	SOLID	1/3	26	33.63	78.5	115	4/5	8	23.1
	CT1HC-1HS	\$12,230	HALF SOLID	2/3							
	CT1HC-1G	\$14,270	GLASS	1/3							
	CT1HC-1HG	\$14,895	HALF GLASS	2/3							
2 SECTIONS	CT2HC-1S	\$22,910	SOLID	2/6	52	33.63	79	115	4/5 (X2)	13.2	45.2
	CT2HC-1HS	\$23,755	HALF SOLID	4/6							
	CT2HC-1G	\$26,125	GLASS	2/6							
	CT2HC-1HG	\$29,035	HALF GLASS	4/6							

Depth measurement includes handles. For total height, add 3 or 6 inches, based on your mounting choice.

DUAL TEMP - 2 HALF SECTIONS

CAN CONVERT BETWEEN FREEZER AND REFRIGERATOR
TEMPERATURES FROM -15° TO 40°F

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
2 HALF SECTIONS (STACKED)	CT12-12HC-1HS	\$18,125	HALF SOLID	2/4	26.5	34.88	78.13	115 (X2)	1: 1/3 2: 1/3	1: 7.5 2: 7.5	1: 9 2: 9
	CT12-12HC-1HG	\$22,970	HALF GLASS								
2 HALF SECTIONS (STACKED)	CT12-12HC-1HSD	\$24,165	HALF SOLID / 2 DRAWERS	1/2	26.5	34.88	78.13	115 (X2)	1: 1/3 2: 1/3	1: 7.5 2: 7.5	1: 9 2: 9

Depth measurement includes handles. For total height, add 3 or 6 inches, based on your mounting choice.






Top Mount Reach-In Accessories


DESCRIPTION	UNIT(S)	PART NUMBER	LIST PRICE
SHELVING / ORGANIZERS			
Epoxy Coated Wire Shelf	H Series Flat Shelving 1 Door Unit	412-020D-01	\$165
Epoxy Coated Wire Shelf	H Series Flat Shelving HR1W Units	403-888-D01	\$165
Epoxy Coated Wire Shelf	H Series Flat Shelving 2 Door Unit	412-021D-01	\$165
Epoxy Coated Center Shelf	H Series Flat Shelving 3 Door Unit	412-022D-01	\$165
Epoxy Coated Wire Shelf	H Series Flat Shelving 3 Door Unit	412-021D-01	\$165
Epoxy Coated Wire Shelf	P Series, 1 section	50597706	\$185
Epoxy Coated Wire Shelf	P Series, 2 section or 3 section (left or right)	50597806	\$175
Epoxy Coated Wire Shelf	P Series, 3 section (center)	50597906	\$175
Epoxy Coated Wire Shelf	Cross Temp Flat Shelving 1 Door Unit (CT1)	403-889D-01	\$165
Epoxy Coated Wire Shelf	Cross Temp Flat Shelving (CT12)	50597706	\$185
S/S Shelves	H Series Flat Shelving 1 Door Unit	412-020D-04	\$480
S/S Shelves	H Series Flat Shelving 2 & 3 Door Unit	412-021D-04	\$555
Shelf Clip	Any H Series Unit / Cross Temp 1 Door Unit (CT1)	403-169A	\$5
Shelf Clip	P Series / Cross Temp (CT12)	50022601	\$5
MOUNTING			
6" Caster (set of four)	Any H Series Unit / Cross Temp 1 Door Unit (CT1)	61C01-001A	\$500
3" Caster (set of four)	Any H Series Unit / Cross Temp 1 Door Unit (CT1)	61C01-013A	\$500
6" Black Leg (set of four)	Any H Series Unit / Cross Temp 1 Door Unit (CT1)	58B02-001A	\$500
6" Seismic/Flanged Legs (set of four)	Any H Series Unit / Cross Temp 1 Door Unit (CT1)	00C31-055A	\$425
6" Casters (set of four)	P Series	0-0140-105S	\$500
3" Casters (set of four)	P Series	0-0140-103S	\$500
6" Seismic/Flanged Legs (set of four)	P Series	00C26-028A	\$450
ADDITIONAL ACCESSORIES			
Door Lock	Glass Door H Series / Glass Door Cross Temp (CT1) (per door)	GDL	\$230
Door lock	P Series	SDL	\$125
S/S Breakers Half Door	Any H Series Unit	61C08-019A	\$320
S/S Breakers Full Door	Any H Series Unit (except extra-wide units)	61C08-020A	\$240

Tray Slides

DESCRIPTION	UNIT(S)	PART NUMBER	LIST PRICE
-------------	---------	-------------	------------


INDIVIDUAL TRAY SLIDES

1 pair of type "A" tray slides	H-Series / P-Series / Cross Temp Series			10601211S	\$115
 Pilaster and mounting hardware not included. Contact us for hardware selection.	Bottom support for (1) 18x26" pan, or (2) 14x18" pans				
	SPACING	2"	3"	4"	
	Full Door	26	18	13	
	Half Door	12	8	6	

1 pair of type "A/C" tray slides	H-Series / Cross Temp Series (except CT12)	10601201S	\$200	
 Pilaster and mounting hardware not included. Contact us for hardware selection.	Bottom support for (1) 18x26" pan, or (2) 14x18" pans, or (2) 12x20" pans			
	SPACING	2"	3"	4"
	Full Door	26	18	13
	Half Door	12	8	6

TRAY SLIDE KITS

EPOXY COATED WIRE ROD TRAY SLIDE KIT #4 - 1/2 SECTION

 1/2 SECTION 19 SLOTS	H Series - 1 Section Unit	61C31-251A-01 (order 2)	\$845
	H Series - 2 Section Unit	61C31-251A-02 (order 4)	\$845
	H Series - 3 Section Unit	61C31-251A-03 (order 6)	\$845



BOTTOM MOUNT REACH-INS

MULTIPLE OPTIONS TO MEET ANY COOLING CHALLENGE OR ENVIRONMENT



Vista Series



Horizon Series



RI Series

VISTA® SERIES

Refrigerators & Freezers



**Designed to perform in
high ambient conditions**

**7 year warranty on parts,
labour, and compressor**

Made in USA

Full electronic control

Door locks standard

(on solid doors only except RB/FB12HC-1S;
optional on glass door models)

One piece grille

Cartridge style door hinges

with 120 degree stay-open feature

LED lighting standard

Self-closing doors

Right and Left hinged models available

(specify at time of order)

6" heavy duty casters standard

(3" casters or 6" leg option available
at no charge when specified on order)

Environmentally friendly, energy efficient R290 refrigerant



AVAILABLE DOORS

- Solid (one full-door)
- Glass (one full-door)



EXTERIOR FINISHES

- Stainless steel front with gray painted steel sides

INTERIOR FINISHES

- Corrosion resistant aluminum

AVAILABLE OPTIONS

- Left hinge doors
- Remote models available

AVAILABLE ACCESSORIES

- Additional shelves
- Tray slide kits

MOUNTING OPTIONS

- 6" casters (standard)
- 6" legs
- 3" casters
- Flanged/seismic feet

AGENCY CERTIFICATIONS



DOOR LOCKS STANDARD

on solid door units for loss prevention
(not available on RB/FB12;
available as an option for glass doors)



FULL ELECTRONIC CONTROL

with easy to read digital display

1, 2, AND 3 SECTION MODELS AVAILABLE



VISTA® SERIES

REFRIGERATORS

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1 SECTION	RB12HC-1S	\$6,400	SOLID	1/4	24	26	61.38	115	1/6	2	11.8
1 SHALLOW SECTION	RB19HC-1S	\$7,800	SOLID	1/3	27.25	27.75	78.13	115	1/4	2.88	19.08
	RB19HC-1G	\$9,155	GLASS		27.25	27.5	78.13				
1 SECTION	RB23HC-1S	\$8,230	SOLID	1/3	27.25	33.75	78.13	115	1/4	2.88	23.32
	RB23HC-1G	\$9,400	GLASS		27.25	33.5	78.13				
1 SECTION	RB27HC-1S	\$9,050	SOLID	1/3	30	33.75	78.13	115	1/4	2.88	25.97
	RB27HC-1G	\$9,825	GLASS		30	33.5	78.13				
2 SECTIONS	RB35HC-1S	\$10,190	SOLID	2/6	39.5	33.75	78.13	115	1/3	3.9	35.08
	RB35HC-1G	\$14,275			39.5	33.5	78.13				
2 SECTIONS	RB44HC-1S	\$10,920	SOLID	2/6	47	33.75	78	115	1/3	3.9	44
	RB44HC-1G	\$12,745	GLASS		47	33.5	78				
2 SECTIONS	RB49HC-1S	\$10,935	SOLID	2/6	52	33.5	78.25	115	1/3	3.9	46.15
	RB49HC-1G	\$12,925	GLASS		52	33.5	78.25				
3 SECTIONS	RB72HC-1S	\$14,770	SOLID	3/9	75	33.75	78.13	115	1/2	6.12	70.19
	RB72HC-1G	\$17,745	GLASS		75	33.5	78.13				

Depth measurement includes handles. For total height, add 3 or 6 inches, based on your mounting choice.

FREEZERS

MAINTAINS PRODUCT TEMPERATURES OF -10°F.

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1 SECTION	FB12HC-1S	\$6,925	SOLID	1/3	24	26	61.38	115	1/2	5	11.9
1 SHALLOW SECTION	FB19HC-1S	\$9,600	SOLID	1/3	27.25	27.75	78.13	115	3/4	6.34	19.08
	FB19HC-1G	\$12,760	GLASS		27.25	27.5	78.13				
1 SECTION	FB23HC-1S	\$10,090	SOLID	1/3	27.25	33.75	78.13	115	3/4	6.34	23.32
	FB23HC-1G	\$13,675	GLASS		27.25	33.5	78.13				
1 SECTION	FB27HC-1S	\$10,420	SOLID	1/3	30	33.75	78.13	115	3/4	10	25.97
	FB27HC-1G	\$13,995	GLASS		30	33.5	78.13				
2 SECTIONS	FB35HC-1S	\$12,255	SOLID	2/6	39.5	33.75	78.13	115	3/4	10	35.08
	FB35HC-1G	\$17,405			39.5	33.5	78.13				
2 SECTIONS	FB44HC-1S	\$13,305	SOLID	2/6	47	33.75	78.13	115	3/4	10	44
	FB44HC-1G	\$18,140	GLASS		47	33.5	78.13			13.9	
2 SECTIONS	FB49HC-1S	\$14,155	SOLID	2/6	52	33.75	78.25	115	3/4	10	46.2
	FB49HC-1G	\$19,335	GLASS		52	33.75	78.25			13.9	
3 SECTIONS	FB72HC-1S	\$18,610	SOLID	3/9	75	33.75	78.13	115	3/4 (X2)	13.9	68.43
	FB72HC-1G	\$22,850	GLASS		75	33.5	78.13			15.93	

Depth measurement includes handles. For total height, add 3 or 6 inches, based on your mounting choice.

HORIZON® SERIES

Refrigerators & Freezers



**Designed to perform in
high ambient conditions**

**7 year warranty on parts,
labour, and compressor**

Made in USA

Heavy Duty Construction

(2" CFC and HCFC-free foamed-in place
polyurethane insulation)

Full electronic Control

with one-touch defrost

Door locks standard

(solid doors only, except HBR/HBF12;
optional on glass door models)

Cartridge-style hinges

with 120 degree stay open feature

LED lighting standard

Self-closing doors

6" heavy duty casters standard

(3" casters or 6" leg option available at
no charge when specified on order)

Environmentally friendly, energy efficient R290 refrigerant



AVAILABLE DOORS

- Solid (*one full-door*)
- Half Solid (*two half-doors*)
- Glass (*one full-door*)
- Half Glass (*two half-doors*)



EXTERIOR FINISHES

- Stainless steel

INTERIOR FINISHES

- Stainless steel

AVAILABLE OPTIONS

- Left hinge doors
- Remote models available

AVAILABLE ACCESSORIES

- Additional shelves
- Tray slide kits
- Wine models
- Dual-temp

MOUNTING OPTIONS

- 6" casters (standard)
- 6" legs
- 3" casters
- Flanged/seismic feet

AGENCY CERTIFICATIONS



DOOR LOCKS STANDARD

on solid door units for loss prevention
(not available on HBR/HBF12;
available as an option for glass doors)



FULL ELECTRONIC CONTROL

with easy to read digital display

1, 2, AND 3 SECTION MODELS AVAILABLE



HORIZON® SERIES

REFRIGERATORS

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1 SECTION	HBR12HC-1	\$8,560	SOLID	1/4	24	26	61.38	115	1/6	2	12.06
1 SHALLOW SECTION	HBR19HC-1	\$8,675	SOLID	1/3	27.25	27.75	78.13	115	1/4	2.88	19.08
	HBR19HC-1-G	\$9,570	GLASS		27.25	27.5	78.13				
1 SECTION	HBR23HC-1	\$8,800	SOLID	1/3	27.25	33.75	78.13	115	1/4	2.88	23.32
	HBR23HC-1-HS	\$9,775	HALF SOLID	2/3							
	HBR23HC-1-G	\$10,060	GLASS	1/3	27.25	33.5	78.13				
	HBR23HC-1-HG	\$10,610	HALF GLASS	2/3							
1 SECTION	HBR27HC-1	\$9,155	SOLID	1/3	30	33.75	78.13	115	1/4	2.88	25.97
	HBR27HC-1-HS	\$10,085	HALF SOLID	2/3							
	HBR27HC-1-G	\$10,335	GLASS	1/3	30	33.5	78.13				
	HBR27HC-1-HG	\$10,815	HALF GLASS	2/3							
2 SECTIONS	HBR35HC-1	\$10,370	SOLID	2/6	39.5	33.75	78.13	115	1/3	3.9	35.08
	HBR35HC-1-G	\$13,210	GLASS		39.5	33.5	78.13				
2 SECTIONS	HBR44HC-1	\$11,000	SOLID	2/6	47	33.75	78.25	115	1/3	3.9	40.2
	HBR44HC-1-HS	\$12,025	HALF SOLID	4/6							
	HBR44HC-1-G	\$13,780	GLASS	2/6							
	HBR44HC-1-HG	\$14,860	HALF GLASS	4/6							
2 SECTIONS	HBR49HC-1	\$11,715	SOLID	2/6	52	33.75	78.25	115	1/3	3.9	46.15
	HBR49HC-1-HS	\$13,215	HALF SOLID	4/6						5	
	HBR49HC-1-G	\$13,835	GLASS	2/6						3.9	
	HBR49HC-1-HG	\$14,785	HALF GLASS	4/6						3.9	
3 SECTIONS	HBR72HC-1	\$15,810	SOLID	3/9	75	33.75	78.13	115	1/2	6.12	70.19
	HBR72HC-1-HS	\$17,900	HALF SOLID	6/9							
	HBR72HC-1-G	\$19,000	GLASS	3/9	75	33.5	78.13				
	HBR72HC-1-HG	\$20,765	HALF GLASS	6/9							

Depth measurement includes handles. For total height, add 3 or 6 inches, based on your mounting choice.

FREEZERS

MAINTAINS PRODUCT TEMPERATURES OF -10°F.

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1 SECTION	HBF12HC-1	\$9,775	SOLID	1/3	24	26	61.38	115	1/2	5	11.9
	HBF12HC-1-G	\$12,215	GLASS		24	24.5	61.38				
1 SHALLOW SECTION	HBF19HC-1	\$10,285	SOLID	1/3	27.25	27.75	78.13	115	3/4	6.34	19.08
	HBF19HC-1-G	\$13,425	GLASS		27.25	27.5	78.13				
1 SECTION	HBF23HC-1	\$10,800	SOLID	1/2	27.25	33.75	78.13	115	3/4	6.34	23.32
	HBF23HC-1-HS	\$11,400	HALF SOLID	2/2							
	HBF23HC-1-G	\$14,635	GLASS	1/2	27.25	33.5	78.13				
	HBF23HC-1-HG	\$15,180	HALF GLASS								
1 SECTION	HBF27HC-1	\$11,465	SOLID	1/2	30	33.75	78.13	115	3/4	10	25.97
	HBF27HC-1-HS	\$12,115	HALF SOLID	2/2						7.5	
	HBF27HC-1-G	\$14,850	GLASS	1/2	30	33	78.13			10	
2 SECTIONS	HBF35HC-1	\$13,355	SOLID	2/6	39.5	33.75	78.13	115	3/4	10	35.08
	HBF35HC-1-G	\$15,800	GLASS		39.5	33.5	78				
2 SECTIONS	HBF44HC-1	\$14,330	SOLID	2/6	47	33.75	78.25	115	3/4	10	44
	HBF44HC-1-HS	\$15,470	HALF SOLID	4/6					3/4	10	
	HBF44HC-1-G	\$16,155	GLASS	2/6					3/4 (X2)	13.9	
2 SECTIONS	HBF49HC-1	\$15,245	SOLID	2/6	52	33.75	78.25	115	3/4	10	46.2
	HBF49HC-1-HS	\$16,065	HALF SOLID	4/6					3/4	10	
	HBF49HC-1-G	\$20,690	GLASS	2/6					3/4 (X2)	13.9	
3 SECTIONS	HBF72HC-1	\$19,915	SOLID	3/9	75	33.75	78.13	115	3/4 (X2)	13.9	68.43
	HBF72HC-1-HS	\$20,775	HALF SOLID	6/9	75	33.75	78.13		3/4 (X2)	13.9	
	HBF72HC-1-G	\$32,270	GLASS	3/9	75	33.5	78.13		3/4 (X2)	15.93	

Depth measurement includes handles. For total height, add 3 or 6 inches, based on your mounting choice.

HORIZON® SERIES

DUAL-TEMPS

MAINTAINS PRODUCT TEMPERATURES OF
36-38°F (REFRIGERATOR), AND -10°F (FREEZER).

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
2 HALF SECTIONS (1 REFRIGERATOR 1 FREEZER)	HBRF23HC-1-A	\$18,990	HALF SOLID	2/4	27.25	33.75	78	115 (X2)	R: 1/10 F: 1/2	R: 2 F: 4	R: 11.5 F: 8.65
2 SECTIONS (1 REFRIGERATOR 1 FREEZER)	HBRF49HC-1-A	\$22,335	SOLID	2/6	52	33.75	78	115 (X2)	R: 1/4 F: 3/4	R: 2.4 F: 7.5	R: 21.01 F: 21.01
	HBRF49HC-1-A-G	\$24,720	GLASS								
3 SECTIONS (1 REFRIGERATOR 2 FREEZER)	HBRF72HC-1-B	\$26,050	SOLID	3/9	75	33.75	78	115 (X2)	R: 1/4 F: 1	R: 2.4 F: 11	R: 19.62 F: 44.85
	HBRF72HC-1-B-G	\$31,745	GLASS								

*Freezers powered by 115/208-230 volts are designed for field wiring (requires 4-wire electrical circuit, hard-wired).

Depth measurement includes handles.



HBRF72HC-1-B

All options for Horizon Bottom Mount Dual Temps are specified within the model number using the designated codes described below.

HBRF23HC EXAMPLE

Customer orders a HBRF23HC-1-A

- The refrigerator will be on the TOP with Right hinged door. The freezer will be on the BOTTOM with Right hinged door. (RF)

HB (RF, FR) 23 - COOLER CONFIGURATIONS

HALF DOOR ON TOP - HALF DOOR ON BOTTOM

FR	Freezer on the Top with Right Hinged Door, Refrigerator on the Bottom with Right Hinged Door
RF	Refrigerator on the Top with Right Hinged Door, Freezer on the Bottom with Right Hinged Door
RR	One Refrigerator on Top, second Refrigerator on the Bottom, Right Hinged Doors

SPECIAL DOOR OPENINGS - ADD NUMBER TO END OF MODEL NUMBER

-18	All Left Hinged Doors
------------	-----------------------

HBRF49HC EXAMPLE

Customer orders a HBRF49HC-1-A

- The refrigerator will be on the LEFT with Left hinged door. The freezer will be on the RIGHT with Right hinged door. (RF)

HB (RF, FR) 49 - COOLER CONFIGURATIONS

SINGLE DOOR ON LEFT - SINGLE DOOR ON RIGHT

FR	Freezer on the Left with Left Hinged Door, Refrigerator on the Right with Right Hinged Door
RF	Refrigerator on the Left with Left Hinged Door, Freezer on the Right with Right Hinged Door
RR	One Refrigerator on the Left, second Refrigerator on Right

SPECIAL DOOR OPENINGS - ADD NUMBER TO END OF MODEL NUMBER

-18	All Left Hinged Doors
------------	-----------------------

-015	All Right Hinged Doors
-------------	------------------------

HBRF72 EXAMPLE

Customer orders a HBRF72HC-1-B

- The refrigerator will be on the left and freezer will be on the right (RF)
- Single section on the left, and double section on the right (B)

HB (RF, FR) 72 - COOLER CONFIGURATIONS

Refrigerator/Freezer Location

FR	Freezer on the Left, Refrigerator on the right
RF	Refrigerator on the Left, Freezer on the right
RR	One Refrigerator on the Left, second Refrigerator on Right

Door Configuration

B	Single section on left, Double section on right
C	Double section on left, Single section on right

B DOOR OPENINGS - ADD NUMBER TO END OF MODEL NUMBER

	Standard - Single section on the Left with Left Hinged Door, 2 Door Section on the Right with Left/Right Hinged Doors
-282	Single section on the Left with Left Hinged Door, 2 Door Section on the Right with 2 Right Hinged Doors
-18	Single section on the Left with Left Hinged Door, 2 Door Section on the Right with 2 Left Hinged Doors
-015	Single section on the Left with Right Hinged Door, 2 Door Section on the Right with 2 Right Hinged Doors

C DOOR OPENINGS - ADD NUMBER TO END OF MODEL NUMBER

	Standard - 2 Door Section on the Left with Left/Right Hinged Doors, Single Door Section on the Right with Right Hinged Door
-18	2 Door Section on the Left with 2 Left Hinged Doors, Single Door Section on the Right with Left Hinged Door
-015	2 Door Section on the Left with 2 Right Hinged Doors, Single Door Section on the Right with Right Hinged Door
-103	2 Door Section on the Left with 2 Left Hinged Doors, Single Door Section on the Right with Right Hinged Door

RI SERIES

Refrigerators



**Designed to perform in
high ambient conditions**

**7 year warranty on parts,
labour, and compressor**

Made in USA

Compact design

to fit challenging kitchen layouts

Heavy Duty Construction

(2" CFC and HCFC-free foamed-in place
polyurethane insulation)

Cartridge-style hinges

with 120 degree stay open feature

LED lighting standard

Self-closing doors

6" heavy duty casters standard


(3" casters or 6" leg option available at
no charge when specified on order)

**Uses environmentally friendly,
energy efficient R290 refrigerant**



FULL ELECTRONIC CONTROL

with easy to read digital display



BUILT-IN LED LIGHTS

Improved LED lighting for better product display

REFRIGERATORS (REACH-IN)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1 SECTION	RI18HC	\$7,970	SOLID	1/4	27.25	29.25	69	115	1/4	5.5	16.85
	RI18HC-HS	\$7,845	HALF SOLID	2/5							
	RI18HC-G	\$9,505	GLASS	1/4							
	RI18HC-HG	\$10,280	HALF GLASS	2/5							
	RI18HC-HGS	\$8,505	HALF GLASS HALF SOLID	2/5							

Depth measurement includes handles. For total height, add 3 or 6 inches, based on your mounting choice

REFRIGERATORS (PASS-THRU)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1 SECTION	RID18HC-HS	\$14,975	HALF SOLID	4/5	27.25	32.63	69	115	1/4	5.5	18.38
	RID18HC-HG	\$15,275	HALF GLASS								
	RID18HC-HGS	\$14,730	HALF GLASS HALF SOLID								

Depth measurement includes handles. For total height, add 3 or 6 inches, based on your mounting choice

AVAILABLE DOORS

- Solid (one full-door)
- Half Solid (two half-doors)
- Glass (one full-door)
- Half Glass (two half-doors)
- Half Glass, Half Solid (two half-doors)

EXTERIOR FINISHES

- Stainless steel

INTERIOR FINISHES

- Stainless steel

AVAILABLE OPTIONS

- Left hinge doors

AVAILABLE ACCESSORIES

- Additional shelves
- Wire shelf divider
- Bottle cartridge kit

MOUNTING OPTIONS

- 6" casters (standard)
- 6" legs
- 3" casters
- Flanged/seismic feet

AGENCY CERTIFICATIONS



Bottom Mount Reach-In Accessories

DESCRIPTION	UNIT(S)	PART NUMBER	LIST PRICE
SHELVING / ORGANIZERS			
Epoxy Coated Wire Shelf	RB/FB/HBR/HBF23	403-900D-02	\$170
Epoxy Coated Wire Shelf	RB/FB/HBR/HBF27	403-871D-02	\$170
Epoxy Coated Wire Shelf	RB/FB/HBR/HBF49	403-873D-02	\$170
Epoxy Coated Wire Shelf	RB/FB/HBR/HBF72	403-874D-02	\$170
Epoxy Coated Wire Shelf	SR1 / SF1	100185005	\$125
Epoxy Coated Wire Shelf	SR2 / SF2	100185306	\$110
Epoxy Coated Wire Shelf	RI18	403-207D	\$170
Shelf Clip	RB/FB/HBR/HBF	403-169A	\$5
Flat Wine Rack with Bottle Support	RB/HBR23	403-928D-04	\$445
Flat Wine Rack with Bottle Support	RB/HBR27	403-929D-04	\$445
Wire Divider	RI Series	403-719C	\$5

MOUNTING			
3" Caster Kit	RB/FB/HBR/HBF	61C01-018D-01	\$495
6" Caster Kit	RB/FB/HBR/HBF	61C01-014D-01	\$500
6" Seismic/Flanged Legs	RB/FB/HBR/HBF Series (set of four)	00C31-055A	\$425
3" Caster	RI Series	401-695B	\$95
3" Caster With Brake	RI Series	401-696B	\$115
6" Caster	RI Series	401-275A	\$105
6" Caster With Brake	RI Series	401-276A	\$135
6" Black Legs	RI Series	401-405A	\$425

ADDITIONAL ACCESSORIES			
Door Lock (at time of order)	RB/FB/HBR/HBF (SOLID DOORS, except RB/FB12 and HBR/HBF12)	401-274A	\$125

TRAY SLIDE KITS			
KIT #3 STAINLESS STEEL UNIVERSAL TRAY SLIDE			
8 PAIRS PER 1/2 SECTION	RB/FB/HBR/HBF 23	61C08-038A-02 (order 2)	\$845
	RB/FB/HBR/HBF 49	61C08-038A-01 (order 4)	\$845





WARMING CABINETS

KEEP FOOD WARM, FRESH, AND SAFE THROUGH THE PREP-TO-DELIVERY PROCESS



Horizon Series



P Series

HORIZON® SERIES

Warming Cabinets



Optimal airflow for consistent cabinet temperature

7 year parts and labour warranty

Made in USA

Adjustable Electronic Temp Control

From 80°F To 180°F

Built-In Adjustable Humidity Control Vent

Safety Shielded Strip Type Heating Elements

Externally Mounted Blower

Maintains Even Temperatures

Stainless Steel Front

With Gray Painted Galvanized Sides

Corrosion Resistant Aluminum Interior

Stainless Steel Breaker Caps

Snap-In Magnetic Door Gasket

Heavy-Duty Cam Lift Hinges

Stay-Open Door Feature

For Easy Product Loading

3 Heavy-Duty Epoxy Coated Shelves

per section



FULL ELECTRONIC CONTROL

with easy to read digital display



FIELD-REVERSIBLE DOORS

for flexibility to get your kitchen set up exactly how you want it

WARMING CABINETS

ADJUSTABLE ELECTRONIC TEMP CONTROL FROM 80°F TO 180°F

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	WATTS	AMPS	CUBIC FEET
1 SECTION	HH1-1S	\$11,345	SOLID	1/3	26	33.88	78.5	208- 240	1500	5.9 / 6.8	21.17
1 SECTION PASS-THRU	HH-1S-PT	\$14,445	SOLID	2/3	26	36.75	78.5	208- 240	1500	5.9 / 6.8	21.17
2 SECTIONS	HH2-1S	\$15,615	SOLID	2/6	52	33.88	78.5	208- 240	3000	11.3 / 13	45.04
2 SECTIONS PASS-THRU	HH2-1S-PT	\$18,460	SOLID	4/6	52	36.75	78.5	208- 240	3000	11.3 / 13	45.04

Depth measurement includes handles. For total height, add 6 inches for casters.



FOAMED-IN-PLACE DUCT

flows air down to
the warming unit



creating optimal air distribution throughout
cabinet without decreasing interior space.

Illustrated with the safety shield removed to give
a good view of the heating element and vent.

AVAILABLE DOORS

- Solid (one full-door)

EXTERIOR FINISHES

- Stainless steel front with
gray painted steel sides

INTERIOR FINISHES

- Corrosion resistant aluminum
- Stainless steel

AVAILABLE OPTIONS

- Left hinge doors

AVAILABLE ACCESSORIES

- Tray Slides
- Additional shelves

MOUNTING OPTIONS

- 6" casters (standard)
- 6" legs
- 3" casters
- Flanged/seismic feet

AGENCY CERTIFICATIONS



P SERIES

Spec Line Warming Cabinets



Maximum resistance to wear and tear with stainless steel breaker caps and door liners

Modular interior gives maximum flexibility for shelf and slide combinations

7 Year parts and labour warranty

Stainless steel breakers

Full electronic control

Self-closing doors

with 120° stay-open feature, on cam-lift hinges

Built-in adjustable humidity control

Door locks standard

for both Solid and Glass doors

Magnetic gasket attached to each door

for positive seal

6" adjustable legs

(3" casters or 6" caster option available at no charge when specified on order)

3 chrome-plated wire shelves

per section

Removable access panel

for ease of service and maintenance

Temperature range from 80-180° F



AVAILABLE DOORS

- Solid (*one full-door*)
- Half Solid (*two half-doors*)
- Glass (*one full-door*)
- Half Glass (*two half-doors*)



EXTERIOR FINISHES

- Stainless steel

INTERIOR FINISHES

- Corrosion-resistant aluminum
- Stainless steel

AVAILABLE OPTIONS

- Left hinge doors

AVAILABLE ACCESSORIES

- Additional shelves
- Tray slide kits (reach-in & pass-thru only)
- Stainless steel shelves
- Kick plate

MOUNTING OPTIONS

- 6" legs (standard)
- 6" casters
- 3" casters
- Flanged/seismic feet

AGENCY CERTIFICATIONS



TRAY SLIDES A AVAILABLE
holds one 18x26" or two 14x18"



TRAY SLIDES A/C AVAILABLE
hold one 18x26", or two 14x18", or two 12x20"

1, 2, AND 3 SECTION MODELS AVAILABLE IN REACH-IN, PASS-THRU, ROLL-IN, ROLL-THRU, AND EXTRA-TALL



P SERIES

WARMING CABINETS - REACH IN

TEMPERATURE RANGE FROM 80-180° F

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	WATTS	AMPS	CUBIC FEET
1 SECTION	PH1-1S	\$11,220	SOLID	1/3	26.50	35	77.75	208-240	1500	6.3	21.5
	PH1-1HS	\$12,660	HALF SOLID	2/3	26.50	35	77.75	208-240	1500	6.3	21.5
	PH1-1BG	\$15,220	GLASS	1/3	26.50	33.38	77.75	208-240	1500	6.3	21.5
	PH1-1BHG	\$15,790	HALF GLASS	2/3	26.50	33.38	77.75	208-240	1500	6.3	21.5
2 SECTIONS	PH2-1S	\$15,035	SOLID	2/6	52.13	35	77.75	208-240	3000	13	46.5
	PH2-1HS	\$21,035	HALF SOLID	4/6	52.13	35	77.75	208-240	3000	13	46.5
	PH2-1BG	\$20,470	GLASS	2/6	52.13	33.38	77.75	208-240	3000	13	46.5
	PH2-1BHG	\$22,130	HALF GLASS	4/6	52.13	33.38	77.75	208-240	3000	13	46.5

Depth measurement includes handles. For total height, add 3 or 6 inches, based on your mounting choice.

WARMING CABINETS - PASS-THRU

TEMPERATURE RANGE FROM 80-180° F

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	WATTS	AMPS	CUBIC FEET
1 SECTION	PH1-1S-PT	\$12,795	SOLID	2/3	26.50	38.38	77.75	208-240	1500	6.3	21.5
	PH1-1HS-PT	\$14,485	HALF SOLID	4/3	26.50	38.38	77.75	208-240	1500	6.3	21.5
	PH1-1BG-PT	\$17,590	GLASS	2/3	26.50	35.88	77.75	208-240	1500	6.3	21.5
	PH1-1BHG-PT	\$19,060	HALF GLASS	4/3	26.50	35.88	77.75	208-240	1500	6.3	21.5
2 SECTIONS	PH2-1S-PT	\$18,755	SOLID	4/6	52.13	38.38	77.75	208-240	3000	13	46.5
	PH2-1HS-PT	\$21,035	HALF SOLID	8/6	52.13	38.38	77.75	208-240	3000	13	46.5
	PH2-1BG-PT	\$27,060	GLASS	4/6	52.13	35.88	77.75	208-240	3000	13	46.5
	PH2-1BHG-PT	\$27,985	HALF GLASS	8/6	52.13	35.88	77.75	208-240	3000	13	46.5

Depth measurement includes handles. For total height, add 3 or 6 inches, based on your mounting choice.

WARMING CABINETS - ROLL-THRU

TEMPERATURE RANGE FROM 80-180° F


SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS	WIDTH	DEPTH	HEIGHT	VOLTS	WATTS	AMPS	CUBIC FEET
1 SECTION	PHI1-1S-PT	\$17,585	SOLID	2	36.5	39.88	84.38	208-240	1500	6.3	33.6
	PHI1XT-1S-PT	\$17,585					89.88				
2 SECTIONS	PHI2-1S-PT	\$26,025	SOLID	4	68.88	39.88	84.38	208-240	3000	13	72.4
	PHI2XT-1S-PT	\$26,025					89.88				

Depth measurement includes handles.

WARMING CABINETS - ROLL-IN

TEMPERATURE RANGE FROM 80-180° F

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS	WIDTH	DEPTH	HEIGHT	VOLTS	WATTS	AMPS	CUBIC FEET
1 SECTION	PHI1-1S	\$17,000	SOLID	1	36.5	36.13	84.38	208-240	1500	6.3	33.6
	PHI1XT-1S	\$15,915					89.88				
2 SECTIONS	PHI2-1S	\$21,205	SOLID	2	68.88	36.13	84.38	208-240	3000	13	72.4

Depth measurement includes handles.

Warming Cabinet Accessories


DESCRIPTION	UNIT(S)	PART NUMBER	LIST PRICE
SHELVING / ORGANIZERS			
Epoxy Coated Wire Shelf	H Series Flat Shelving 1 Door Unit	403-889D-01	\$165
Epoxy Coated Wire Shelf	H Series Flat Shelving 2 Door Unit	403-887D-01	\$165
Epoxy Coated Wire Shelf	P Series, 1 section	50597706	\$185
Epoxy Coated Wire Shelf	P Series, 2 section or 3 section (left or right)	50597806	\$175
Epoxy Coated Wire Shelf	P Series, 3 section (center)	50597906	\$175
Shelf Clip	Any H Series Unit	403-169A	\$5
Shelf Clip	P Series	50022601	\$5
MOUNTING			
6" Caster (set of four)	Any H Series Unit	61C01-001A	\$500
3" Caster (set of four)	Any H Series Unit	61C01-013A	\$500
6" Black Leg (set of four)	Any H Series Unit	58B02-001A	\$500
6" Seismic/Flanged Legs (set of four)	Any H Series Unit	00C31-055A	\$450
6" Casters (set of four)	P Series	0-0140-105S	\$500
3" Casters (set of four)	P Series	0-0140-103S	\$500
6" Seismic/Flanged Legs (set of four)	P Series	00C26-028A	\$450
ADDITIONAL ACCESSORIES			
Door lock	P Series	50597111	\$125






Tray Slides

DESCRIPTION	UNIT(S)	PART NUMBER	LIST PRICE
-------------	---------	-------------	------------

INDIVIDUAL TRAY SLIDES

1 pair of type "A" tray slides	H-Series / P-Series	10601211S	\$115	
 Pilaster and mounting hardware not included. Contact us for hardware selection.	Bottom support for (1) 18x26" pan, or (2) 14x18" pans			
	SPACING	2"	3"	4"
	Full Door	26	18	13
	Half Door	12	8	6

1 pair of type "A/C" tray slides	H-Series		10601201S	\$200
 Pilaster and mounting hardware not included. Contact us for hardware selection.	Bottom support for (1) 18x26" pan, or (2) 14x18" pans, or (2) 12x20" pans			
	SPACING	2"	3"	4"
	Full Door	26	18	13
	Half Door	12	8	6





GLASS DOOR MERCHANDISERS

CONSISTENT COOLING POWER WITH WELL LIT PRODUCT DISPLAY



Marketeer® Series



MarketMax Series



Countertop Models



Novelty & Dipping Cabinets

MARKETEER® SERIES

Refrigerators



Energy Star rated (select models)

Unique sizing options

**3 year warranty on parts & labour,
5 year warranty on compressor**

Double pane Low-E argon-filled glass doors

LED lighting

creates dynamic product presentation

Refrigerators have electro-mechanical control

**Energy efficient and environmentally
friendly R290 refrigerant**

(except for 1H6 models, which use R600)

Energy Star rated

(select models)

Self-closing hinged doors

with mechanical locks standard (except MT21, MT41)

Sliding glass doors available

on select units

Bottle Coolers now available (MT41)



MECHANICAL LOCKS

standard on all hinged units
(excluding MT21 models)



BUILT-IN LED LIGHTS

for dynamic product presentation

REFRIGERATORS

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
1 DOOR	MT08-1H6B	\$4,210	HINGED	1/5	18.88	20.63	71.38	115	1/8	1.8	7.69	BLACK
	MT08-1H6W	\$4,210										WHITE
1 DOOR	MT10-1B	\$4,390	HINGED	1/3	24.88	22.5	54.38	115	1/6	3.2	9.43	BLACK
	MT10-1W	\$4,390										WHITE
1 DOOR	MT12-1B	\$4,490	HINGED	1/4	24.88	22.81	63.63	115	1/6	4.1	11.5	BLACK
	MT12-1W	\$4,490										WHITE
1 DOOR	MT23-1B	\$5,400	HINGED	1/5	29.56	26.13	78.63	115	1/3	7	19.2	BLACK
	MT23-1W	\$5,400										WHITE
2 CURVED DOORS	MT21-1B	\$10,175	HINGED	2/10	36.13	24.5	57.5	115	1/3	3.6	16.8	BLACK
	MT21-1W	\$10,175										WHITE
2 DOORS	MT34-1B	\$7,455	HINGED	2/10	39.5	27.5	79	115	1/3	7.6	26.12	BLACK
	MT34-1W	\$7,455										WHITE
2 DOORS	MT41-48-1-SDB	\$9,380	SLIDING	2/6	47.25	21.75	48.13	115	1/4	3.1	16.4	BLACK
2 DOORS	MT41-54-1-SDB	\$9,880	SLIDING	2/6	47.25	21.75	54.13	115	1/4	3.1	19.5	BLACK
2 DOORS	MT49-1B	\$8,690	HINGED	2/10	47.13	30.13	79	115	1/2	8.3	37.42	BLACK
	MT49-1W	\$8,690										WHITE
	MT49-1-SDB	\$8,890	SLIDING	2/10	47.13	30.13	78.63	115	1/2	8.3	39.03	BLACK
	MT49-1-SDW *	\$8,890										WHITE
2 DOORS	MT53-1B	\$8,815	HINGED	2/10	54.25	29.38	79	115	1/2	8.3	41.66	BLACK
	MT53-1W	\$8,815										WHITE
	MT53-1-SDB	\$9,285	SLIDING	2/10	54.25	29.38	78.63	115	1/2	8.7	41.66	BLACK
	MT53-1-SDW *	\$9,285										WHITE
3 DOORS	MT72-1B	\$12,435	HINGED	3/15	78.75	33.63	79.38	115	2X 1/2	13.6	66.3	BLACK

* Sliding glass doors and door frames are black on black exterior and white exterior units. / Depth measurement includes handles.

EXTERIOR FINISHES

- Black
- White (not available on MTF's)

INTERIOR FINISHES

- White

AVAILABLE ACCESSORIES

- Visislide shelving kit
- Extra shelves & clips
- 3" Casters
- 2" Leveling Legs

AVAILABLE DOORS

- Hinged
- Sliding door

AGENCY CERTIFICATIONS



MARKETMAX® SERIES

Refrigerators & Freezers



Energy efficient R290 provides solution for all environmental concerns

Designed to perform in high ambient conditions

Made in USA



Double pane, lowE argon-filled glass doors

Freezers have triple pane

Field-reversible (refrigerator only)

Requires additional hardware kit

Self-closing doors

120° stay open feature

LED lighting

creates dynamic product presentation

Brightly lit sign panel

Custom door decals and signage available

Full electronic temperature control

Energy efficient and environmentally friendly R290 refrigerant

5 epoxy coated wire shelves per section


1, 2 & 3 door model options available

Sliding glass doors available on select units

7 year warranty on parts, labour, and compressor

AVAILABLE DOORS

- Hinged
- Sliding door

**EXTERIOR FINISHES**

- Black
- White
- Stainless steel

INTERIOR FINISHES

- Black
- White
- Stainless steel

AVAILABLE OPTIONS

- Left hinge doors
- Remote models available
- Header signs

AVAILABLE ACCESSORIES

- Electronic locks
- Dual-temp models
- Wine models
- Door locks
- Gravity-Flo kits
- Price-tag molding
- Custom graphics
- Field-reversible door kit (refrigerators only)

MOUNTING OPTIONS

- 6" casters
- 6" legs
- 3" casters

AGENCY CERTIFICATIONS

FULL ELECTRONIC CONTROL
with easy to read digital display



BRIGHTLY LIT HEADER PANEL
to grab attention and increase sales

1, 2, AND 3 SECTION MODELS AVAILABLE

MARKETMAX®

REFRIGERATORS

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL # BLACK	MODEL # WHITE	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1	MMR12HC-1-B	MMR12HC-1-W	\$5,790	HINGED	1/4	24.13	25.75	62	115	1/6	2	12.06
1	MMR19HC-1-B	MMR19HC-1-W	\$7,255	HINGED	1/5	27.25	27.5	78	115	1/4	3	17.87
1	MMR23HC-1-B	MMR23HC-1-W	\$7,280	HINGED	1/5	27	33.63	78	115	1/4	3	23.1
1	MMR27HC-1-B	MMR27HC-1-W	\$7,975	HINGED	1/5	30	33.63	78	115	1/4	3	25.88
2	MMR35HC-1-B	MMR35HC-1-W	\$10,300	HINGED	2/10	39.5	33.5	78	115	1/4	2.4	36.87
2	MMR38HC-1-B	MMR38HC-1-W	\$9,865	SLIDING	2/10	43.5	32.25	78	115	1/3	5.4	35.37
2	MMR44HC-1-B	MMR44HC-1-W	\$10,675	HINGED	2/10	47	33.63	78	115	1/3	5.4	40.2
2	MMR45HC-1-B	MMR45HC-1-W	\$10,805	SLIDING	2/10	52	32.25	78	115	1/3	5.4	44
2	MMR49HC-1-B	MMR49HC-1-W	\$11,160	HINGED	2/10	52	33.63	78	115	1/3	5.4	46.15
3	MMR66HC-1-B	MMR66HC-1-W	\$14,410	SLIDING	3/15	75	32.25	78	115	1/2	6.2	64.4
3	MMR72HC-1-B	MMR72HC-1-W	\$14,805	HINGED	3/15	75	33.63	78	115	1/2	6.2	68.5

Depth measurement includes handles.

FREEZERS

UTILIZES EXPANSION VALVE TECHNOLOGY TO
MAINTAIN TEMPERATURE OF 0° TO -10°F.

SECTIONS	MODEL # BLACK	MODEL # WHITE	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1	MMF12HC-1-B	MMF12HC-1-W	\$9,470	HINGED	1/4	24.13	25.75	62	115	1/2	5	11.9
1	MMF19HC-1-B	MMF19HC-1-W	\$11,190	HINGED	1/5	27.25	27.5	78	115	3/4	7.5	17.87
1	MMF23HC-1-B	MMF23HC-1-W	\$12,910	HINGED	1/5	27	33.63	78	115	3/4	7.5	22.5
1	MMF27HC-1-B	MMF27HC-1-W	\$14,270	HINGED	1/5	30	33.63	78	115	3/4	7.5	26.57
2	MMF35HC-1-B	MMF35HC-1-W	\$16,270	HINGED	2/10	39.5	33.5	78	115	3/4	11	36.87
2	MMF44HC-1-B	MMF44HC-1-W	\$18,275	HINGED	2/10	47	33.63	78	115	3/4	11	44
2	MMF49HC-1-B	MMF49HC-1-W	\$18,765	HINGED	2/10	52	33.63	78	115	3/4	11	46.2
3	MMF72HC-1-B	MMF72HC-1-W	\$27,140	HINGED	3/15	75	33.63	78	230*	3/4 (X2)	14	68.5

*Freezers powered by 115/208-230 volts are designed for field wiring
(requires 4-wire electrical circuit, hard-wired).

Depth measurement includes handles.

DUAL-TEMPS

MAINTAINS PRODUCT TEMPERATURES OF
36-38°F (REFRIGERATOR), AND -10°F (FREEZER).

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
2	MMRF49HC-1-A-BW	\$22,110	HINGED	2/10	52	33.63	78	115 (X2)	R: 1/4 F: 3/4	R: 2.4 F: 7.5	R: 21.01 F: 21.01	BLACK
	MMRF49HC-1-A-WW	\$22,110										WHITE
2	MMRR49HC-1-A-BW	\$22,030	HINGED	2/10	52	33.63	78	115 (X2)	R: 1/4 R: 1/4	R: 2.4 R: 2.4	R: 21.01 R: 21.01	BLACK
	MMRR49HC-1-A-WW	\$22,030										WHITE
3	MMRF72HC-1-B-BW	\$29,415	HINGED	3/15	75	33.63	78	115 (X2)	R: 1/4 F: 1	R: 2.4 F: 11	R: 19.62 F: 44.85	BLACK
	MMRF72HC-1-B-WW	\$29,415										WHITE
3	MMRR72HC-1-B-BW	\$29,400	HINGED	3/15	75	33.63	78	115 (X2)	R: 1/4 R: 1/4	R: 2.4 R: 2.4	R: 19.62 R: 44.85	BLACK
	MMRR72HC-1-B-WW	\$29,400										WHITE

*Freezers powered by 115/208-230 volts are designed for field wiring (requires 4-wire electrical circuit, hard-wired).

Depth measurement includes handles.

All options for MarketMax Dual Temps are specified within the model number using the designated codes described below.

MMRF49HC EXAMPLE

Customer orders a MMRF49HC-1-A-BW

- Exterior will be black. Interior of the freezer AND the refrigerator will be white. (BW)
- The refrigerator will be on the LEFT with Left hinged door. The freezer will be on the RIGHT with Right hinged door. (RF)

MM (RF, FR) 49 - COOLER CONFIGURATIONS

SINGLE DOOR ON LEFT - SINGLE DOOR ON RIGHT

FR	Freezer on the Left with Left Hinged Door, Refrigerator on the Right with Right Hinged Door
RF	Refrigerator on the Left with Left Hinged Door, Freezer on the Right with Right Hinged Door
RR	One Refrigerator on the Left, second Refrigerator on Right

SPECIAL DOOR OPENINGS - ADD NUMBER TO END OF MODEL NUMBER

-18	All Left Hinged Doors
-015	All Right Hinged Doors

COLOR COMBINATIONS

(BOTH CABINET INTERIORS BEING THE SAME COLOR)

BW	Black Exterior / White Interior
WW	White Exterior / White Interior
SW	Stainless Exterior / White Interior
BB	Black Exterior / Black Interior
BS	Black Exterior / Stainless Interior
WB	White Exterior / Black Interior
WS	White Exterior / Stainless Interior
SS	Stainless Exterior / Stainless Interior
SB	Stainless Exterior / Black Interior

MMRF72 EXAMPLE

Customer orders a MMRF72HC-1-B-WW

- Exterior will be white. Interior of the freezer AND the refrigerators will also be white. (WW)
- The refrigerator will be on the left and freezer will be on the right (RF)
- Single section on the left, and double section on the right (B)

MM (RF, FR) 72 - COOLER CONFIGURATIONS

Refrigerator/Freezer Location

FR	Freezer on the Left, Refrigerator on the right
RF	Refrigerator on the Left, Freezer on the right
RR	One Refrigerator on the Left, second Refrigerator on Right

Door Configuration

B	Single section on left, Double section on right
C	Double section on left, Single section on right

B DOOR OPENINGS - ADD NUMBER TO END OF MODEL NUMBER

	Standard - Single section on the Left with Left Hinged Door, 2 Door Section on the Right with Left/Right Hinged Doors
-282	Single section on the Left with Left Hinged Door, 2 Door Section on the Right with 2 Right Hinged Doors
-18	Single section on the Left with Left Hinged Door, 2 Door Section on the Right with 2 Left Hinged Doors
-015	Single section on the Left with Right Hinged Door, 2 Door Section on the Right with 2 Right Hinged Doors

C DOOR OPENINGS - ADD NUMBER TO END OF MODEL NUMBER

	Standard - 2 Door Section on the Left with Left/Right Hinged Doors, Single Door Section on the Right with Right Hinged Door
-18	2 Door Section on the Left with 2 Left Hinged Doors, Single Door Section on the Right with Left Hinged Door
-015	2 Door Section on the Left with 2 Right Hinged Doors, Single Door Section on the Right with Right Hinged Door
-103	2 Door Section on the Left with 2 Left Hinged Doors, Single Door Section on the Right with Right Hinged Door

MARKETMAX® IQ

Merchandisers with **Electronic Smart Lock Feature**



**Keeps unattended merchandisers
secure in your micro-market**

**Designed to perform in
high ambient conditions**

Made in USA

Sleek design

NAMA certified, UL & NSF compliant

**Secures temperature-sensitive
products for worry-free operation**

**Automatically locks when power loss
or temperature drop is sensed**

Unlocks automatically if outage is less than 30 minutes

LED indicator to quickly view status

Flashes to indicate if protection event occurs

Easy-access test switch for health inspectors

**Built-in safety feature allows escape in case of
accidental lock-in**

Optional features such as remote monitoring, fault alerts, and remote unlocking can be added using FreshTraq.com



**Detects power loss or
temperature failure,
and automatically
locks the unit.**

REFRIGERATORS

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
1	MMR12HC-1-B-IQ	\$9,620	HINGED	1/4	24.125*	25.75	62	115	1/6	2	12.06	BLACK
	MMR12HC-1-W-IQ	\$9,620										WHITE
1	MMR23HC-1-B-IQ	\$11,165	HINGED	1/5	27*	33.63	78	115	1/4	3	23.1	BLACK
	MMR23HC-1-W-IQ	\$11,165										WHITE
1	MMR27HC-1-B-IQ	\$11,875	HINGED	1/5	30*	33.63	78	115	1/4	3	25.88	BLACK
	MMR27HC-1-W-IQ	\$11,875										WHITE
2	MMR44HC-1-B-IQ	\$16,315	HINGED	2/10	47	33.63	78	115	1/3	5.4	40.2	BLACK
	MMR44HC-1-W-IQ	\$16,315										WHITE
2	MMR49HC-1-B-IQ	\$16,815	HINGED	2/10	52	33.63	78	115	1/3	5.4	46.15	BLACK
	MMR49HC-1-W-IQ	\$16,815										WHITE

*The IQ locks on single door units are external and will add 1 inch to the overall width shown above.

Depth measurement includes handles.

FREEZERS

UTILIZES EXPANSION VALVE TECHNOLOGY TO MAINTAIN TEMPERATURE OF 0° TO -10°F.

SECTIONS	MODEL #	LIST PRICE	DOOR TYPE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
1	MMF12HC-1-B-IQ	\$13,350	HINGED	1/4	24.125*	25.75	62	115	1/2	5	11.9	BLACK
	MMF12HC-1-W-IQ	\$13,350										WHITE
1	MMF23HC-1-B-IQ	\$16,890	HINGED	1/5	27*	33.63	78	115	3/4	7.5	22.5	BLACK
	MMF23HC-1-W-IQ	\$17,205										WHITE
1	MMF27HC-1-B-IQ	\$17,550	HINGED	1/5	30*	33.63	78	115	3/4	7.5	26.57	BLACK
	MMF27HC-1-W-IQ	\$17,550										WHITE
2	MMF44HC-1-B-IQ	\$24,045	HINGED	2/10	47	33.63	78	115	3/4	11	44	BLACK
	MMF44HC-1-W-IQ	\$24,490										WHITE
2	MMF49HC-1-B-IQ	\$24,555	HINGED	2/10	52	33.63	78	115	3/4	11	46.2	BLACK
	MMF49HC-1-W-IQ	\$24,555										WHITE

*The IQ locks on single door units are external and will add 1 inch to the overall width shown above.

Depth measurement includes handles.

AVAILABLE DOORS

- Hinged
- Sliding door

EXTERIOR FINISHES

- Black
- White
- Stainless steel

INTERIOR FINISHES

- Black
- White
- Stainless steel

AVAILABLE OPTIONS

- Remote models available
- Header signs

AVAILABLE ACCESSORIES

- Electronic locks
- Dual-temp models
- Wine models
- Gravity-Flo kits
- Price-tag molding
- Custom graphics

MOUNTING OPTIONS

- 6" casters
- 6" legs
- 3" casters

AGENCY CERTIFICATIONS




MARKETMAX® WINE UNITS

standard MarketMax wine unit comes with standard doorlocks, wine thermostat, and five standard epoxy shelves




MarketMax wine unit with upgrades



The MarketMax wine units have the same great MarketMax features, with wine-specific options to create the ultimate wine merchandiser.

SHELVING UPGRADES

We offer curved and flat wine racks, designed to secure the bottles while keeping them prominently on display. Available in white, black, and chrome finish.



BASE UNIT

WINE OPTION UPGRADES

WINE REFRIGERATORS



SHELVING



SIGNAGE



UNIT MODEL # (BLACK EXTERIOR -B)	LIST PRICE	W	D	H	FLAT RACK	CURVED SHELF		
MMR23HC-1-B-WINE	\$7,555	27	33.63	78	403-933D	412-076D	409-418C-065	409-418C-064
MMR27HC-1-B-WINE	\$8,240	30	33.63	78	403-934D	412-078D	409-419C-150	409-419C-149
MMR44HC-1-B-WINE	\$10,940	47	33.63	78	412-070D	412-074D	409-421C-080	409-421C-079
MMR49HC-1-B-WINE	\$11,425	52	33.63	78	403-936D	412-077D	409-422C-121	409-422C-120
MMR72HC-1-B-WINE	\$15,070	75	33.63	78	412-071D	412-073D	409-423C-070	409-423C-069

Depth measurement includes handles.

Add your shelf color choice to the end of the shelf model #
-01 for white; -02 for black; -04 for chrome finish
example: 412-078D-04

DUAL-TEMP WINE REFRIGERATORS

SHELVING



SIGNAGE



UNIT MODEL #	LIST PRICE	W	D	H	FLAT RACK	CURVED SHELF		
MMRR49HC-1-A-BW-WINE	\$22,310	52	33.63	78	412-072D	412-075D	409-422C-121	409-422C-120
MMRR72HC-1-B-BW-WINE	\$28,615	75	33.63	78	412-071D (double section) 412-070D (single section)	412-073D (double section) 412-074D (single section)	409-423C-070	409-423C-069

Depth measurement includes handles.

Add your shelf color choice to the end of the shelf model #
-01 for white; -02 for black; -04 for chrome finish
example: 412-075D-01

CONTROLLER

Easily programmed to keep unit and its contents at the necessary set point for red or white wines. (between 35-62° F)



FINISHES

MarketMax exterior is standard black with optional white or stainless steel.

MarketMax interior is standard white with optional black or stainless steel.



COUNTERTOPS

Refrigerators & Freezers



CT96 Refrigerator

Double pane, tempered glass door with locks

Heavy-duty black textured steel exterior
with black plastic door frames

Heavy-duty white epoxy coated steel interior

LED lighting
creates dynamic product presentation

3 epoxy coated shelves
top 2 shelves are adjustable

Full electronic temperature control with display

Refrigeration system uses R600a refrigerant
to comply with all environmental concerns

System is serviceable from the rear

Custom graphics available

1 year parts & labour warranty

AGENCY CERTIFICATIONS



REFRIGERATORS

MODEL #	LIST PRICE	DOORS/ SHELVES	VOLTS	HP	AMPS	CUBIC FEET	WIDTH	DEPTH	HEIGHT	EXTERIOR COLOR	INTERIOR COLOR
CT96HC-1-B	\$4,440	1/3	115	1/5	1.3	5.9	21.38	25.5	37.5	BLACK	WHITE

Depth measurement includes handles. Height measurement includes mounting height.



CF3 Freezer

Triple pane, tempered glass door

Pre-painted, steel interior and exterior
for easy cleaning

LED lighting
creates dynamic product presentation

2 shelves standard
one full & one half shelf

Custom graphics available

AGENCY CERTIFICATIONS



2" leveling legs

with up to 1" for leveling of the unit

Refrigeration system
uses R290 refrigerant
to comply with all environmental concerns

1 year parts & labour warranty



UCF20 Freezer

Glass door provides clear
merchandising of ice cream

Oversized refrigeration system holds
-15°F product temperature

Full electronic control
for enhanced defrost



AGENCY CERTIFICATIONS



Forced air design does not require
unit to undergo manual defrost
which is a major advantage to
comparable cold wall freezers

20" footprint for countertop
or undercounter applications

7 year warranty on parts,
labour, and compressor

FREEZERS

MODEL #	LIST PRICE	DOORS/ SHELVES	VOLTS	HP	AMPS	CUBIC FEET	WIDTH	DEPTH	HEIGHT	COLOR	OPERATING TEMPERATURE
CF3HC-1-W	\$5,235	1/2	115	1/4	4	4	23.75	22.5	28.5	WHITE	-10° F
UCF20HC-25-15	\$6,415	1/2	115	1/2	3.65	2.25	20	24.5	31.13	STAINLESS	-10 to -15° F

Depth measurement includes handles.

Energy efficient refrigerant provides solution for all environmental concerns
Designed to perform in high ambient conditions

DIPPING CABINETS



R290 refrigerant provides low energy consumption and is environmentally friendly

3 year warranty on parts & labour, 5 year warranty on compressor

Galvanized metal cabinet

with powder coated painted surface

Easy-to-clean interior

Full electronic control

Sliding glass lids are LowE tempered

Lock and keys standard

2" Heavy-duty casters

allow easy and fast movement

Drain plug for easy cleaning

Lexan sneeze guard

Heavy-duty PVC coated wire support racks

allows containers to be placed on top level for optimal storage

Each rack designed to hold

multiple 3-gallon ice cream containers

R290 refrigerant provides low energy consumption and is environmentally friendly



LID LOCKS STANDARD

for loss prevention



LED LIGHTING

for dynamic product presentation

DIPPING CABINETSCOLD WALL SYSTEM MAINTAINS
TEMPERATURES OF 0 to -10°F.

MODEL #	LIST PRICE	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
BDC-HC-8	\$9,555	50.4	26.4	52	120	1/3	5.4	15.2	White
BDC-HC-12	\$11,675	68.2	26.4	52	120	1/3	5.2	20.9	White

*Depth measurement includes handles. For total height, add 2 inches for the caster height.***BDC-HC-8 Capacity**

Top rack: eight 3-gallon ice cream containers
 Bottom rack: six 3-gallon ice cream containers

BDC-HC-12 Capacity

Top rack: twelve 3-gallon ice cream containers
 Bottom rack: ten 3-gallon ice cream containers

**EXTERIOR FINISHES**

- White

INTERIOR FINISHES

- White

ACCESS OPTIONS

- Glass lids

MOUNTING OPTIONS

- 2" casters (standard)

AVAILABLE ACCESSORIES

- Custom graphics

AGENCY CERTIFICATIONS

Intertek

Intertek

NOVELTY CASES



R290 refrigerant provides low energy consumption and is environmentally friendly

**3 year warranty on parts & labour,
5 year warranty on compressor**

White coated steel exterior

White powder coated surface interior

R290 refrigerant provides low energy consumption

LED lighting

Adjustable thermostat

Operating temperature of -10°F

Angle top design with LowE tempered glass lids

Lids are easily removable

Lid lock & keys

Round exterior edges

Integrated tag molding

2" heavy duty casters

Drain plug for easy cleaning

Removable baskets



LID LOCKS STANDARD
for loss prevention



LED LIGHTING
for dynamic product presentation

NOVELTY CASES

MAINTAINS TEMPERATURES OF -10°F.

MODEL #	LIST PRICE	LIDS / BASKETS	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
NC28HC-1-W	\$4,415	2/2	28.1	26.4	32.2	115	1/5	3	4.31	White
NC34HC-1-W	\$4,490	2/3	34.1	26.4	32.2	115	1/4	3	5.67	White
NC43HC-1-W	\$4,830	2/4	42.7	26.4	32.2	115	1/4	3.5	7.63	White
NC51HC-1-W	\$4,875	2/5	50.6	26.4	32.2	115	1/4	3.5	9.43	White
NC60HC-1-W	\$5,530	2/6	60.4	26.4	34.2	115	1/3	4	11.66	White
NC68HC-1-W	\$5,885	2/7	68.3	26.4	34.2	115	1/3	4	21	White

Depth measurement includes handles. For total height, add 2 inches for the caster height.



EXTERIOR FINISHES

- White

INTERIOR FINISHES

- White

ACCESS OPTIONS

- Glass lids

MOUNTING OPTIONS

- 2" casters (standard)

AVAILABLE ACCESSORIES

- Custom graphics
- Dip well

AGENCY CERTIFICATIONS



Glass Door Merchandiser Accessories

DESCRIPTION	UNIT(S)	PART NUMBER	LIST PRICE
SHELVING / ORGANIZERS			
Epoxy Coated Wire Shelf	MMR/MMF23	403-900D-01	\$165
Epoxy Coated Wire Shelf	MMR/MMF27	403-871D-01	\$165
Epoxy Coated Wire Shelf	MMR/MMF49	403-873D-01	\$165
Epoxy Coated Wire Shelf	MMR/MMF72	403-874D-01	\$165
Epoxy Coated Wire Shelf, Black	MMR/MMF23	403-900D-03	\$165
Epoxy Coated Wire Shelf, Black	MMR/MMF27	403-871D-03	\$165
Epoxy Coated Wire Shelf, Black	MMR/MMF49	403-873D-03	\$165
Epoxy Coated Wire Shelf, Black	MMR/MMF72	403-874D-03	\$165
Shelf Clip	MMR/MMF Series	403-169A	\$5
Shelf Clip	CT96	CT9651	\$5
Gravity Flo Kits (5 shelves for 1 section)	MM23	61C31-253D-01	\$780
Gravity Flo Kits (5 shelves for 1 section)	MM27	61C31-193A-01	\$780
Gravity Flo Kits (5 shelves for 1 section)	MM44	61C31-201A-01 (order 2)	\$780
Gravity Flo Kits (5 shelves for 1 section)	MM49/72	61C31-199A-01 order 2 for MM49 order 3 for MM72	\$945
MOUNTING			
3" Casters	MT Series (set of four)	61C01-011A	\$500
2" Leveling Feet	MT Series (set of four)	2016557	\$40
6" Seismic/Flanged Legs	MMR/MMF Series (set of four)	00C31-055A	\$425
ADDITIONAL ACCESSORIES			
Door Lock	CT96	61C11S043A	\$125

DESCRIPTION	UNIT(S)	PART NUMBER	LIST PRICE
SIGNAGE			
Price Tag Molding (per shelf)	MMR/F 23, 45/49, 66/72	61A32-082D-01	\$15
Price Tag Molding (per shelf)	MMR/F 27	61A32-090D-02	\$15
Price tag strips (5 p/kit)	MT08-1H6	2039785	\$35
Price tag strips (5 p/kit)	MT10-1	2039789	\$30
Price tag strips (5 p/kit)	MT23-1	2039787	\$50
Price tag strips (10 p/kit)	MT34-1	2082716	\$55
Price tag strips (10 p/kit)	MT49-1	2082715	\$50
Price tag strips (5 p/kit)	MT53-1	2030792	\$75
Brushed sign 26-3/8" x 8.5"	MMR23/MMF23	409-505B-01	\$100
Brushed sign 29 1/8" x 8.5"	MMR27/MMF27	409-505B-02	\$135
Brushed sign 46.13" W x 8.5"	MMR44/MMF44	409-505B-04	\$175
Brushed sign 51 1/8" x 8.5"	MMR/MMF49	409-505B-05	\$175
Brushed sign 74 1/4" x 8.5"	MMR/MMF72	409-505B-06	\$210
Flat Black Sign	MMR23/MMF23	409-488B-01	\$105
Flat Black Sign	MMR/MMF27	409-488B-02	\$135
Flat Black Sign	MMR/MMF49	409-488B-05	\$175
Flat Black Sign	MMR/MMF72	409-488B-06	\$205
Flat White Sign	MMR23/MMF23	409-418C-053	\$105
Flat White Sign	MMR/MMF27	409-419C-140	\$135
Flat White Sign	MMR/MMF49	409-422C-109	\$175
Flat White Sign	MMR/MMF72	409-423C-061	\$205
Self-Serve Sign	MMR23/MMF23	409-418C-054	\$205
Self-Serve Sign	MMR/MMF27	409-419C-141	\$205
Self-Serve Sign	MMR/MMF49/MMRF49	409-422C-110	\$260
Self-Serve Sign	MMR/MMF72/MMRF72	409-423C-062	\$305
Fresh Foods Sign	MMR23/MMF23	409-418C-056	\$210
Fresh Foods Sign	MMR/MMF49	409-422C-112	\$260
Fresh Foods Sign	MMR/MMF72	409-423C-064	\$305
Cold Drinks Sign	MMR23	409-418C-055	\$205
Cold Drinks Sign	MMR27	409-419C-142	\$205
Cold Drinks Sign	MMR49	409-422C-111	\$260
Cold Drinks Sign	MMR72	409-423C-063	\$305
Chilled Wine Sign - Vineyard	MMR23	409-418C-064	\$210
Chilled Wine Sign - Vineyard	MMR27	409-419C-149	\$210
Chilled Wine Sign - Vineyard	MMR44	409-421C-079	\$260
Chilled Wine Sign - Vineyard	MMR49	409-422C-120	\$520
Chilled Wine Sign - Vineyard	MMR72	409-423C-069	\$305
Chilled Wine Sign - Corks	MMR23	409-418C-065	\$210
Chilled Wine Sign - Corks	MMR27	409-419C-150	\$210
Chilled Wine Sign - Corks	MMR44	409-421C-080	\$260
Chilled Wine Sign - Corks	MMR49	409-422C-121	\$520
Chilled Wine Sign - Corks	MMR72	409-423C-070	\$305



Chilled Wine Sign - Vineyard



Chilled Wine Sign - Corks



OPEN AIR MERCHANDISERS

EASY-ACCESS AND HIGH VISIBILITY PRODUCT DISPLAYS



Breeze™ Series



VueMax™ Series

BREEZE™ SERIES



Unique size suited for endcaps and schools

Custom graphics available

**3 year warranty on parts & labour,
5 year warranty on compressor**

Exterior finish is a heavy-duty steel
with a durable, baked on black or white coating

Curved design with open front & side shield
to maximize product display

Interior is white coated steel

2 recessed interior lights
provide maximum product visibility

3 epoxy coated shelves

Modern grille is easy to remove
for cleaning or service


Gravity-Flo organizer

Holds unit temperature from 32°-40°F

Certified for bottled beverage & packaged foods

Brightly lit sign panel

**Featuring environmentally friendly
energy-efficient R290 refrigerant**



SIDE SHIELD
to maximize product display



GRAVITY-FLO
organizer standard



REFRIGERATORS

MAINTAINS PRODUCT TEMPERATURES OF 32-40°F.

MODEL #	LIST PRICE	SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
BZ13HC-B	\$13,120	3	30	32.75	54.38	115	3/4	9.1	12.63	BLACK
BZ13HC-W	\$13,120									WHITE

Depth measurement includes handles. For total height, add 2 inches for the caster height.



EXTERIOR FINISHES

- Black
- White

INTERIOR FINISHES

- White

AVAILABLE ACCESSORIES

- Black dividers
- Black shelves
- Roller kit
- Custom graphics and signage

AGENCY CERTIFICATIONS



VUEMAX™ SERIES



**Ideal for gourmet shops, delicatessens,
convenience stores & bakeries**

**3 year warranty on parts & labour,
5 year warranty on compressor**

Heavy duty steel exterior

with a durable paint finish

Glass sides enhance product visibility

from side viewpoints

Foamed in place CFC-free polyurethane

insulation enhances the structural strength of the cabinet and increases energy efficiency

LED lighting

enhances product illumination for maximum visibility

Shelving display flexibility

Shelves can be installed in two positions

Full electronic temperature control

from 36° -40°F, with display

Certified for bottled beverage & packaged foods

Night curtain

Stylish impact bumper

**Featuring environmentally friendly
energy-efficient R290 refrigerant**



SIDE SHIELD

to maximize product display



CUSTOM GRAPHICS AVAILABLE

for brand or product promotion



REGULAR DEPTH

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

MODEL #	LIST PRICE	SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
VMHC-7-1	\$13,650	3	35.5	31.75	63.88	115	1/3	10	9.58
VMHC-12-1	\$16,925	5	35.13	31.75	83.13	115	(2) 1/4	12	15.45
VMHC-18-1	\$17,840	5	52	31.75	83.38	115	(2) 1/3	12	23.87

Height measurements include 6 inch legs.



NARROW DEPTH

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

MODEL #	LIST PRICE	SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
VMHCSL-18	\$19,625	5	47.3	24.38	83.5	115	2 (1/3)	12	23

Height measurements include 6 inch legs.



EXTERIOR FINISHES

- Black wrap over stainless steel
- White wrap over stainless steel
- Grey painted stainless steel

INTERIOR FINISHES

- White

AVAILABLE ACCESSORIES

- Lockable Security Cage
- Bar/bag hooks
- Price tag molding
- Clearcool Curtain
- Custom graphics available

MOUNTING OPTIONS

- 6" adjustable legs (standard)
- 5" casters


AGENCY CERTIFICATIONS



Open Air Merchandiser Accessories

DESCRIPTION	UNIT(S)	PART NUMBER	LIST PRICE
SHELVING / ORGANIZERS			
Epoxy Coated Wire Shelf	BZ13	403-749D-01	\$140
Shelf Clip	BZ13	403-168A	\$5
Divider, 20oz	BZ13	403-750D-01	\$10
MOUNTING			
2" Roller Kit	BZ13	61C01-010A	\$275
5" Casters (set of 4)	VM7/VM12/VM18/VM18SL	61C01-014D-01	\$500
MERCHANDISING ACCESSORIES			
Front Product Display	VM7 / VM12	183602102	\$1,110
Front Product Display	VM18	183602101	\$1,250
Front Product Display	VM18 Slim	183602103	\$1,210
Side Saddle Bag Assembly (4 shelves)	VM7	183110203	\$1,110
Side Saddle Bag Assembly (7 shelves)	VM18	183110202	\$1,250
Wonder Bar Assembly, 48" Saddle Style Black w/6 Pegs	VM7 / VM12	WonderBar-ALPA-55/77	\$335
Wonder Bar Assembly, 48" Saddle Style Black w/6 Pegs	VM18 / VM18 Slim	WonderBar-ALPA-99/120	\$335
ADDITIONAL ACCESSORIES			
Locking Cage w/Lock	VM7	183629014ASM	\$2,300
Locking Cage w/Lock	VM12	183629013ASM	\$2,480
Locking Cage w/Lock	VM18	183629011ASM	\$3,015
Locking Cage w/Lock	VM18 Slim	183629010	\$3,015


Front Product Display



Wonder Bar



Product Stop




Casters



Saddle Bag

Available for VM-7 (with 4 shelves),
VM-12 (with 7 shelves),
and VM-18 (with 7 shelves).



Lockable Security Cage



Clearcool Curtain






DELI CASES

BOLD AND SPACIOUS PRODUCT DISPLAY FOR ANY DELI OR BAKERY



DELI CASES



Ideal for gourmet shops, bakeries, delicatessens and convenience stores

**3 year warranty on parts & labour,
5 year warranty on compressor**

Open-food rated

**Sliding rear glass doors,
easily removed for cleaning**

Curved front glass

Full electronic control

LED lighting with on and off switch

Additional electrical outlet for scale

Adjustable shelves for better product display

Price tag molding standard

Powder coated galvanized steel exterior

Stainless steel floor with mirrored interior end caps



ACCESSIBLE OUTLET

Conveniently located for secondary small equipment such as scales.



REMOVABLE SLIDING DOORS

for easy maintenance and cleaning of the unit and doors.

REFRIGERATED UNITS

MAINTAINS PRODUCT TEMPERATURES OF 33-41°F.

MODEL #	LIST PRICE	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
CDR3HC-1-B	\$16,625	37.25	35.75	48.5	115	1/6	4	10	BLACK
CDR3HC-1-W	\$16,625								WHITE
CDR4HC-1-B	\$17,665	49.25	35.75	48.5	115	1/6	4	14	BLACK
CDR4HC-1-W	\$17,665								WHITE
CDR5HC-1-W	\$18,705	60.25	35.75	48.5	115	1/4	5	17	BLACK
CDR5HC-1-B	\$18,705								WHITE
CDR6HC-1-B	\$20,780	73.75	35.75	48.5	115	1/4	5	21	BLACK
CDR6HC-1-W	\$20,780								WHITE

Depth measurement includes handles. For total height, add 2 inches for the caster height.

DRY CASES (NON-REFRIGERATED)

MODEL #	LIST PRICE	WIDTH	DEPTH	HEIGHT	CUBIC FEET	COLOR
CDR3HC-1-B-D	\$14,960	37.25	35.75	48.5	10	BLACK
CDR3HC-1-W-D	\$14,960					WHITE
CDR4HC-1-B-D	\$15,895	49.25	35.75	48.5	14	BLACK
CDR4HC-1-W-D	\$15,895					WHITE
CDR5HC-1-W-D	\$16,835	60.25	35.75	48.5	17	BLACK
CDR5HC-1-B-D	\$16,835					WHITE
CDR6HC-1-B-D	\$18,705	73.75	35.75	48.5	21	BLACK
CDR6HC-1-W-D	\$18,705					WHITE

Depth measurement includes handles.
For total height, add 2 inches for the caster height.

EXTERIOR FINISHES

- Black
- White

INTERIOR FINISHES

- Stainless steel floor with mirrored interior end caps

AVAILABLE OPTIONS

- Dry units

MOUNTING OPTIONS

- 2.75" casters
- 3" casters
- 6" casters

AGENCY CERTIFICATIONS





FOOD PREP TABLES

BACK BONE OF FOOD SERVICE WITH ALMOST LIMITLESS OPTIONS



Sandwich Prep



Pizza Prep



Salad Bar



Topping Station

SANDWICH PREP

Food Prep Tables



**Designed to perform in
high ambient conditions**

**7 year warranty on parts,
labour, and compressor**

Made in USA

Full electronic control

Heavy-duty aluminum pan liner

easy to clean and prevents spills from falling into cabinet while also ensuring coldest air flows across bottom of pans

Reversible cutting boards

1/2" thick, 10" deep

Locking divider bars

Field-reversible doors

with 120 degree stay-open feature

Two epoxy coated shelves

per door section standard

Snap-in door gaskets

Accommodates up to 6" deep food service pans

4" deep 1/6 size polycarbonate pans are included

Heavy duty insulated covers

protects products and eliminates sweating when closed


6" heavy duty casters standard

3" casters or 6" leg option available at no charge when specified on order



ACCESS OPTIONS

- Doors
- Drawers
- Dual-sided

DRAWER PAN CONFIGURATIONS
for all SPED units

PERFECT SEAL PAN LINER
ensures airflow under pans and protects
bottom of cabinet from pan spills



CLEAR LIDS AVAILABLE
for optimized product display

EXTERIOR FINISHES

- Stainless steel with galvanized back
- Stainless steel with stainless back

INTERIOR FINISHES

- Corrosion-resistant aluminum
- Stainless steel

AVAILABLE OPTIONS

- Left hinge doors
- Remote models available

AVAILABLE ACCESSORIES

- 12" crossbar
- Side/front crumb catchers
- Overshelf kits
- Composite cutting boards
- Bun tray rack
- Locks (for solid doors)

LID OPTIONS

(specify at time of order)

- Clear lids
- Flat-hinged lids
- Lift-off lids
- See-thru lids

MOUNTING OPTIONS

- 6" casters
- 3" casters (allows for ADA compliant working height)
- 6" legs

AGENCY CERTIFICATIONS**AVAILABLE IN STANDARD TOP, MEGA TOP, AND CUTTING TOP****STANDARD TOP**


Two rows of food pans for easy access to ingredients. Perfect for smaller sandwich, salad or back of the house line service

**MEGA TOP**

Three rows of food pans offer 50% more capacity than a standard top prep table. Ideal for users with a wide array of ingredients

**CUT TOP**

An extra deep, 17" cutting board on a standard top unit offers additional workspace for larger item prep, catering or complicated menu items



SANDWICH PREP

AVAILABLE LID CHOICES

(specify at time of order)



ROLL TOP

The standard lid for our sandwich prep units. A roll top lid allows for easy access and can be closed during non-service periods to allow the refrigeration system to recover.



FLAT-HINGED

Durable lid helps to keep ingredients at food-safe temperature while the hinge locks the lid into place, allowing for easy access to the back row of pans.

SEE-THRU


Full glass, piston driven lid allows for easy view of ingredients and pan fill lines without removing the lid, and can act as a sneeze guard when optioned with a single overshelf and side guards.

**CLEAR**

A polycarbonate option that is ideal for operations that want to showcase their fresh ingredients to customers while keeping a lid on their pan section.

**LIFT-OFF**

Allows for full view of pan section and maximizes full use of work area. The low profile of lift off lids permits the unit to fit under existing shelving or service windows.



SANDWICH PREP

STANDARD TOP

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DRAWERS	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	STANDARD PANS 4" DEEP
1	SPE27HC	\$5,650	—	1/2	27	32	39.25	115	1/6	2	6.91	(6) 1/6 size & (2) 1/9 size
	SPED27HC	\$8,050	2	—								
1	SPE27HC-B	\$5,650	—	1/2	27	32	39.25	115	1/6	2	6.91	(8) 1/6 size
	SPED27HC-B	\$8,050	2	—								
1	SPE32HC-08	\$7,315	—	1/2	32	32	39.25	115	1/6	2	8.01	(8) 1/6 size
	SPED32HC-08-2	\$8,975	2	—								
2	SPE36HC-08	\$7,615	—	2/4	36	32	39.25	115	1/6	2	10.01	(8) 1/6 size
	SPED36HC-08-2	\$10,735	2	—								
	SPE36HC-10	\$7,875	—	2/4	36	32	39.25	115	1/6	2	10.01	(10) 1/6 size
	SPED36HC-10-2	\$10,950	2	—								
2	SPE48HC-08	\$7,870	—	2/4	48	32	39.25	115	1/6	2.2	13.01	(8) 1/6 size
	SPED48HC-08-2	\$10,410	2	1/2								
	SPED48HC-08-4	\$12,880	4	—								
	SPE48HC-10	\$8,390	—	2/4	48	32	39.25	115	1/6	2.2	13.01	(10) 1/6 size
	SPED48HC-10-2	\$10,815	2	1/2								
	SPED48HC-10-4	\$13,390	4	—								
	SPE48HC-12	\$8,685	—	2/4	48	32	39.25	115	1/6	2.2	13.01	(12) 1/6 size
	SPED48HC-12-2	\$11,110	2	1/2								
	SPED48HC-12-4	\$13,520	4	—								
2	SPE60HC-08	\$9,015	—	2/4	60	32	39.25	115	1/3	5.4	16.02	(8) 1/6 size
	SPED60HC-08-2	\$11,470	2	1/2								
	SPED60HC-08-4	\$14,045	4	—								
	SPE60HC-10	\$9,100	—	2/4	60	32	39.25	115	1/3	5.4	16.02	(10) 1/6 size
	SPED60HC-10-2	\$11,430	2	1/2								
	SPED60HC-10-4	\$13,980	4	—								
	SPE60HC-12	\$9,165	—	2/4	60	32	39.25	115	1/3	5.4	16.02	(12) 1/6 size
	SPED60HC-12-2	\$11,635	2	1/2								
	SPED60HC-12-4	\$14,070	4	—								
	SPE60HC-16	\$9,220	—	2/4	60	32	39.25	115	1/3	5.4	16.02	(16) 1/6 size
	SPED60HC-16-2	\$11,680	2	1/2								
	SPED60HC-16-4	\$14,125	4	—								

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.

STANDARD TOP

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DRAWERS	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	STANDARD PANS 4" DEEP
3	SPE72HC-08	\$10,415	—	3/6	72	32	39.25	115	1/3	5.4	20.02	(8) 1/6 size
	SPED72HC-08-2	\$12,995	2	2/4								
	SPED72HC-08-4	\$15,445	4	1/2								
	SPED72HC-08-6	\$18,010	6	—								
	SPE72HC-10	\$10,515	—	3/6	72	32	39.25	115	1/3	5.4	20.02	(10) 1/6 size
	SPED72HC-10-2	\$12,955	2	2/4								
	SPED72HC-10-4	\$15,530	4	1/2								
	SPED72HC-10-6	\$18,100	6	—								
	SPE72HC-12	\$10,620	—	3/6	72	32	39.25	115	1/3	5.4	20.02	(12) 1/6 size
	SPED72HC-12-2	\$13,180	2	2/4								
	SPED72HC-12-4	\$15,605	4	1/2								
	SPED72HC-12-6	\$18,195	6	—								
	SPE72HC-18	\$10,900	—	3/6	72	32	39.25	115	1/3	5.4	20.02	(18) 1/6 size
	SPED72HC-18-2	\$13,630	2	2/4								
	SPED72HC-18-4	\$16,070	4	1/2								
	SPED72HC-18-6	\$18,650	6	—								

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.

CONDIMENT STATIONS WITH SNEEZEGUARD

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DRAWERS	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	STANDARD PANS 4" DEEP
1	SPE27HC-SNZ	\$9,045	—	1/2	27	32	53	115	1/6	2	7.3	(6) 1/6 pans, (2) 1/9
2	SPE48HC-12-SNZ	\$12,810	—	2/4	48	32	53.13	115	1/6	2.2	13.9	(12) 1/6 pans

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.

SANDWICH PREP

MEGA TOP

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DRAWERS	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	STANDARD PANS 4" DEEP
1	SPE27HC-12M	\$6,740	—	1/2	27	38.38	42.75	115	1/6	2	6.91	(9) 1/6 size & (3) 1/9 size
	SPED27HC-12M	\$9,365	2	—								
1	SPE27HC-12M-B	\$6,740	—	1/2	27	38.5	42.75	115	1/6	2	6.91	(12) 1/6 size
	SPED27HC-12M-B	\$9,365	2	—								
1	SPE32HC-12M	\$7,890	—	1/2	32	38.38	43	115	1/6	2	8.01	(12) 1/6 size
	SPED32HC-12M-2	\$10,185	2	—								
2	SPE36HC-12M	\$8,745	—	2/4	36	38.38	43	115	1/6	2	10.01	(12) 1/6 size
	SPED36HC-12M-2	\$11,635	2	—								
	SPE36HC-15M	\$8,880	—	2/4	36	38.38	43	115	1/6	2	10.01	(15) 1/6 size
	SPED36HC-15M-2	\$11,850	2	—								
2	SPE48HC-12M	\$9,620	—	2/4	48	38.38	43	115	1/6	2.2	13.01	(12) 1/6 size
	SPED48HC-12M-2	\$12,260	2	1/2								
	SPED48HC-12M-4	\$14,860	4	—								
	SPE48HC-18M	\$9,805	—	2/4	48	38.38	43	115	1/6	2.2	13.01	(18) 1/6 size
	SPED48HC-18M-2	\$12,445	2	1/2								
	SPED48HC-18M-4	\$15,045	4	—								
2	SPE60HC-12M	\$10,580	—	2/4	60	38.38	43	115	1/3	5.4	16.02	(12) 1/6 size
	SPED60HC-12M-2	\$13,045	2	1/2								
	SPED60HC-12M-4	\$15,655	4	—								
	SPE60HC-18M	\$10,705	—	2/4	60	38.38	43	115	1/3	5.4	16.02	(18) 1/6 size
	SPED60HC-18M-2	\$13,225	2	1/2								
	SPED60HC-18M-4	\$15,830	4	—								
	SPE60HC-24M	\$10,900	—	2/4	60	38.38	43	115	1/3	5.4	16.02	(24) 1/6 size
	SPED60HC-24M-2	\$13,420	2	1/2								
	SPED60HC-24M-4	\$16,025	4	—								

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.

MEGA TOP

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DRAWERS	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	STANDARD PANS 4" DEEP
3	SPE72HC-12M	\$12,105	—	3/6	72	38.38	43	115	1/3	5.4	20.02	(12) 1/6 size
	SPED72HC-12M-2	\$14,540	2	2/4								
	SPED72HC-12M-4	\$17,400	4	1/2								
	SPED72HC-12M-6	\$19,785	6	—								
	SPE72HC-18M	\$12,240	—	3/6	72	38.38	43	115	1/3	5.4	20.02	(18) 1/6 size
	SPED72HC-18M-2	\$14,625	2	2/4								
	SPED72HC-18M-4	\$17,255	4	1/2								
	SPED72HC-18M-6	\$19,875	6	—								
	SPE72HC-24M	\$12,465	—	3/6	72	38.38	43	115	1/3	5.4	20.02	(24) 1/6 size
	SPED72HC-24M-2	\$14,860	2	2/4								
	SPED72HC-24M-4	\$17,470	4	1/2								
	SPED72HC-24M-6	\$20,090	6	—								
	SPE72HC-30M	\$12,610	—	3/6	72	38.38	43	115	1/3	5.4	20.02	(30) 1/6 size
	SPED72HC-30M-2	\$15,090	2	2/4								
	SPED72HC-30M-4	\$17,715	4	1/2								
	SPED72HC-30M-6	\$20,335	6	—								

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.

MEGA TOP – DUAL-SIDED

SECTIONS	MODEL #	LIST PRICE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	STANDARD PANS 4" DEEP
1	SPE27HC-12M-B-DS	\$8,145	2/2	27	48.75	40.75	115	1/6	2	6.91	(12) 1/6 size
2	SPE48HC-18M-DS	\$10,985	4/4	48	48.75	40.75	115	1/6	2.2	13.01	(18) 1/6 size
2	SPE60HC-24M-DS	\$12,285	4/4	60	48.75	40.75	115	1/3	5.4	16.02	(24) 1/6 size
3	SPE72HC-30M-DS	\$14,045	6/6	72	48.75	40.75	115	1/3	5.4	20.02	(30) 1/6 size

MEGA TOP – SEE-THRU LIDS

SECTIONS	MODEL #	LIST PRICE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	STANDARD PANS 4" DEEP
2	SPE36HC-15M-STL	\$14,500	2/4	36	38.38	53.75	115	1/6	2	10.01	(15) 1/6 size
2	SPE48HC-18M-STL	\$15,535	2/4	48	38.38	53.75	115	1/6	2.2	13.01	(18) 1/6 size
2	SPE60HC-24M-STL	\$17,125	2/4	60	38.38	53.75	115	1/3	5.4	16.02	(24) 1/6 size
3	SPE72HC-30M-STL	\$19,170	3/6	72	38.38	53.75	115	1/3	5.4	20.02	(30) 1/6 size

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.

SANDWICH PREP

CUTTING TOP (17" DEEP REVERSIBLE CUTTING BOARD)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DRAWERS	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	STANDARD PANS 4" DEEP
1	SPE27HC-C	\$6,200	—	1/2	27	38.38	39.25	115	1/6	2	6.91	(6) 1/6 size & (2) 1/9 size
	SPED27HC-C	\$8,735	2	—								
1	SPE27HC-C-B	\$6,200	—	1/2	27	38.38	39.25	115	1/6	2	6.91	(8) 1/6 size
	SPED27HC-C-B	\$8,735	2	—								
2	SPE36HC-08C	\$8,490	—	2/4	36	38.38	39.25	115	1/6	2	10.01	(8) 1/6 size
	SPED36HC-08C-2	\$11,275	2	—								
	SPE36HC-10C	\$8,475	—	2/4	36	38.38	39.25	115	1/6	2	10.01	(10) 1/6 size
	SPED36HC-10C-2	\$11,345	2	—								
2	SPE48HC-08C	\$8,880	—	2/4	48	38.38	39.25	115	1/6	2.2	13.01	(8) 1/6 size
	SPED48HC-08C-2	\$11,410	2	1/2								
	SPED48HC-08C-4	\$13,950	4	—								
	SPE48HC-10C	\$8,940	—	2/4	48	38.38	39.25	115	1/6	2.2	13.01	(10) 1/6 size
	SPED48HC-10C-2	\$11,535	2	1/2								
	SPED48HC-10C-4	\$14,015	4	—								
	SPE48HC-12C	\$9,045	—	2/4	48	38.38	39.25	115	1/6	2.2	13.01	(12) 1/6 size
	SPED48HC-12C-2	\$11,660	2	1/2								
	SPED48HC-12C-4	\$14,220	4	—								
2	SPE60HC-08C	\$9,820	—	2/4	60	38.38	39.25	115	1/3	5.4	16.02	(8) 1/6 size
	SPED60HC-08C-2	\$12,240	2	1/2								
	SPED60HC-08C-4	\$14,895	4	—								
	SPE60HC-10C	\$9,930	—	2/4	60	38.38	39.25	115	1/3	5.4	16.02	(10) 1/6 size
	SPED60HC-10C-2	\$12,295	2	1/2								
	SPED60HC-10C-4	\$14,810	4	—								
	SPE60HC-12C	\$9,940	—	2/4	60	38.38	39.25	115	1/3	5.4	16.02	(12) 1/6 size
	SPED60HC-12C-2	\$12,355	2	1/2								
	SPED60HC-12C-4	\$14,865	4	—								
	SPE60HC-16C	\$10,090	—	2/4	60	38.38	39.25	115	1/3	5.4	16.02	(16) 1/6 size
	SPED60HC-16C-2	\$12,570	2	1/2								
	SPED60HC-16C-4	\$15,110	4	—								

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.

CUTTING TOP (17" DEEP REVERSIBLE CUTTING BOARD)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DRAWERS	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	STANDARD PANS 4" DEEP
3	SPE72HC-08C	\$11,025	—	3/6	72	38.38	39.25	115	1/3	5.4	20.02	(8) 1/6 size
	SPED72HC-08C-2	\$13,365	2	2/4								
	SPED72HC-08C-4	\$15,955	4	1/2								
	SPED72HC-08C-6	\$18,470	6	—								
	SPE72HC-10C	\$11,120	—	3/6	72	38.38	39.25	115	1/3	5.4	20.02	(10) 1/6 size
	SPED72HC-10C-2	\$13,520	2	2/4								
	SPED72HC-10C-4	\$16,055	4	1/2								
	SPED72HC-10C-6	\$18,575	6	—								
	SPE72HC-12C	\$11,170	—	3/6	72	38.38	39.25	115	1/3	5.4	20.02	(12) 1/6 size
	SPED72HC-12C-2	\$13,515	2	2/4								
	SPED72HC-12C-4	\$16,025	4	1/2								
	SPED72HC-12C-6	\$18,620	6	—								
	SPE72HC-18C	\$11,395	—	3/6	72	38.38	39.25	115	1/3	5.4	20.02	(18) 1/6 size
	SPED72HC-18C-2	\$13,845	2	2/4								
	SPED72HC-18C-4	\$16,395	4	1/2								
	SPED72HC-18C-6	\$18,990	6	—								


For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.




SANDWICH PREP

Pan Configurations


Standard Top






Mega Top



Cutting Top



Accommodates up to 6" deep food service pans



PIZZA PREP

Pizza & Deli Prep Tables



Low-profile design for enhanced ergonomics and product display

Improved airflow maintains consistent pan temperature in top rail

Designed to perform in high ambient conditions

Duct system features uniform airflow distribution

over evaporator coil and throughout raised rail

Electronic controller with smart-defrost

12-Gauge stainless steel drawer slides with Delrin® rollers rated at 275 lbs

Electrical defrost heater

terminates defrost sooner, reducing product instability

Right or left compressor placement

specify at time of order

Field-reversible doors

with 120 degree stay open feature

Heavy-duty aluminum pan liner

is easy to clean and prevents spills from falling into cabinet

Accommodates up to 6" deep food service pans

Not included

Improved serviceability

Removable service panel for easy access to refrigeration system


Featuring environmentally friendly energy efficient R290 refrigerant

7 year warranty on parts, labour, and compressor



ACCESS OPTIONS

- Doors
- Drawers (stacks of 2 or 3)



EXTERIOR FINISHES

- Stainless steel with galvanized back
- Stainless steel with stainless back

INTERIOR FINISHES

- Corrosion-resistant aluminum
- Stainless steel

AVAILABLE OPTIONS

- Left hinge doors
- Remote models available
- Alternate compressor locations

AVAILABLE ACCESSORIES

- Composite cutting boards
- Bun tray racks
- Overshelf
- Locks
- Additional shelves
- Pan slides (18x26)

LID OPTIONS

- Clear lids
- Flat Lift-off lids

MOUNTING OPTIONS

- 3" casters (standard)
- 6" casters
- 6" legs

AGENCY CERTIFICATIONS



3 DRAWERS IN SINGLE SECTION
available on all sizes



CLEAR LIDS AVAILABLE
for optimized product display



PIZZA PREP


PIZZA PREP

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DRAWERS	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	FULL SIZE PAN CAPACITY
1	DP46HC	\$9,930	-	1/2	46	37	49.75	115	1/3	4.5	11.91	2
	DPD46HC-2	\$12,780	2	-								
	DPD46HC-3	\$14,615	3	-								
2	DP60HC	\$13,675	-	2/4	60	37	49.75	115	1/3	4.5	17	3 full pans & 1 half pan
	DPD60HC-2	\$16,640	2	-								
	DPD60HC-3	\$18,035	3	-								
2	DP67HC	\$14,005	-	2/4	67	37	49.75	115	1/3	4.5	20.68	3
	DPD67HC-2	\$16,710	2	1/2								
	DPD67HC-3	\$17,245	3	-								
	DPD67HC-4	\$19,600	4	-								
	DPD67HC-6	\$21,145	6	-								
2	DP72HC	\$15,250	-	2/4	72	37	49.75	115	1/3	4.5	21.87	3
	DPD72HC-2	\$17,050	2	1/2								
	DPD72HC-3	\$18,185	3	-								
	DPD72HC-4	\$19,435	4	-								
	DPD72HC-6	\$21,705	6	-								
3	DP93HC	\$18,975	-	3/6	93	37	49.75	115	1/2	7.8	31.54	4
	DPD93HC-2	\$21,455	2	2/4								
	DPD93HC-3	\$20,815	3	-								
	DPD93HC-4	\$22,235	4	1/2								
	DPD93HC-6	\$24,500	6	-								
4	DP119HC	\$25,810	-	4/8	119	37	49.75	115	1/2	7.8	42.2	5 full pans & 1 one-third pan
	DPD119HC-2	\$28,705	2	3/6								
	DPD119HC-3	\$24,150	3	3/6								
	DPD119HC-4	\$25,405	4	2/4								
	DPD119HC-6	\$27,795	6	1/2								
	DPD119HC-6T	\$27,670	6	2/4								
	DPD119HC-8	\$30,180	8	-								
	DPD119HC-9	\$34,110	9	1/2								

Depth measurement includes cutting board. For total height, add 3 or 6 inches, based on your mounting choice.

PAN CONFIGURATIONS
for DP and DPD units



SALAD BARS



**Designed to perform in
high ambient conditions**

**7 year warranty on parts,
labour, and compressor**

Made in USA

Locking divider bars

Lift-off lids standard

to help maintain product temperature

Heavy-duty aluminum pan liner

Easy to clean and prevents spills from falling into cabinet while also ensuring coldest air flows across bottom of pans

Field-reversible doors with 120 degree stay-open feature

Two epoxy coated shelves

per door section standard

Snap-in door gaskets

Accommodates up to 6" deep food service pans

4" deep 1/3 size polycarbonate pans are included


6" heavy duty casters standard

3" casters or 6" leg option available
at no charge when specified on order



PERFECT SEAL PAN LINER

ensures airflow under pans and protects
bottom of cabinet from pan spills



LIFT-OFF LIDS standard

to help maintain product temperature

SALAD BARS

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

MODEL #	LIST PRICE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	STANDARD PANS 4" DEEP
SPE36HC-S	\$9,100	2/4	36	30.13	30.88	115	1/6	2	10	(6) 1/3 size
SPE48HC-S	\$10,140	2/4	48	30.13	30.88	115	1/6	2.2	13	(9) 1/3 size
SPE60HC-S	\$11,390	2/4	60	30.13	30.88	115	1/3	5.4	16	(12) 1/3 size
SPE72HC-S	\$13,260	3/6	72	30.13	30.88	115	1/3	5.4	20	(15) 1/3 size

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles.



AVAILABLE ACCESSORIES

- Foldable tray slides for single or dual-sided service
- Dual-sided sneeze guard, with optional add on for single side service

ACCESS OPTIONS

- Doors

EXTERIOR FINISHES

- Stainless steel with stainless back

INTERIOR FINISHES

- Corrosion-resistant aluminum
- Stainless steel

LID OPTIONS

- Lift-Off Lids

AVAILABLE OPTIONS

- Left hinge doors
- Remote models available

MOUNTING OPTIONS

- 6" casters
- 3" casters (allows for ADA compliant working height)
- 6" legs

AVAILABLE ACCESSORIES

- Foldable tray slides for single or dual-sided service
- Dual-sided sneeze guard, with optional add on for single side service
- Locks

AGENCY CERTIFICATIONS



TOPPING STATIONS



Non-refrigerated top rail holds seven 10" deep jars (not included)

Holds six 4" deep 1/9 pans (not included)

7 year warranty on parts, labour, and compressor

Airflow assures that product in open containers is kept below 41°F and above freezing

Self-closing door with 120° stay-open feature, on cartridge style hinges

Two epoxy coated shelves

Snap-in magnetic gaskets for positive door seal

Uses environmentally friendly, energy efficient R290 refrigerant, and meets all regulatory requirements for CARB, SNAP, DOE & more

Adaptive defrost

Epoxy coated evaporator coil

6" heavy duty casters standard

3" casters or 6" leg option available at no charge when specified on order



NON-REFRIGERATED AND REFRIGERATED STORAGE

provides ample space for ingredients with a top rail that can hold seven 10" deep jars, and a refrigerated pan section that can hold six 4" deep 1/9 pans

TOPPING STATIONS

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

MODEL #	LIST PRICE	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
TPE27HC-6P-7R	\$8,870	27	31	39.13	115	1/10	2	6.9

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles.

**ACCESS OPTIONS**

- Doors

EXTERIOR FINISHES

- Stainless steel with galvanized back
- Stainless steel with stainless back

INTERIOR FINISHES

- Corrosion-resistant aluminum
- Stainless steel

AVAILABLE OPTIONS

- Left hinge doors
- Remote models available

MOUNTING OPTIONS

- 6" casters
- 3" casters (allows for ADA compliant working height)
- 6" legs

AVAILABLE ACCESSORIES

- Side/front crumb catchers
- Bun tray rack
- Locks (for solid doors)

AGENCY CERTIFICATIONS

Food Prep Table Accessories

DESCRIPTION	UNIT(S)	PART NUMBER	LIST PRICE
SHELVING / ORGANIZERS			
Epoxy Coated Wire Shelf (Large)	SPE27/27-12M/27C	403-826B	\$165
Epoxy Coated Wire Shelf (Small)	SPE27/SPE27-12M/SPE27C	403-912D-01	\$165
Epoxy Coated Wire Shelf (Large)	SPE36/SPE36M/SPE36C	403-911D-01	\$165
Epoxy Coated Wire Shelf (Small)	SPE36/SPE36M/SPE36C	403-915D-01	\$165
Epoxy Coated Wire Shelf (Large)	SPE48/48M/48C	403-828B	\$165
Epoxy Coated Wire Shelf (Small)	SPE48/SPE48M/SPE48C	403-913D-01	\$165
Epoxy Coated Wire Shelf (Large)	SPE60/60M/60C	403-829B	\$165
Epoxy Coated Wire Shelf (Small)	SPE60/SPE60M/SPE60C	403-914D-01	\$165
Epoxy Coated Ctr Section Wire Shelf (Large)	SPE72/72M/72C	403-827B	\$165
Epoxy Coated Wire Shelf L&R (Large)	SPE72/72M/72C	403-828B	\$165
Epoxy Coated Ctr Section Wire Shelf (Small)	SPE72/SPE72M/SPE72C	403-912D-01	\$165
Epoxy Coated Wire Shelf L&R (Small)	SPE72/SPE72M/SPE72C	403-913D-01	\$165
Shelf Clip	All SPE/SPED/DP/DPD	403-169A	\$5
Large Wire Shelf Divider	SPE27	403-722C	\$55
Small Wire Shelf Divider	SPE27	403-721C	\$160
Large Wire Shelf Divider	SPE36	403-723C	\$160
Small Wire Shelf Divider	SPE36	403-721C	\$160
Large Wire Shelf Divider	SPE48	403-723C	\$160
Small Wire Shelf Divider	SPE48	403-721C	\$160
Large Wire Shelf Divider	SPE60	403-723C	\$160
Small Wire Shelf Divider	SPE60	403-721C	\$160
Large Wire Shelf Divider	SPE72	403-723C	\$160
Small Wire Shelf Divider	SPE72	403-721C	\$160
Bottle Organizer (Holds Qty. 10 Bottles) 16 oz.	SPE Mega Tops	00B23-023D-01	\$110
Bottle Organizer (Holds Qty. 10 Bottles) 24 oz.	SPE Mega Tops	00B23-024D-01	\$110
Bottle Organizer (Holds Qty. 8 Bottles) 16 oz.	SPE Standard & Cutting Tops	00B23-025D-01	\$110
Bottle Organizer (Holds Qty. 6 Bottles) 24 oz.	SPE Standard & Cutting Tops	00B23-026D-01	\$110

CRUMBCATCHERS			
Crumbcatcher Kit	SPE27A/SPE27B/SPE27MA/SPE27MB	00C23-071A-01	\$600
Crumbcatcher Kit	SPE36/36M	00C23-071A-09	\$625
Crumbcatcher Kit	SPE48/48M	00C23-071A-02	\$645
Crumbcatcher Kit	SPE60/60M	00C23-071A-03	\$695
Crumbcatcher Kit	SPE72/72M	00C23-071A-04	\$735
Crumbcatcher Kit	SPE27C	00C23-071A-05	\$695
Crumbcatcher Kit	SPE48C	00C23-071A-06	\$725
Crumbcatcher Kit	SPE60C	00C23-071A-07	\$645
Crumbcatcher Kit	SPE72C	00C23-071A-08	\$795
Side Crumbcatcher Kit	SPE Series	00C23-072A	\$495

DESCRIPTION	UNIT(S)	PART NUMBER	LIST PRICE
-------------	---------	-------------	------------

SPE WHITE POLY CUTTING BOARDS			
10" Cutting Board	SPE27/27-12M, SPED27	705-290C-01	\$140
10" Cutting Board	SPE36/SPE36 MEGA/SPED36	705-290C-05	\$140
10" Cutting Board	SPE48/48M, SPED48	705-290C-02	\$160
10" Cutting Board	SPE60/60M, SPED60	705-290C-03	\$175
10" Cutting Board	SPE72/72M, SPED72	705-290C-04	\$190
17" Cutting Board	SPE27C, SPED27C	705-264C	\$175
17" Cutting Board	SPE36C/SPED36C	705-414D-01	\$190
17" Cutting Board	SPE48C, SPED48C	705-265C	\$195
17" Cutting Board	SPE60C, SPED60C	705-266C	\$260
17" Cutting Board	SPE72C, SPED72C	705-267C	\$290

DP WHITE POLY CUTTING BOARDS (1/2" THICK)			
19" Cutting Board	DP46	705-307C-01	\$275
19" Cutting Board	DP67	705-286B	\$390
19" Cutting Board	DP93	705-287B	\$510
19" Cutting Board	DP119	705-288B	\$755

SPE COMPOSITE CUTTING BOARDS (1/2" THICK)			
10" Composite Cutting Board	SPE27M	705-392D-06	\$1,390
17" Composite Cutting Board	SPE27C	705-392D-07	\$1,390
10" Composite Cutting Board	SPE36A	705-392D-15	\$1,390
10" Composite Cutting Board	SPE48	705-392D-04	\$1,305
15" Composite Cutting Board	SPE48C	705-392D-01	\$2,485
17" Composite Cutting Board	SPE48C	705-392D-08	\$2,500
10" Composite Cutting Board	SPE60	705-392D-05	\$1,390
15" Composite Cutting Board	SPE60C	705-392D-02	\$2,485
17" Composite Cutting Board	SPE60C	705-392D-09	\$2,500
10" Composite Cutting Board	SPE72	705-378B-02	\$2,485
17" Composite Cutting Board	SPE72C	705-392D-10	\$2,500

DP COMPOSITE CUTTING BOARDS (1/2" THICK)			
19" X 46" Composite Cutting Board	DP46	705-392D-11	\$2,500
19" X 67" Composite Cutting Board	DP67	705-392D-12	\$2,500
19" X 93" Composite Cutting Board	DP93	705-392D-13	\$2,500
19" X 119" Composite Cutting Board	DP119	705-392D-14	\$2,580

Food Prep Table Accessories

DESCRIPTION	UNIT(S)	PART NUMBER	LIST PRICE
OVERSHELVES			
10" Single	SPE27	00C23S026A	\$645
10" Single	SPE36-10	00C23-074A-12	\$710
10" Single	SPE48	00C23-027A	\$745
10" Single	SPE60	00C23-028A	\$1,040
10" Single	SPE72	00C23-029A	\$1,205
10" Double	SPE27	00C23-030A	\$1,205
10" Double	SPE36-08	00C23-075A-08	\$970
10" Double	SPE36-10	00C23-075A-09	\$970
10" Double	SPE48	00C23-031A	\$1,245
10" Double	SPE60	00C23-032A	\$1,550
10" Double	SPE72	00C23-033A	\$2,580
Single	SPE27-12M	00C23-074A-01	\$695
Single	SPE32-12M	00C23-074A-02	\$780
Single	SPE36-12M	00C23-074A-10	\$710
Single	SPE36-15M	00C23-074A-12	\$710
Single	SPE48/60/72-12M	00C23-074A-02	\$780
Single	SPE48-18M	00C23-074A-03	\$820
Single / For Dual-Sided	SPE48-18M-DS	00C23-105D	\$1,505
Single	SPE60-18M	00C23-074A-04	\$1,040
Single	SPE60-24M	00C23-074A-05	\$1,040
Single / For Dual-Sided	SPE60-24M-DS	00C23-106D	\$1,655
Single	SPE72-18M	00C23-074A-06	\$1,205
Single	SPE72-24M	00C23-074A-07	\$1,205
Single	SPE72-30M	00C23-074A-08	\$1,205
Single / For Dual-Sided	SPE72-30M-DS	00C23-093A	\$1,960
Double	SPE27-12M	00C23-030A	\$1,205
Double	SPE27-12M-B	00C23-075A-06	\$1,145
Double	SPE36-12M	00C23-075A-08	\$970
Double	SPE36-15M	00C23-075A-09	\$970
Double	SPE48-12M	00C23-075A-01	\$1,205
Double / For Dual-Sided	SPE48-18M-DS	00C23-107D-02	\$2,105
Double	SPE60-12M	00C23-075A-01	\$1,205
Double	SPE72-12M	00C23-075A-01	\$1,205
Double	SPE48-18M	00C23-075A-02	\$1,245
Double	SPE60-18M	00C23-075A-03	\$1,245
Double	SPE60-24M	00C23-075A-04	\$1,550
Double / For Dual-Sided	SPE60-24M-DS	00C23-107D-03	\$2,260
Double	SPE72-24M	00C23-032A	\$1,550
Double	SPE72-30M	00C23-075A-05	\$1,890
Double / For Dual-Sided	SPE72-30M-DS	00C23-107D-04	\$2,405
Single - 14" Deep	DP46	00C23-044A	\$1,085
Single - 14" Deep	DP60	00C23-161D-01	\$1,055
Single - 14" Deep	DP67	00C23-045A	\$1,295
Single - 14" Deep	DP72	00C23-161D-03	\$1,155
Single - 14" Deep	DP93	00C23-046A	\$1,595
Single - 14" Deep	DP119	00C23-161D-05	\$1,485

Clear-lid models (-CL) of SPE and SPED units cannot have an overshelf

Tel: 905-624-1419 • 888-442-7526 | Fax: 905-624-1851 • 800-361-2724 | For more information, visit www.garlandcanada.ca

DESCRIPTION	UNIT(S)	PART NUMBER	LIST PRICE
OVERSHELVES CONT'D			
Double - 14" Deep	DP46	00C23-119D-01	\$2,065
Double - 14" Deep	DP60	00C23-161D-02	\$1,390
Double - 14" Deep	DP67	00C23-116D-01	\$2,580
Double - 14" Deep	DP72	00C23-161D-04	\$1,510
Double - 14" Deep	DP93	00C23-120D-01	\$2,840
Double - 14" Deep	DP119	00C23-161D-06	\$2,070
Single - 14" Deep	SPE36-15M-STL	00C23-110D	\$3,650
Single - 14" Deep	SPE48-18M-STL	00C23-094D	\$3,255
Single - 14" Deep	SPE60-24M-STL	00C23-095D	\$3,740
Single - 14" Deep	SPE72-30M-STL	00C23-096D	\$4,065
Single - 14" Deep with side guards & LED light	SPE48-18M-STL	00C23-113D-01	\$4,520
Single - 14" Deep with side guards & LED light	SPE60-24M-STL	00C23-113D-02	\$4,910
Single - 14" Deep with side guards & LED light	SPE72-30M-STL	00C23-113D-03	\$5,290
Double - 10" Deep	SPE27 (will not work on B top)	00C23-123D-01	\$1,975
Double - 10" Deep	SPE48-18M-DS	00C23-125D-01	\$1,920
Double - 10" Deep	SPE60-24M-DS	00C23-126D-01	\$2,120
Double - 10" Deep	SPE72-30M-DS	00C23-127D-01	\$2,395
Double - 18" Deep	SPE27-M (will not fit on B top)	00C23-128D-01	\$2,735
Double - 18" Deep	SPE36-M	00C23-129D-01	\$2,840
Double - 18" Deep	SPE48-M	00C23-130D-01	\$2,980
Double - 18" Deep	SPE60-M	00C23-131D-01	\$3,285
Double - 18" Deep	SPE72-M	00C23-132D-01	\$3,035

Clear-lid models (-CL) of SPE and SPED units cannot have an overshelf

ADDITIONAL ACCESSORIES			
Door Lock	DP, SPE (per door)	00C30-099A	\$125
MOUNTING			
3" Caster	SPE units (set of four)	00C31-041A	\$500
6" Caster	SPE units (set of four)	00C31-038A	\$500
3" Caster	DP46,67,93 (set of four)	61C01-013A	\$500
6" Caster	DP46,67,93 (set of four)	61C01-001A	\$500
6" Black Leg	SPE units (set of four)	58B02-001A	\$500
6" Black Leg	DP46,67,93 (set of four)	58B02-001A	\$500
6" Black Leg	DP119 (set of six)	58B02S002A	\$500
6" Seismic/Flanged Legs	SPE Series (set of four)	00C31-055A	\$425
6" Seismic/Flanged Legs	DP Series (set of four)	00C31-055A	\$425
2 3/4 in Caster Kit	Low Profile (set of four) SPE	00C31-049A	\$500
2" Roller Kit	SPE units	00C31-045A	\$190

Food Prep Table Accessories

UNIT(S)		DESCRIPTION	PART NUMBER	LIST PRICE
---------	--	-------------	-------------	------------

NIGHT COVERS FOR STANDARD PREP	COVERS REQUIRED	DESCRIPTION	PART NUMBER	
SPE27HCHC	1	8 pan cover	00C32-013A-02	\$410
SPE32HCHC-08	1	8 pan cover	00C32-013A-06	\$410
SPE36HC-08	1	8 pan cover	00C32-013A-06	\$410
SPE36HC-10	1	10 pan cover	00C32-013A-07	\$410
SPE48HC-08	1	8 pan cover	00C32-013A-02	\$410
SPE48HC-10	1	10 pan cover	00C32-013A-03	\$410
SPE48HC-12	1	12 pan cover	00C32-013A-04	\$410
SPE60HC-08	1	8 pan cover	00C32-013A-02	\$410
SPE60HC-10	1	10 pan cover	00C32-013A-03	\$410
SPE60HC-12	1	12 pan cover	00C32-013A-04	\$410
SPE60HC-16	1	16 pan cover	00C32-013A-05	\$450
SPE72HC-08	1	8 pan cover	00C32-013A-02	\$410
SPE72HC-10	1	10 pan cover	00C32-013A-03	\$410
SPE72HC-12	1	12 pan cover	00C32-013A-04	\$410
SPE72HC-18	2	12 pan cover	00C32-013A-04	\$410
		6 pan cover	00C32-013A-01	\$410

NIGHT COVERS FOR MEGATOP PREP	COVERS REQUIRED	DESCRIPTION	PART NUMBER	
SPE27HC-12M	1	12 pan cover	00C32-014A-03	\$450
SPE32HC-12M	1	12 pan cover	00C32-014A-01	\$450
SPE36HC-12M	1	12 pan cover	00C32-014A-01	\$450
SPE36HC-15M	1	15 pan cover	00C32-014A-04	\$450
SPE48HC-12M	1	12 pan cover	00C32-014A-01	\$450
SPE48HC-18M	1	18 pan cover	00C32-014A-02	\$450
SPE60HC-12M	1	12 pan cover	00C32-014A-01	\$450
SPE60HC-18M	1	18 pan cover	00C32-014A-02	\$450
SPE60HC-24M	2	12 pan cover (order two)	00C32-014A-01	\$450
SPE72HC-12M	1	12 pan cover	00C32-014A-01	\$450
SPE72HC-18M	1	18 pan cover	00C32-014A-02	\$450
SPE72HC-24M	2	12 pan cover (order two)	00C32-014A-01	\$450
SPE72HC-30M	2	12 pan cover	00C32-014A-01	\$450
		18 pan cover	00C32-014A-02	\$450

NIGHT COVERS FOR PIZZA PREP	COVERS REQUIRED	DESCRIPTION	PART NUMBER	
DP46HC	1	full cover	00C32-017A-03	\$415
DP60HC	1	full cover	00C32-022D-04	\$385
DP67HC	1	full cover	00C32-022D-01	\$390
DP72HC	1	full cover	00C32-022D-03	\$405
DP93HC	2	section cover (order two)	00C32-017A-01	\$415
DP119HC	2	kit contains left and right covers	00C32-022D-02	\$665

DESCRIPTION	UNIT(S)	PART NUMBER	LIST PRICE
-------------	---------	-------------	------------

SALAD BAR - SNEEZE GUARDS			
Sneeze Guard	SPE36HC-S	00C23-160D-01	\$1,515
Sneeze Guard	SPE48HC-S	00C23-160D-02	\$1,650
Sneeze Guard	SPE60HC-S	00C23-160D-03	\$2,045
Sneeze Guard	SPE72HC-S	00C23-160D-04	\$2,355

SALAD BAR - SNEEZE GUARD EXTENSION WALL FOR SINGLE SIDE SERVICE			
Add-on wall for single side service	SPE36HC-S	00C23-162D-02	\$285
Add-on wall for single side service	SPE48HC-S	00C23-162D-03	\$320
Add-on wall for single side service	SPE60HC-S	00C23-162D-04	\$540
Add-on wall for single side service	SPE72HC-S	00C23-162D-05	\$570

SALAD BAR - FOLDING TRAY SLIDES			
Folding tray slide (order 2 for dual-side service)	SPE36HC-S	408-018D-36	\$3,195
Folding tray slide (order 2 for dual-side service)	SPE48HC-S	408-018D-48	\$3,550
Folding tray slide (order 2 for dual-side service)	SPE60HC-S	408-018D-60	\$3,905
Folding tray slide (order 2 for dual-side service)	SPE72HC-S	408-018D-72	\$4,335





WORKTOPS & UNDERCOUNTERS

FOUNDATION OF KITCHEN LAYOUTS BUILT TO PERFORM

Worktops



Undercounters



WORKTOPS

Refrigerators & Freezers



**Designed to perform in
high ambient conditions**

**7 year warranty on parts,
labour, and compressor**

Made in USA

Stainless steel top

(side-mount worktops come standard
with 16-gauge stainless steel top)

Mechanical or Full electronic control

- Mechanical controller standard in refrigerator units sizes 20-34
- Full electronic controller standard in refrigerator units sizes 36 and higher, and in all freezer and dual-temp units

Self-closing doors

with 120° stay-open feature, on cartridge style hinges

Magnetic gasket

attached to each door for positive seal

**Featuring environmentally friendly
energy efficient R290 refrigerant**

**Two epoxy-coated steel
wire shelves per section**

Field-reversible doors





On select models

6" heavy duty casters

various ADA compliant mounting options



DRAWER PAN CONFIGURATIONS for WTRD and WTFD units



REMOVABLE BACKSPLASH
available as an option, as well as a Flat Top, or a Foamed-in-Place backsplash



FIELD-REVERSIBLE DOORS
for layout flexibility

EXTERIOR FINISHES

- Stainless steel with galvanized back
- Stainless steel with stainless back

INTERIOR FINISHES

- Corrosion-resistant aluminum
- Stainless steel

AVAILABLE OPTIONS

- Left hinge doors
- Remote models available
- Electronic controllers (for refrigerator units sizes 20-34)

AVAILABLE ACCESSORIES

- Composite cutting boards (only available on rear-mounted worktops)
- Bun tray rack
- Door Locks (specify at time of order)
- Glass doors (rear-mount units only)
- 16-gauge stainless steel top (rear-mount units only)

BACKSPLASH OPTIONS

- Removable
- 4" foamed-in-place
- Flat-top

MOUNTING OPTIONS

- 6" casters
- 3" casters
- 2.75" low-profile casters
- 1.25" roller-kit
- 6" legs

AGENCY CERTIFICATIONS



AVAILABLE IN REAR MOUNTED AND SIDE MOUNTED SYSTEMS, WITH SOLID OR GLASS DOORS



WORKTOPS

Rear-Mounted Refrigeration

REFRIGERATORS - REAR MOUNTED

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DRAWERS	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	BACK SPLASH
1	WTR24AHC	\$4,955	—	1/2	24	32	33.63	115	1/6	2	5.16	REMOVABLE
	WTR24AHC-FIP	\$4,955			24	32	33.63	115	1/6	2	5.16	FOAM
	WTR24AHC-FLT	\$4,955			24	32	29.63	115	1/6	2	5.16	FLAT TOP
1	WTR27AHC	\$5,515	—	1/2	27	32	33.63	115	1/6	2	6.13	REMOVABLE
	WTRD27AHC-2	\$7,790	2	—								
1	WTR27AHC-FIP	\$5,515	—	1/2	27	32	33.63	115	1/6	2	6.13	FOAM
	WTRD27AHC-2-FIP	\$7,790	2	—								
1	WTR27AHC-FLT	\$5,515	—	1/2	27	32	29.63	115	1/6	2	6.13	FLAT TOP
	WTRD27AHC-2-FLT	\$7,790	2	—								
1	WTR32AHC	\$6,250	—	1/2	32	32	33.63	115	1/6	2	7.2	REMOVABLE
	WTRD32AHC-2	\$8,050	2	—								
1	WTR32AHC-FIP	\$6,250	—	1/2	32	32	33.63	115	1/6	2	7.2	FOAM
	WTRD32AHC-2-FIP	\$8,050	2	—								
1	WTR32AHC-FLT	\$6,250	—	1/2	32	32	29.63	115	1/6	2	7.2	FLAT TOP
	WTRD32AHC-2-FLT	\$8,050	2	—								
2	WTR36AHC	\$6,925	—	2/4	36	32	33.63	115	1/6	2	8.5	REMOVABLE
	WTRD36AHC-2	\$9,625	2	—								
2	WTR36AHC-FIP	\$6,925	—	2/4	36	32	33.63	115	1/6	2	8.5	FOAM
	WTRD36AHC-2-FIP	\$9,625	2	—								
2	WTR36AHC-FLT	\$6,925	—	2/4	36	32	29.63	115	1/6	2	8.5	FLAT TOP
	WTRD36AHC-2-FLT	\$9,625	2	—								
2	WTR48AHC	\$7,930	—	2/4	48	32	33.63	115	1/6	2.2	11.82	REMOVABLE
	WTRD48AHC-2	\$10,490	2	1/2								
	WTRD48AHC-4	\$12,985	4	—								
2	WTR48AHC-FIP	\$7,930	—	2/4	48	32	33.63	115	1/6	2.2	11.82	FOAM
	WTRD48AHC-2-FIP	\$10,490	2	1/2								
	WTRD48AHC-4-FIP	\$12,985	4	—								
2	WTR48AHC-FLT	\$7,930	—	2/4	48	32	29.63	115	1/6	2.2	11.82	FLAT TOP
	WTRD48AHC-2-FLT	\$10,490	2	1/2								
	WTRD48AHC-4-FLT	\$12,985	4	—								

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.


REFRIGERATORS - REAR MOUNTED

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DRAWERS	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	BACK SPLASH
2	WTR60AHC	\$8,395	—	2/4	60	32	33.63	115	1/5	3	14.75	REMOVABLE
	WTRD60AHC-2	\$10,805	2	1/2								
	WTRD60AHC-4	\$13,150	4	—								
2	WTR60AHC-FIP	\$8,395	—	2/4	60	32	33.63	115	1/5	3	14.75	FOAM
	WTRD60AHC-2-FIP	\$10,805	2	1/2								
	WTRD60AHC-4-FIP	\$13,150	4	—								
2	WTR60AHC-FLT	\$8,395	—	2/4	60	32	29.63	115	1/5	3	14.75	FLAT TOP
	WTRD60AHC-2-FLT	\$10,805	2	1/2								
	WTRD60AHC-4-FLT	\$13,150	4	—								
3	WTR72AHC	\$9,615	—	3/6	72	32	33.63	115	1/5	3	17.88	REMOVABLE
	WTRD72AHC-2	\$13,540	2	2/4								
	WTRD72AHC-4	\$14,590	4	1/2								
	WTRD72AHC-6	\$17,175	6	—								
3	WTR72AHC-FIP	\$9,615	—	3/6	72	32	33.63	115	1/5	3	17.88	FOAM
	WTRD72AHC-2-FIP	\$13,540	2	2/4								
	WTRD72AHC-4-FIP	\$14,590	4	1/2								
	WTRD72AHC-6-FIP	\$17,175	6	—								
3	WTR72AHC-FLT	\$9,615	—	3/6	72	32	29.63	115	1/5	3	17.88	FLAT TOP
	WTRD72AHC-2-FLT	\$13,540	2	2/4								
	WTRD72AHC-4-FLT	\$14,590	4	1/2								
	WTRD72AHC-6-FLT	\$17,175	6	—								

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.

BACKSPLASH OPTIONS



standard
Removable backsplash
ex: **WTR48AHC**



-FIP
4" foamed-in-place backsplash
ex: **WTR48AHC-FIP**



-FLT
Flat-top with no backsplash
ex: **WTR48AHC-FLT**

WORKTOPS

Shallow Depth Refrigeration (Rear-Mounted)

REFRIGERATORS (SHALLOW DEPTH)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	BACK SPLASH
1	WTR20HC	\$5,945	1/2	20	24.5	30.13	115	1/6	2	2.34	REMOVABLE
	WTR20HC-FIP	\$5,945	1/2	20	24.5	30.13	115	1/6	2	2.34	FOAM
	WTR20HC-FLT	\$5,945	1/2	20	24.5	26.13	115	1/6	2	2.34	FLAT TOP
1	WTR27HC	\$5,515	1/2	27	29.88	33.63	115	1/6	2	5.25	REMOVABLE
	WTR27HC-FIP	\$5,515	1/2	27	29.88	33.63	115	1/6	2	5.25	FOAM
	WTR27HC-FLT	\$5,515	1/2	27	29.88	29.63	115	1/6	2	5.25	FLAT TOP
2	WTR34HC	\$7,535	2/4	34	24.63	30.13	115	1/6	2	3.88	REMOVABLE
	WTR34HC-FIP	\$7,535	2/4	34	24.63	30.13	115	1/6	2	3.88	FOAM
	WTR34HC-FLT	\$7,535	2/4	34	24.63	26.13	115	1/6	2	3.88	FLAT TOP

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.





WORKTOPS

Rear-Mounted Freezers

FREEZERS - REAR MOUNTED

MAINTAINS PRODUCT TEMPERATURE AT 0° F AND BELOW.

SECTIONS	MODEL #	LIST PRICE	DRAWERS	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	BACK SPLASH
1	WTF24AHC	\$5,820	–	1/2	24	32	33.63	115	1/4	2.5	4.9	REMOVABLE
	WTF24AHC-FIP	\$5,820			24	32	33.63	115	1/4	2.5	4.9	FOAM
	WTF24AHC-FLT	\$5,820			24	32	29.63	115	1/4	2.5	4.9	FLAT TOP
1	WTF27AHC	\$6,105	–	1/2	27	32	33.63	115	1/4	2.5	6.13	REMOVABLE
	WTFD27AHC-2	\$8,670	2	–								
1	WTF27AHC-FIP	\$6,105	–	1/2	27	32	33.63	115	1/4	2.5	6.13	FOAM
	WTFD27AHC-2-FIP	\$8,670	2	–								
1	WTF27AHC-FLT	\$6,105	–	1/2	27	32	29.63	115	1/4	2.5	6.13	FLAT TOP
	WTFD27AHC-2-FLT	\$8,670	2	–								
1	WTF32AHC	\$7,545	–	1/2	32	32	33.63	115	1/3+	4	7.2	REMOVABLE
	WTFD32AHC-2	\$9,885	2	–								
1	WTF32AHC-FIP	\$7,545	–	1/2	32	32	33.63	115	1/3+	4	7.2	FOAM
	WTFD32AHC-2-FIP	\$9,885	2	–								
2	WTF32AHC-FLT	\$7,545	–	1/2	32	32	29.63	115	1/3+	4	7.2	FLAT TOP
	WTFD32AHC-2-FLT	\$9,885	2	–								
2	WTF36AHC	\$7,865	–	2/4	36	32	33.63	115	1/4	6	8.69	REMOVABLE
	WTFD36AHC-2	\$10,450	2	–								
2	WTF36AHC-FIP	\$7,865	–	2/4	36	32	33.63	115	1/4	6	8.69	FOAM
	WTFD36AHC-2-FIP	\$10,450	2	–								
2	WTF36AHC-FLT	\$7,865	–	2/4	36	32	33.63	115	1/4	6	8.69	FLAT TOP
	WTFD36AHC-2-FLT	\$10,450	2	–								

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.

FREEZERS - REAR MOUNTED

MAINTAINS PRODUCT TEMPERATURE AT 0° F AND BELOW.

SECTIONS	MODEL #	LIST PRICE	DRAWERS	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	BACK SPLASH
2	WTF48AHC	\$8,995	—	2/4	48	32	33.63	115	1/2	7	11.04	REMOVABLE
	WTFD48AHC-2	\$11,245	2	1/2								
	WTFD48AHC-4	\$11,655	4	—								
2	WTF48AHC-FIP	\$8,995	—	2/4	48	32	33.63	115	1/2	7	11.04	FOAM
	WTFD48AHC-2-FIP	\$11,245	2	1/2								
	WTFD48AHC-4-FIP	\$11,655	4	—								
2	WTF48AHC-FLT	\$8,995	—	2/4	48	32	29.63	115	1/2	7	11.04	FLAT TOP
	WTFD48AHC-2-FLT	\$11,245	2	1/2								
	WTFD48AHC-4-FLT	\$11,655	4	—								
2	WTF60AHC	\$10,610	—	2/4	60	32	33.63	115	1/2	7	14.39	REMOVABLE
	WTFD60AHC-2	\$12,905	2	1/2								
	WTFD60AHC-4	\$13,160	4	—								
2	WTF60AHC-FIP	\$10,610	—	2/4	60	32	33.63	115	1/2	7	14.39	FOAM
	WTFD60AHC-2-FIP	\$12,905	2	1/2								
	WTFD60AHC-4-FIP	\$13,160	4	—								
2	WTF60AHC-FLT	\$10,610	—	2/4	60	32	29.63	115	1/2	7	14.39	FLAT TOP
	WTFD60AHC-2-FLT	\$12,905	2	1/2								
	WTFD60AHC-4-FLT	\$13,160	4	—								

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.

WORKTOPS

Shallow Depth Freezers (Rear-Mounted)

FREEZERS (SHALLOW DEPTH)

MAINTAINS PRODUCT TEMPERATURE AT 0° F AND BELOW.

SECTIONS	MODEL #	LIST PRICE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	BACK SPLASH
1	WTF20HC	\$6,090	1/2	20	24.5	30.13	115	1/4	2.5	2.34	REMOVABLE
	WTF20HC-FIP	\$6,090	1/2	20	24.5	30.13	115	1/4	2.5	2.34	FOAM
	WTF20HC-FLT	\$6,090	1/2	20	24.5	26.13	115	1/4	2.5	2.34	FLAT TOP
1	WTF27HC	\$6,105	1/2	27	29.88	33.63	115	1/4	2.5	5.25	REMOVABLE
	WTF27HC-FIP	\$6,105	1/2	27	29.88	33.63	115	1/4	2.5	5.25	FOAM
	WTF27HC-FLT	\$6,105	1/2	27	29.88	29.63	115	1/4	2.5	5.25	FLAT TOP

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.



WTR34HC-23-25

ORDER YOUR UNIT TO YOUR SPECIFICATIONS WITH AVAILABLE OPTIONS SUCH AS:

GLASS DOORS (-25)

Increase visibility by swapping the solid doors with glass doors on select refrigerator and freezer models.

3-INCH CASTERS (-23)

Lower the height of the unit for workflow or ADA compliance by selecting the 3-inch casters instead of the standard 6-inch ones.

Rear-Mounted Dual-Temps

DUAL-TEMPS

MAINTAINS PRODUCT TEMPERATURES OF
36-38°F (REFRIGERATOR), AND 0°F (FREEZER).

SECTIONS	MODEL #	LIST PRICE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	BACK SPLASH
2	WTRF48AHC	\$11,965	2/4	48	32	33.63	115	R: 1/6 F: 1/4	R: 2.0 F: 2.5	L: 5.31 R: 5.31	REMOVABLE
	WTFR48AHC	\$11,965									

*For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.
"RF" in the model # designates refrigerator on the left, freezer on the right.
"FR" in the model # designates freezer on the left, refrigerator on the right.*



WTFR48AHC

WORKTOPS

Side-Mounted

REFRIGERATORS - SIDE MOUNTED

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DRAWERS	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	BACK SPLASH
1	WTR41AHC	\$6,790	-	1/2	41	34	33.5	115	1/6	2.2	7.94	FOAM
1	WTR46AHC	\$8,205	-	1/2	46	34	33.5	115	1/6	3	10.8	FOAM
	WTRD46AHC-2	\$11,120	2	-								
2	WTR67AHC	\$10,220	-	2/4	67	34	33.5	115	1/5	3	18.97	FOAM
	WTRD67AHC-2	\$13,005	2	1/2								
	WTRD67AHC-4	\$16,010	4	-								
3	WTR93AHC	\$13,580	-	3/6	93	34	33.5	115	1/3	5	29.7	FOAM
	WTRD93AHC-2	\$16,435	2	2/4								
	WTRD93AHC-4	\$19,295	4	1/2								
	WTRD93AHC-6	\$22,260	6	-								
4	WTR119AHC	\$18,485	-	4/8	119	34	33.5	115	1/3	5	40.12	FOAM
	WTRD119AHC-2	\$20,475	2	3/6								
	WTRD119AHC-4	\$23,305	4	2/4								
	WTRD119AHC-6	\$26,135	6	1/2								
	WTRD119AHC-8	\$28,245	8	-								

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.

FREEZERS - SIDE MOUNTED

MAINTAINS PRODUCT TEMPERATURE AT 0° F AND BELOW.

SECTIONS	MODEL #	LIST PRICE	DRAWERS	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	BACK SPLASH
2	WTF67AHC	\$14,050	-	2/4	67	34	33.5	115	3/4	8.9	20.8	FOAM

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.

REAR MOUNT VERSUS SIDE MOUNT

REAR MOUNTED COMPRESSOR UNITS

Worktops and undercounter units that have a rear mounted compressor offer the advantage of a compressed footprint on the kitchen floorplan.



WTRD72AHC-4

SIDE MOUNTED COMPRESSOR UNITS

Worktops and undercounter units that have a side mounted compressor are a little wider than rear mounted units, but gain a considerable amount of interior cubic capacity. Side mount worktop units come standard with a 16-gauge stainless steel top.



WTRD93AHC-4

UNDERCOUNTERS

Refrigerators & Freezers



**Designed to perform in
high ambient conditions**

**7 year warranty on parts,
labour, and compressor**

Made in USA

Undercounter units feature a 1/2" thick sub-top

Mechanical or Full electronic control

- Mechanical controller standard in refrigerator units sizes 20-34
- Full electronic controller standard in refrigerator units sizes 36 and higher, and in all freezer and dual-temp units

Interior thermometer

Self-closing doors

with 120° stay-open feature, on cartridge style hinges

Easy door removal for service and cleaning

Magnetic gasket attached to each door for positive seal

6" heavy duty casters standard

3" casters or 6" leg option available
at no charge when specified on order


Two epoxy-coated steel wire shelves per section

Field-reversible doors



On select models




DRAWER PAN CONFIGURATIONS for UCRD and UCFD units



UCRD36 / UCFD36


UCRD27 / UCRD32 / UCRD60
UCFD27 / UCFD32 / UCFD60


UCRD48 / UCRD72 / UCFD48


UCRD46 / UCRD67 / UCRD93 / UCRD119
UCFD46 / UCFD67 / UCFD93 / UCFD119

EXTERIOR FINISHES

- Stainless steel with galvanized back
- Stainless steel with stainless back

INTERIOR FINISHES

- Corrosion-resistant aluminum
- Stainless steel

AVAILABLE OPTIONS

- Left hinge doors
- Remote models available
- Glass doors (rear-mount units only)
- Electronic controllers
(for refrigerator units sizes 20-34)


AVAILABLE ACCESSORIES

- Bun tray rack
- Locks (doors only, spec at time of order)

MOUNTING OPTIONS

- 6" casters
- 3" casters (allows for ADA compliant working height)
- 6" legs

AGENCY CERTIFICATIONS



3" CASTERS AVAILABLE
at no charge when specified at the
time of order



FIELD-REVERSIBLE DOORS
for layout flexibility

AVAILABLE IN REAR MOUNTED AND SIDE MOUNTED SYSTEMS, WITH SOLID OR GLASS DOORS



UNDERCOUNTERS

Rear-Mounted Refrigeration

REFRIGERATORS - REAR MOUNTED

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DRAWERS	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1	UCR24AHC	\$4,920	—	1/2	24	32	28.63	115	1/10	2	5.16
1	UCR27AHC	\$5,125	—	1/2	27	32	28.63	115	1/10	2	6.13
	UCRD27AHC-2	\$7,725	2	—							6.13
1	UCR32AHC	\$6,150	—	1/2	32	32	28.63	115	1/10	2	7.2
	UCRD32AHC-2	\$8,210	2	—							7.2
2	UCR36AHC	\$6,440	—	2/4	36	32	28.63	115	1/6	2	8.5
	UCRD36AHC-2	\$9,430	2	—							8.5
2	UCR48AHC	\$7,720	—	2/4	48	32	28.63	115	1/6	2	11.82
	UCRD48AHC-2	\$10,350	2	1/2							11.6
	UCRD48AHC-4	\$12,955	4	—							11.6
2	UCR60AHC	\$8,165	—	2/4	60	32	28.63	115	1/5	3	14.75
	UCRD60AHC-2	\$10,680	2	1/2							14.4
	UCRD60AHC-4	\$13,135	4	—							14.4
3	UCR72AHC	\$9,350	—	3/6	72	32	28.63	115	1/5	3	17.88
	UCRD72AHC-2	\$11,775	2	2/4							17.1
	UCRD72AHC-4	\$14,385	4	1/2							17.1
	UCRD72AHC-6	\$16,990	6	—							17.1

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.

Shallow Depth Refrigeration (Rear-Mounted)

REFRIGERATORS (SHALLOW DEPTH)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1	UCR20HC	\$4,810	1/2	20	24.5	25.13	115	1/10	2	2.25
1	UCR24HC	\$4,920	1/2	24	29.88	28.63	115	1/10	2	4.48
1	UCR27HC	\$5,125	1/2	27	29.88	28.63	115	1/10	2	5.25
2	UCR34HC	\$6,440	2/2	34	24.63	25.13	115	1/10	2	5.96

*For total height, add 3 or 6 inches, based on your mounting choice.
Depth measurement includes handles and rear bumpers.*



UCR20HC

UCR24HC

UCR27HC

UNDERCOUNTERS

Rear-Mounted Freezers

FREEZERS - REAR MOUNTED

MAINTAINS PRODUCT TEMPERATURE AT 0° F AND BELOW.

SECTIONS	MODEL #	LIST PRICE	DRAWERS	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1	UCF24AHC	\$5,680	—	1/2	24	32	28.63	115	1/4	2.5	4.9
1	UCF27AHC	\$6,105	—	1/2	27	32	28.63	115	1/4	2.5	6.13
	UCFD27AHC-2	\$8,715	2	—							6.13
1	UCF32AHC	\$6,775	—	1/2	32	32	28.63	115	1/3+	4	7.2
	UCFD32AHC-2	\$8,310	2	—							7.2
2	UCF36AHC	\$7,670	—	2/4	36	32	28.63	115	1/2	6	8.7
	UCFD36AHC-2	\$10,135	2	—							8.7
2	UCF48AHC	\$8,830	—	2/4	48	32	28.63	115	1/2	7	11.04
	UCFD48AHC-2	\$13,685	2	1/2							11.6
	UCFD48AHC-4	\$14,045	4	—							11.6
2	UCF60AHC	\$10,470	—	2/4	60	32	28.63	115	1/2	7	14.39
	UCFD60AHC-2	\$12,895	2	1/2							15.8
	UCFD60AHC-4	\$13,290	4	—							15.8

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.

Shallow Depth Freezers (Rear-Mounted)

FREEZERS (SHALLOW DEPTH)

MAINTAINS PRODUCT TEMPERATURE AT 0° F AND BELOW.

SECTIONS	MODEL #	LIST PRICE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1	UCF20HC	\$5,570	1/2	20	24.5	25.13	115	1/4	2.5	2.34
1	UCF24HC	\$5,680	1/2	24	29.88	28.63	115	1/4	2.5	4.53
1	UCF27HC	\$6,105	1/2	27	29.88	28.63	115	1/4	2.5	5.25

For total height, add 3 or 6 inches, based on your mounting choice.
Depth measurement includes handles and rear bumpers.

Rear-Mounted Dual-Temps

DUAL-TEMPS

MAINTAINS PRODUCT TEMPERATURES OF
36-38°F (REFRIGERATOR), AND 0°F (FREEZER).

SECTIONS	MODEL #	LIST PRICE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
2	UCRF48AHC	\$11,750	2/4	48	32	28.63	115	R: 1/6 F: 1/4	R: 2.0 F: 2.5	L: 5.31 R: 5.31
	UCFR48AHC	\$11,750								

*For total height, add 3 or 6 inches, based on your mounting choice.
Depth measurement includes handles and rear bumpers.
"RF" in the model # designates refrigerator on the left, freezer on the right.
"FR" in the model # designates freezer on the left, refrigerator on the right.*



UCRF48AHC

UNDERCOUNTERS

Side-Mounted

REFRIGERATORS - SIDE MOUNTED

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DRAWERS	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
1	UCR41AHC	\$6,510	-	1/2	41	34.75	28.5	115	1/5	2	7.94
1	UCR46AHC	\$7,250	-	1/2	46	34.75	28.5	115	1/5	2	10.8
	UCRD46AHC-2	\$11,010	2	-							10.8
2	UCR67AHC	\$9,900	-	2/4	67	34.75	28.5	115	1/5	2	18.97
	UCRD67AHC-2	\$13,010	2	1/2							19.2
	UCRD67AHC-4	\$15,935	4	-							19.2
3	UCR93AHC	\$12,315	-	3/6	93	34.75	28.5	115	1/3	5	29.7
	UCRD93AHC-2	\$15,760	2	2/4							29.7
	UCRD93AHC-4	\$18,795	4	1/2							29.7
	UCRD93AHC-6	\$21,690	6	-							29.7
4	UCR119AHC	\$17,930	-	4/8	119	34.75	28.5	115	1/3	5	40.12
	UCRD119AHC-2	\$19,190	2	3/6							40.5
	UCRD119AHC-4	\$22,160	4	2/4							40.5
	UCRD119AHC-6	\$25,125	6	1/2							40.5
	UCRD119AHC-8	\$28,090	8	-							40.5

For total height, add 3 or 6 inches, based on your mounting choice. Depth measurement includes handles and rear bumpers.

FREEZERS - SIDE MOUNTED

MAINTAINS PRODUCT TEMPERATURE AT 0° F AND BELOW.

SECTIONS	MODEL #	LIST PRICE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET
2	UCF67AHC	\$13,705	2/4	67	34.75	28.5	115	3/4	6.4	20.8

For total height, add 3 or 6 inches, based on your mounting choice.
Depth measurement includes handles and rear bumpers.



UCR27AHC-25-09-23

Worktop & Undercounter Accessories

DESCRIPTION	UNIT(S)	PART NUMBER	LIST PRICE
SHELVING / ORGANIZERS			
Epoxy Coated Wire Shelf (Large)	UCF/UCR/WTF/WTR27A	403-826B	\$165
Epoxy Coated Wire Shelf (Small)	UCF/UCR/WTF/WTR27A	403-912D-01	\$165
Epoxy Coated Wire Shelf (Large)	UCF/UCR/WTF/WTR36A	403-911D-01	\$165
Epoxy Coated Wire Shelf (Small)	UCF/UCR/WTF/WTR36A	403-915D-01	\$165
Epoxy Coated Wire Shelf (Large)	UCF/UCR/WTF/WTR48A	403-828B	\$165
Epoxy Coated Wire Shelf (Small)	UCF/UCR/WTF/WTR48A	403-913D-01	\$165
Epoxy Coated Wire Shelf (Large)	UCF/UCR/WTF/WTR60A	403-829B	\$165
Epoxy Coated Wire Shelf (Small)	UCF/UCR/WTF/WTR60A	403-914D-01	\$165
Epoxy Coated Ctr Section Wire Shelf (Large)	UCR/WTR72A	403-827B	\$165
Epoxy Coated Wire Shelf L&R (Large)	UCR/WTR72A	403-828B	\$165
Epoxy Coated Ctr Section Wire Shelf (Small)	UCR/WTR72A	403-912D-01	\$165
Epoxy Coated Wire Shelf L&R (Small)	UCR/WTR72A	403-913D-01	\$165
Epoxy Coated Wire Shelf	UCR46A/67A, UCF67A	403-834D	\$165
Epoxy Coated Wire Shelf	UCR93A/119A	403-834D	\$165
Epoxy Coated Wire Shelf	WTR41/46/67A/93A	403-834D	\$165
Epoxy Coated Wire Shelf	WTR119A, WTF67A	403-834D	\$165
Epoxy Coated Wire Shelf	UCF/UCR/WTR20	403-419D	\$165
Epoxy Coated Wire Shelf	UCR/WTR34Y	403-339D	\$165
Epoxy Coated Wire Shelf	UCR/UCF/WTF/WTR27 Shallow Depth	403-294D	\$165
Shelf Clip	UCR/WTR/UCRD/WTRD	403-169A	\$5
Large Wire Shelf Divider	WTR27A/UCR27A	403-722C	\$55
Small Wire Shelf Divider	WTR27A/UCR27A	403-721C	\$160
Large Wire Shelf Divider	WTR36A, UCR36A	403-723C	\$160
Small Wire Shelf Divider	WTR36A, UCR36A	403-721C	\$160
Large Wire Shelf Divider	WTR48A/UCR48A	403-723C	\$160
Small Wire Shelf Divider	WTR48A/UCR48A	403-721C	\$160
Large Wire Shelf Divider	WTR60A/UCR60A	403-723C	\$160
Small Wire Shelf Divider	WTR60A/UCR60A	403-721C	\$160
Large Wire Shelf Divider	WTR72A/UCR72A	403-723C	\$160
Small Wire Shelf Divider	WTR72A/UCR72A	403-721C	\$160
STACKING COLLARS			
Stacking Collar	UCR20HC, UCF20HC	00C32-015A-01	\$375
Stacking Collar	UCR27HC, UCF27HC	00C32-004A	\$635
Stacking Collar	UCR27AHC, UCF27AHC	00C32-012A	\$635

DESCRIPTION	UNIT(S)	PART NUMBER	LIST PRICE
MOUNTING			
3" Caster	WT/UC (set of four)	00C31-041A	\$500
6" Caster	WT/UC (set of four)	00C31-038A	\$500
3" Caster	29" Undercounter/Worktop (set of four)	00C31-041A	\$500
6" Caster	29" Undercounter/Worktop (set of four)	00C31-038A	\$500
3" Caster	32" Undercounter/Worktop (set of four)	61C01-013A	\$500
6" Caster	32" Undercounter/Worktop (set of four)	61C01-001A	\$500
6" Black Leg	29" Undercounter/Worktop (set of four)	58B02-001A	\$500
6" Black Leg	32" Undercounter/Worktop (set of four)	58B02-001A	\$500
6" Black Leg	UCR/WTR 119A (set of six)	58B02S002A	\$500
6" Seismic/Flanged Legs	29" WT/UC (set of four)	00C31-055A	\$425
6" Seismic/Flanged Legs	32" WT/UC (set of four)	00C31-055A	\$425
6" Seismic/Flanged Legs	UC Shallow Depth (set of four)	00C31-055A	\$425
2 3/4 in Caster Kit	WT/UC	00C31-049A	\$500
2" Roller Kit	WT/UC	00C31-045A	\$190

WORKTOP WHITE POLY CUTTING BOARDS (1/2" THICK)			
Set of (2) Brackets Required	All Units	00C23-076A-01	\$210
29" Cutting Board	WTR27A/WTF27A	705-397D-05	\$325
29" Cutting Board	WTR36A/WTF36A	705-397D-19	\$380
29" Cutting Board	WTR48A/WTF48A	705-397D-06	\$435
29" Cutting Board	WTR60A/WTF60A	705-397D-07	\$540
29" Cutting Board	WTR72A/WTF72A	705-397D-08	\$635

COMPOSITE CUTTING BOARDS (1/2" THICK)			
Set of (2) Brackets Required	All Units	00C23-076A-01	\$210
Composite Cutting Board	WTR27A/WTF27A	705-397D-03	\$2,500
Composite Cutting Board	WTR36A/WTF36A	705-397D-17	\$2,500
Composite Cutting Board	WTR41	705-397D-18	\$2,500
Composite Cutting Board	WTR48A/WTF48A	705-397D-02	\$2,500
Composite Cutting Board	WTR60A/WTF60A	705-397D-04	\$4,915
Composite Cutting Board	WTR72A	705-397D-01	\$4,915

ADDITIONAL ACCESSORIES			
Door Lock (solid doors only)	UCR,WTR (per door; solid doors only)	00C30-099A	\$125



CHEF BASES

AMPLE COLD STORAGE WHILE SUPPORTING WORK SPACES



**CROSS TEMP UNITS
NOW AVAILABLE!**



CHEF BASES

Refrigerators & Freezers



**Designed to perform in
high ambient conditions**

**7 year warranty on parts,
labour, and compressor**

**LIFETIME WARRANTY on all
drawers and slides (parts only)**

**12-gauge stainless steel drawer slides with
Delrin® rollers rated at 275 lbs**

**Heavy-duty, fireproof, reinforced, insulated
16-gauge top with fully integrated heat-shield**
(must adhere to manufacturer's clearance)

Compressor available on left or right side
(specify at time of order)

**Consistent product temperature with
intelligent airflow design**

**Improved drawer systems for easier
installation, field adjustment,
and increased pan capacity**

**Full refrigeration system serviceability from
the front of the cabinet, eliminating the need
to remove the lid**

**Accommodates 6-inch-deep full-size
food service pans in top & bottom drawers**

**Featuring environmentally friendly
energy-efficient R290 refrigerant**





Optional overhang top
(up to 6-inches on either side)

EXTERIOR FINISHES

- Stainless steel with galvanized back

INTERIOR FINISHES

- Corrosion-resistant aluminum
- Stainless steel

AVAILABLE OPTIONS

- Flat Top edge in lieu of marine edge on standard sizes
- Remote models available

AVAILABLE ACCESSORIES

- Custom flat top sizes available, up to 6" overhang on either side to create a custom sized top
- Gasket guards

MOUNTING OPTIONS

- 6" casters
- 3" casters (allows for ADA compliant working height)
- 6" legs


AGENCY CERTIFICATIONS



12-GAUGE DRAWER SLIDES
with 3 Delrin encased stainless steel roller bearings per each drawer slide



ACCOMMODATES 6" PANS IN
top and bottom drawers



CHEF BASES


REFRIGERATORS

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DRAWERS	TOP WIDTH	CABINET WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	FULL SIZE PAN CAPACITY
1	WTRCS36HC	\$12,380	2 small	36	36	34.75	24.38	115	1/6	1.7	5.64	4
	WTRCS36HC-48	\$13,635		48								
1	WTRCS48HC	\$13,635	2 medium	48	48	34.75	24.38	115	1/6	1.7	8.59	4
1	WTRCS52HC	\$14,020	2 medium	52	52	34.75	24.38	115	1/6	1.7	9.58	4
	WTRCS52HC-60	\$15,010		60								
1	WTRCS60HC	\$15,010	2 X-large	60	60	34.75	24.38	115	1/6	1.7	11.55	6
	WTRCS60HC-64	\$15,155		64								
2	WTRCS72HC	\$17,610	4 medium	72	72	34.75	24.38	115	1/3	5	14.51	8
	WTRCS72HC-76	\$18,020		76								
2	WTRCS84HC	\$19,105	2 medium 2 X-large	84	84	34.75	24.38	115	1/3	5	17.46	10
	WTRCS84HC-89	\$19,250		89								
	WTRCS84HC-96	\$21,800		96								
2	WTRCS96HC	\$21,800	4 X-large	96	96	34.75	24.38	115	1/3	5	20.42	12
	WTRCS96HC-108	\$24,485		108								
3	WTRCS112HC	\$24,485	6 medium	112	112	34.75	24.38	115	1/3	5	24.36	12
	WTRCS112HC-120	\$26,385		120								

Height measurement includes casters. Depth measurement includes handles and rear bumpers.

DRAWER PAN CONFIGURATIONS
for Chef Base units



FREEZERS

MAINTAINS PRODUCT TEMPERATURE AT -10° F AND BELOW.

SECTIONS	MODEL #	LIST PRICE	DRAWERS	TOP WIDTH	CABINET WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	FULL SIZE PAN CAPACITY
1	WTFC36HC	\$16,020	2 small	36	36	34.75	24.38	115	1/2	4.5	5.64	4
	WTFC36HC-48	\$16,720		48								
1	WTFC48HC	\$16,720	2 medium	48	48	34.75	24.38	115	1/2	4.5	8.59	4
1	WTFC52HC	\$17,055	2 medium	52	52	34.75	24.38	115	1/2	4.5	9.58	4
	WTFC52HC-60	\$17,770		60								
1	WTFC60HC	\$17,770	2 X-large	60	60	34.75	24.38	115	3/4	6.5	11.55	6
	WTFC60HC-64	\$18,230		64								
2	WTFC72HC	\$21,185	4 medium	72	72	34.75	24.38	115	3/4	6.5	14.51	8
	WTFC72HC-76	\$21,390		76								
2	WTFC84HC	\$22,595	2 medium 2 X-large	84	84	34.75	24.38	115	3/4	6.5	17.46	10
	WTFC84HC-89	\$23,060		89								
	WTFC84HC-96	\$23,075		96								
2	WTFC96HC	\$23,930	4 X-large	96	96	34.75	24.38	115	3/4	6.5	20.42	12
	WTFC96HC-108	\$26,715		108								

Height measurement includes casters. Depth measurement includes handles and rear bumpers.

CROSS TEMP® CHEF BASES

Convertible Refrigeration



Easily converts from refrigerator to freezer
with Beverage-Air's exclusive Cross Temp® technology



Variable speed compressor technology
achieves up to 30% more energy efficiency
compared to a single-speed

Temperature range of -15 to 40° F

Modulates coil temp to achieve desired set point
while achieving maximum energy efficiency

Single cabinet configurable to all menu initiatives

Intuitive compressor
adjusts for optimal effectiveness in high-use situations

Quicker pull-down
for both air and product temperatures

Improved product stability

Smart-defrost

Expansion valve

Rapid-recovery after defrost
consistent product temperature and ensures food quality

Door locks standard
Solid doors only (optional on glass door models)

Field-reversible doors
(except for CT12-12HC models)

**Featuring environmentally friendly
energy efficient R290 refrigerant**

**7 year warranty on parts,
labour, and compressor**

CONTROL THE COLD

WHAT IS CROSS TEMP® TECHNOLOGY?

Cross Temp technology allows the user to easily switch the unit back and forth from refrigerator to freezer as needed, with a range of -15° to 40°F.

THE PURPOSE OF CROSS TEMP®

Simply put, Cross Temp technology lets the user get the most flexibility from the unit, by letting them switch from fridge to freezer as their menus change with the seasons and initiatives, including ice-cream storage.

IS CROSS TEMP ENERGY EFFICIENT?

The Cross Temp units are intuitive and self-adjust for optimal effectiveness based on usage. Even in high-usage situations, Cross Temp units adjust to maintain maximum energy efficiency.

HOW LONG DOES THE CONVERSION TAKE?

On average, a Cross Temp unit can convert from refrigerator to freezer or vice versa, in under an hour. (Conditions and results will vary)

CROSS TEMP CHEF BASES

CAN CONVERT BETWEEN FREEZER AND REFRIGERATOR
TEMPERATURES FROM -15° TO 40°F

SECTIONS	MODEL #	LIST PRICE	DRAWERS	TOP WIDTH	CABINET WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	FULL SIZE PAN CAPACITY
1	WTCTCS48HC	\$15,685	2 medium	48	48	34.75	24.38	150	4/5	8.7	7.21	4
1	WTCTCS52HC	\$15,955	2 medium	52	52	34.75	24.38	150	4/5	8.7	8.06	4
	WTCTCS52HC-60	\$15,955		60								
1	WTCTCS60HC	\$16,280	2 X-large	60	60	34.75	24.38	150	4/5	8.7	9.75	6
	WTCTCS60HC-64	\$16,280		64								
2	WTCTCS72HC	\$24,490	4 medium	72	72	34.75	24.38	150	4/5	8.7	12.30	8
	WTCTCS72HC-76	\$24,490		76								

Height measurement includes casters. Depth measurement includes handles and rear bumpers.





BEVERAGE-AIR®

BACK BAR AND DIRECT DRAW BAR EQUIPMENT

Beverage-Air is proud to announce the redesign and expansion of the Back Bar and Direct Draw bar equipment lines. This undertaking accomplished the goals of improving performance and serviceability by powering the units with a monobloc refrigeration system. This provides long-term reliability, and faster, more efficient maintenance.

Another goal achieved by this redesign was adding consistency and standardization with the sizing throughout the product lines. All units now have the same cabinet height that meets ADA requirements, and features a 1-inch stainless steel top.

The entire lineup of back bar and direct draws are available in regular depth as well as a shallow depth, ensuring there's a unit that'll fit any space or capacity need.



BACK BAR COOLERS



BB48HC-G-B



BBN72HC-GS-S

Galvanized steel interior with reinforced stainless steel floor

1" stainless steel top standard

ADA compliant 34" height

Full electronic control

Compressor standard on left side

Right side compressor available (mention at time of order)

LED lighting

Two epoxy coated shelves per section

Balanced, forced air refrigeration system provides rapid chilling of product

Uses environmentally friendly, energy efficient R290 refrigerant, and meets all regulatory requirements for CARB, SNAP, DOE & more

Adaptive defrost

Epoxy coated evaporator coil

7 year warranty parts, labor, and compressor

EXTERIOR FINISHES

- Black painted steel
- Stainless steel

INTERIOR FINISHES

- Galvanized steel with reinforced stainless steel floor
- Stainless steel open-food rated

AVAILABLE OPTIONS


- Right side compressor (specify at time of order)
- Stainless steel back
- Wine models available (40°-60°)
- Remote models available

AVAILABLE ACCESSORIES

- Wire shelf divider
- Extra shelves/clips

MOUNTING OPTIONS

- 6" casters
- 3" casters
- 6" legs




SOLID DOORS (HINGED)

- Self-closing doors with 120° stay-open feature
- Door locks standard
- Magnetic door gaskets provide positive door sealing



GLASS DOORS (HINGED)

- Self-closing doors with 120° stay-open feature
- Door locks standard
- Magnetic door gaskets provide positive door sealing



GLASS DOORS (SLIDING)

- Self-closing doors
- Stay-open feature
- Door locks standard
- Door gaskets provide positive door sealing
- Black door frame (regardless of exterior finish)

BACK BAR COOLERS

Regular Depth Single Sided

SOLID DOORS

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	REGULAR MODEL #	LIST PRICE	OPEN FOOD RATED MODEL #	LIST PRICE	DOORS/SHELVES	# OF STRAIGHT WALL KEGS	12oz CANS	LONGNECK BOTTLES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
1	BB36HC-B	\$7,635	BB36HC-F-B	\$10,015	1/2	1	384	216	36	30.38	34	115	1/4	3	10.16	BLACK
	BB36HC-S	\$8,645	BB36HC-F-S	\$11,165												STAINLESS
2	BB48HC-B	\$8,830	BB48HC-F-B	\$10,665	2/4	2	576	336	48	30.38	34	115	1/4	3	15.14	BLACK
	BB48HC-S	\$10,425	BB48HC-F-S	\$12,490												STAINLESS
2	BB58HC-B	\$7,985	BB58HC-F-B	\$9,890	2/4	2	672	384	58	30.38	34	115	1/3	3.3	17.84	BLACK
	BB58HC-S	\$9,450	BB58HC-F-S	\$11,620												STAINLESS
2	BB68HC-B	\$8,370	BB68HC-F-B	\$10,275	2/4	3	768	432	68	30.38	34	115	1/3	3.3	21.98	BLACK
	BB68HC-S	\$9,990	BB68HC-F-S	\$12,260												STAINLESS
3	BB72HC-B	\$11,205	BB72HC-F-B	\$13,505	3/6	3	1,024	528	72	30.38	34	115	1/3	3.3	23.64	BLACK
	BB72HC-S	\$13,160	BB72HC-F-S	\$15,790												STAINLESS
3	BB78HC-B	\$11,030	BB78HC-F-B	\$13,780	3/6	4	1,024	528	78	30.38	34	115	1/3	3.3	26.13	BLACK
	BB78HC-S	\$12,255	BB78HC-F-S	\$16,105												STAINLESS
3	BB94HC-B	\$10,210	BB94HC-F-B	\$14,050	3/6	5	1,152	648	94	30.38	34	115	1/3	3.3	32.77	BLACK
	BB94HC-S	\$12,890	BB94HC-F-S	\$14,950												STAINLESS

Depth measurement includes handles.



BB72HC-GS-B

GLASS DOORS (HINGED)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	REGULAR MODEL #	LIST PRICE	OPEN FOOD RATED MODEL #	LIST PRICE	DOORS/ SHELVES	# OF STRAIGHT WALL KEGS	12oz CANS	LONGNECK BOTTLES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
1	BB36HC-G-B	\$7,925	BB36HC-FG-B	\$10,450	1/2	1	384	216	36	30.38	34	115	1/4	3	10.16	BLACK
	BB36HC-G-S	\$9,270	BB36HC-FG-S	\$11,785												STAINLESS
2	BB48HC-G-B	\$9,705	BB48HC-FG-B	\$12,590	2/4	2	576	336	48	30.38	34	115	1/4	3	15.14	BLACK
	BB48HC-G-S	\$11,005	BB48HC-FG-S	\$13,980												STAINLESS
2	BB58HC-G-B	\$9,300	BB58HC-FG-B	\$11,240	2/4	2	672	384	58	30.38	34	115	1/3	3.3	17.84	BLACK
	BB58HC-G-S	\$10,700	BB58HC-FG-S	\$12,970												STAINLESS
2	BB68HC-G-B	\$9,480	BB68HC-FG-B	\$11,735	2/4	3	768	432	68	30.38	34	115	1/3	3.3	21.98	BLACK
	BB68HC-G-S	\$11,015	BB68HC-FG-S	\$14,045												STAINLESS
3	BB72HC-G-B	\$12,825	BB72HC-FG-B	\$15,885	3/6	3	1,024	528	72	30.38	34	115	1/3	3.3	23.64	BLACK
	BB72HC-G-S	\$14,670	BB72HC-FG-S	\$18,260												STAINLESS
3	BB78HC-G-B	\$11,210	BB78HC-FG-B	\$14,280	3/6	4	1,024	528	78	30.38	34	115	1/3	3.3	26.13	BLACK
	BB78HC-G-S	\$13,430	BB78HC-FG-S	\$16,785												STAINLESS
3	BB94HC-G-B	\$11,650	BB94HC-FG-B	\$13,765	3/6	5	1,152	648	94	30.38	34	115	1/3	3.3	32.77	BLACK
	BB94HC-G-S	\$13,565	BB94HC-FG-S	\$16,945												STAINLESS

Depth measurement includes handles.

GLASS DOORS (SLIDING) (Door frame only comes in black)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	REGULAR MODEL #	LIST PRICE	OPEN FOOD RATED MODEL #	LIST PRICE	DOORS/ SHELVES	# OF STRAIGHT WALL KEGS	12oz CANS	LONGNECK BOTTLES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
2	BB48HC-GS-B	\$9,930	BB48HC-F-GS-B	\$17,505	2/4	2	576	336	48	29.25	34	115	1/4	3	15.14	BLACK
	BB48HC-GS-S	\$11,300	BB48HC-F-GS-S	\$18,670												STAINLESS
2	BB58HC-GS-B	\$10,795	BB58HC-F-GS-B	\$13,495	2/4	2	672	384	58	29.25	34	115	1/3	3.3	17.84	BLACK
	BB58HC-GS-S	\$11,340	BB58HC-F-GS-S	\$14,575												STAINLESS
3	BB72HC-GS-B	\$13,060	BB72HC-F-GS-B	\$16,115	3/6	3	1,024	528	72	29.25	34	115	1/3	3.3	23.64	BLACK
	BB72HC-GS-S	\$15,000	BB72HC-F-GS-S	\$18,055												STAINLESS

Depth measurement includes handles.

BACK BAR COOLERS

Regular Depth

Pass-Thru

SOLID DOORS

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	REGULAR MODEL #	LIST PRICE	OPEN FOOD RATED MODEL #	LIST PRICE	DOORS/ SHELVES	# OF STRAIGHT WALL KEGS	12oz CANS	LONGNECK BOTTLES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
2	BB48HC-PT-B	\$12,360	BB48HC-F-PT-B	\$15,440	4/4	2	576	336	48	34.13	34	115	1/4	3	15.14	BLACK
	BB48HC-PT-S	\$13,150	BB48HC-F-PT-S	\$17,120												STAINLESS
3	BB72HC-PT-B	\$13,950	BB72HC-F-PT-B	\$18,070	6/6	3	1,024	528	72	34.13	34	115	1/3	3.3	23.64	BLACK
	BB72HC-PT-S	\$16,485	BB72HC-F-PT-S	\$19,650												STAINLESS

Depth measurement includes handles.

GLASS DOORS (HINGED)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	REGULAR MODEL #	LIST PRICE	OPEN FOOD RATED MODEL #	LIST PRICE	DOORS/ SHELVES	# OF STRAIGHT WALL KEGS	12oz CANS	LONGNECK BOTTLES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
2	BB48HC-G-PT-B	\$15,545	BB48HC-FG-PT-B	\$18,510	4/4	2	576	336	48	34.13	34	115	1/4	3	15.14	BLACK
	BB48HC-G-PT-S	\$17,325	BB48HC-FG-PT-S	\$20,295												STAINLESS
3	BB72HC-G-PT-B	\$15,540	BB72HC-FG-PT-B	\$18,620	6/6	3	1,024	528	72	34.13	34	115	1/3	3.3	23.64	BLACK
	BB72HC-G-PT-S	\$16,770	BB72HC-FG-PT-S	\$19,850												STAINLESS

Depth measurement includes handles.

GLASS DOORS (SLIDING) (Door frame only comes in black)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	REGULAR MODEL #	LIST PRICE	OPEN FOOD RATED MODEL #	LIST PRICE	DOORS/ SHELVES	# OF STRAIGHT WALL KEGS	12oz CANS	LONGNECK BOTTLES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
2	BB48HC-GS-PT-B	\$15,545	BB48HC-F-GS-PT-B	\$18,435	4/4	2	576	336	48	31.88	34	115	1/4	3	15.14	BLACK
	BB48HC-GS-PT-S	\$17,325	BB48HC-F-GS-PT-S	\$20,215												STAINLESS
3	BB72HC-GS-PT-B	\$15,890	BB72HC-F-GS-PT-B	\$18,920	6/6	3	1,024	528	72	31.88	34	115	1/3	3.3	23.64	BLACK
	BB72HC-GS-PT-S	\$17,695	BB72HC-F-GS-PT-S	\$20,770												STAINLESS

Depth measurement includes handles.



BB48HC-G-PT-B

BACK BAR COOLERS

Shallow Depth Single Sided

SOLID DOORS

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	REGULAR MODEL #	LIST PRICE	OPEN FOOD RATED MODEL #	LIST PRICE	DOORS/ SHELVES	# OF STRAIGHT WALL KEGS	12oz CANS	LONGNECK BOTTLES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
1	BBN36HC-B	\$7,490	BBN36HC-F-B	\$9,820	1/2	1	288	189	36	26.38	34	115	1/4	3	8.43	BLACK
	BBN36HC-S	\$8,475	BBN36HC-F-S	\$10,945												STAINLESS
2	BBN48HC-B	\$8,655	BBN48HC-F-B	\$10,455	2/4	2	432	264	48	26.38	34	115	1/4	3	12.56	BLACK
	BBN48HC-S	\$10,220	BBN48HC-F-S	\$12,250												STAINLESS
2	BBN58HC-B	\$7,830	BBN58HC-F-B	\$9,695	2/4	2	504	336	58	26.38	34	115	1/3	3.3	14.8	BLACK
	BBN58HC-S	\$9,260	BBN58HC-F-S	\$11,385												STAINLESS
2	BBN68HC-B	\$8,205	BBN68HC-F-B	\$10,075	2/4	3	576	378	68	26.38	34	115	1/3	3.3	18.24	BLACK
	BBN68HC-S	\$9,790	BBN68HC-F-S	\$12,015												STAINLESS
3	BBN72HC-B	\$10,985	BBN72HC-F-B	\$13,240	3/6	3	684	432	72	26.38	34	115	1/3	3.3	19.62	BLACK
	BBN72HC-S	\$12,905	BBN72HC-F-S	\$15,480												STAINLESS
3	BBN78HC-B	\$10,805	BBN78HC-F-B	\$13,505	3/6	4	684	432	78	26.38	34	115	1/3	3.3	21.69	BLACK
	BBN78HC-S	\$12,005	BBN78HC-F-S	\$15,790												STAINLESS
3	BBN94HC-B	\$10,000	BBN94HC-F-B	\$13,770	3/6	4	864	567	94	26.38	34	115	1/3	3.3	27.19	BLACK
	BBN94HC-S	\$12,630	BBN94HC-F-S	\$14,650												STAINLESS

Depth measurement includes handles.



BBN58HC-G-B

GLASS DOORS (HINGED)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	REGULAR MODEL #	LIST PRICE	OPEN FOOD RATED MODEL #	LIST PRICE	DOORS/ SHELVES	# OF STRAIGHT WALL KEGS	12oz CANS	LONGNECK BOTTLES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
1	BBN36HC-G-B	\$7,770	BBN36HC-FG-B	\$10,245	1/2	1	288	189	36	26.38	34	115	1/4	3	8.43	BLACK
	BBN36HC-G-S	\$9,085	BBN36HC-FG-S	\$11,555												STAINLESS
2	BBN48HC-G-B	\$9,515	BBN48HC-FG-B	\$12,345	2/4	2	432	264	48	26.38	34	115	1/4	3	12.56	BLACK
	BBN48HC-G-S	\$10,785	BBN48HC-FG-S	\$13,705												STAINLESS
2	BBN58HC-G-B	\$9,115	BBN58HC-FG-B	\$11,015	2/4	2	504	336	58	26.38	34	115	1/3	3.3	14.8	BLACK
	BBN58HC-G-S	\$10,485	BBN58HC-FG-S	\$12,710												STAINLESS
2	BBN68HC-G-B	\$9,290	BBN68HC-FG-B	\$11,500	2/4	3	576	378	68	26.38	34	115	1/3	3.3	18.24	BLACK
	BBN68HC-G-S	\$10,790	BBN68HC-FG-S	\$13,765												STAINLESS
3	BBN72HC-G-B	\$12,575	BBN72HC-FG-B	\$15,575	3/6	3	684	432	72	26.38	34	115	1/3	3.3	19.62	BLACK
	BBN72HC-G-S	\$14,380	BBN72HC-FG-S	\$17,900												STAINLESS
3	BBN78HC-G-B	\$10,980	BBN78HC-FG-B	\$13,990	3/6	4	684	432	78	26.38	34	115	1/3	3.3	21.69	BLACK
	BBN78HC-G-S	\$13,160	BBN78HC-FG-S	\$16,450												STAINLESS
3	BBN94HC-G-B	\$11,415	BBN94HC-FG-B	\$13,490	3/6	4	864	567	94	26.38	34	115	1/3	3.3	27.19	BLACK
	BBN94HC-G-S	\$13,285	BBN94HC-FG-S	\$16,605												STAINLESS

Depth measurement includes handles.

GLASS DOORS (SLIDING) (Door frame only comes in black)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	REGULAR MODEL #	LIST PRICE	OPEN FOOD RATED MODEL #	LIST PRICE	DOORS/ SHELVES	# OF STRAIGHT WALL KEGS	12oz CANS	LONGNECK BOTTLES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
2	BBN48HC-GS-B	\$9,740	BBN48HC-F-GS-B	\$17,160	2/4	2	432	264	48	25.25	34	115	1/4	3	12.56	BLACK
	BBN48HC-GS-S	\$11,075	BBN48HC-F-GS-S	\$18,305												STAINLESS
2	BBN58HC-GS-B	\$10,585	BBN58HC-F-GS-B	\$13,225	2/4	2	504	336	58	25.25	34	115	1/3	3.3	14.8	BLACK
	BBN58HC-GS-S	\$11,115	BBN58HC-F-GS-S	\$14,285												STAINLESS
3	BBN72HC-GS-B	\$12,800	BBN72HC-F-GS-B	\$15,805	3/6	3	684	432	72	25.25	34	115	1/3	3.3	19.62	BLACK
	BBN72HC-GS-S	\$14,700	BBN72HC-F-GS-S	\$17,700												STAINLESS

Depth measurement includes handles.

BACK BAR COOLERS

Shallow Depth

Pass-Thru

SOLID DOORS

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	REGULAR MODEL #	LIST PRICE	OPEN FOOD RATED MODEL #	LIST PRICE	DOORS/ SHELVES	# OF STRAIGHT WALL KEGS	12oz CANS	LONGNECK BOTTLES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
2	BBN48HC-PT-B	\$12,115	BBN48HC-F-PT-B	\$15,135	4/4	2	432	264	48	30.13	34	115	1/4	3	12.56	BLACK
	BBN48HC-PT-S	\$12,890	BBN48HC-F-PT-S	\$16,780												STAINLESS
3	BBN72HC-PT-B	\$13,680	BBN72HC-F-PT-B	\$17,715	6/6	3	684	432	72	30.13	34	115	1/3	3.3	19.62	BLACK
	BBN72HC-PT-S	\$16,160	BBN72HC-F-PT-S	\$19,265												STAINLESS

Depth measurement includes handles.

GLASS DOORS (HINGED)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	REGULAR MODEL #	LIST PRICE	OPEN FOOD RATED MODEL #	LIST PRICE	DOORS/ SHELVES	# OF STRAIGHT WALL KEGS	12oz CANS	LONGNECK BOTTLES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
2	BBN48HC-G-PT-B	\$15,240	BBN48HC-FG-PT-B	\$18,140	4/4	2	432	264	48	30.13	34	115	1/4	3	12.56	BLACK
	BBN48HC-G-PT-S	\$16,985	BBN48HC-FG-PT-S	\$19,895												STAINLESS
3	BBN72HC-G-PT-B	\$15,240	BBN72HC-FG-PT-B	\$18,255	6/6	3	684	432	72	30.13	34	115	1/3	3.3	19.62	BLACK
	BBN72HC-G-PT-S	\$16,440	BBN72HC-FG-PT-S	\$19,460												STAINLESS

Depth measurement includes handles.

GLASS DOORS (SLIDING) (Door frame only comes in black)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	REGULAR MODEL #	LIST PRICE	OPEN FOOD RATED MODEL #	LIST PRICE	DOORS/ SHELVES	# OF STRAIGHT WALL KEGS	12oz CANS	LONGNECK BOTTLES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
2	BBN48HC-GS-PT-B	\$15,240	BBN48HC-F-GS-PT-B	\$18,075	4/4	2	432	264	48	27.88	34	115	1/4	3	12.56	BLACK
	BBN48HC-GS-PT-S	\$16,985	BBN48HC-F-GS-PT-S	\$19,815												STAINLESS
3	BBN72HC-GS-PT-B	\$15,575	BBN72HC-F-GS-PT-B	\$18,550	6/6	3	684	432	72	27.88	34	115	1/3	3.3	19.62	BLACK
	BBN72HC-GS-PT-S	\$17,345	BBN72HC-F-GS-PT-S	\$20,365												STAINLESS


Depth measurement includes handles.



DIRECT DRAWS



DD48HC-B



DDN72HC-S-12T

REGULAR DEPTH

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DOORS	# OF STRAIGHT WALL KEGS	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
1	DD36HC-B	\$9,800	1	1	36	30.38	34	115	1/4	3	10.16	BLACK
	DD36HC-S	\$10,520										STAINLESS
2	DD48HC-B	\$10,135	2	2	48	30.38	34	115	1/4	3	15.14	BLACK
	DD48HC-S	\$10,570										STAINLESS
2	DD58HC-B	\$8,480	2	2	59	30.38	34	115	1/3	3.3	17.84	BLACK
	DD58HC-S	\$10,010										STAINLESS
2	DD68HC-B	\$8,785	2	3	69	30.38	34	115	1/3	3.3	21.98	BLACK
	DD68HC-S	\$11,020										STAINLESS
3	DD72HC-B	\$11,200	3	3	72	30.38	34	115	1/3	3.3	23.64	BLACK
	DD72HC-S	\$12,080										STAINLESS
3	DD78HC-B	\$10,390	3	4	78	30.38	34	115	1/3	3.3	26.13	BLACK
	DD78HC-S	\$11,985										STAINLESS
3	DD94HC-B	\$10,655	3	5	94	30.38	34	115	1/3	3.3	32.77	BLACK
	DD94HC-S	\$12,825										STAINLESS

Depth measurement includes handles. Height measurement excludes tap height. Add average tap height of 15" for total unit height.

Stainless steel top with drip tray

**Galvanized steel interior liner
with heavy duty stainless steel floor**

Full electronic control

**Drain hose located at the rear on compressor
side for connection to floor drain**

Self-closing doors with 120° stay-open feature

Door locks standard

Magnetic gasket attached to each door
for positive seal

7 year warranty parts, labor, and compressor

EXTERIOR FINISHES

- Black
- Stainless Steel

INTERIOR FINISHES

- Galvanized walls with reinforced stainless steel floor
- Stainless steel

MOUNTING OPTIONS

- 6" casters
- 3" casters
- 6" legs

AVAILABLE OPTIONS

See spec sheet of specific model to confirm available options

- Right side compressor (specify at time of order)
- Remote models available
- Glass doors
- Wine & coffee models
- Custom tower hole location
- Drip tray location
- Right or left hinged door
- Dual Tap Placement Option
- No Draft Arm with Hole Cover

AVAILABLE ACCESSORIES

- Wine Taps
- Faucet Locks
- Glass Rinser (does not fit Club Tops)
- 1-6 Insulated Stainless Towers/Taps
- 2, 3 & 4 way manifolds
- Optional 12 Tap Tower for DD & DDN 72, 78 & 94
- Club Top available on DD 58, & 68

NARROW DEPTH

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

SECTIONS	MODEL #	LIST PRICE	DOORS	# OF STRAIGHT WALL KEGS	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
1	DDN36HC-B	\$9,605	1	1	36	26.38	34	115	1/4	3	8.43	BLACK
	DDN36HC-S	\$10,315										STAINLESS
2	DDN48HC-B	\$9,930	2	2	48	26.38	34	115	1/4	3	12.56	BLACK
	DDN48HC-S	\$10,360										STAINLESS
2	DDN58HC-B	\$8,310	2	2	59	26.38	34	115	1/3	3.3	14.8	BLACK
	DDN58HC-S	\$9,810										STAINLESS
2	DDN68HC-B	\$8,615	2	3	69	26.38	34	115	1/3	3.3	18.24	BLACK
	DDN68HC-S	\$10,795										STAINLESS
3	DDN72HC-B	\$10,975	3	3	72	26.38	34	115	1/3	3.3	19.62	BLACK
	DDN72HC-S	\$11,845										STAINLESS
3	DDN78HC-B	\$10,175	3	4	78	26.38	34	115	1/3	3.3	21.69	BLACK
	DDN78HC-S	\$11,745										STAINLESS
3	DDN94HC-B	\$10,440	3	5	94	26.38	34	115	1/3	3.3	27.19	BLACK
	DDN94HC-S	\$12,565										STAINLESS

Depth measurement includes handles. Height measurement excludes tap height. Add average tap height of 15" for total unit height.

COMPLETE LINE OF BAR EQUIPMENT

In addition to our redesigned back bars and direct draws
we offer a full range of bar equipment



COMPACT / MOBILE



BOTTLE COOLERS



GLASS & PLATE CHILLERS

BAR-20251104

BEVERAGE-AIR®

 **WELBILT®**
an Ali Group Company

BOTTLE COOLERS



Heavy-duty sliding lids
7 year warranty on parts, labour, and compressor
Made in USA

Galvanized steel interior and floor


Full electronic temperature control

100% Metal lids
 reinforced to prevent bowing

Stainless steel top

Bottle opener and cap catcher standard

Adjustable wire dividers



ADJUSTABLE DIVIDERS
 to organize cooler to meet your specific needs



100% METAL LIDS
 reinforced to prevent bowing

FROSTY BREW™ 30-32°

MAINTAINS PRODUCT TEMPERATURES OF 30-32°F.

MODEL #	LIST PRICE	LIDS/ DIVIDERS	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
DW49HC-B-29	\$7,360	2/3	50	26.5	33.75	115	1/4	2.5	13.7	BLACK
DW49HC-S-29	\$8,465									STAINLESS FRONT
DW64HC-B-29	\$7,725	2/4	65	26.5	33.75	115	1/4	2.5	18.5	BLACK
DW64HC-S-29	\$8,890									STAINLESS FRONT
DW79HC-B-29	\$9,830	3/5	80	26.5	33.75	115	1/4	2.5	24.1	BLACK
DW79HC-S-29	\$11,310									STAINLESS FRONT
DW94HC-B-29	\$11,240	4/6	95	26.5	33.75	115	1/4	2.5	28.63	BLACK
DW94HC-S-29	\$13,305									STAINLESS FRONT

Depth measurement includes handles. Height measurement includes mounting height.

STANDARD 36-40°

MAINTAINS PRODUCT TEMPERATURES OF 36-40°F.

MODEL #	LIST PRICE	LIDS/ DIVIDERS	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
SF34HC-B	\$5,075	1/2	34.88	26.5	33.63	115	1/10	1.2	7.5	BLACK
SF34HC-S	\$7,710									STAINLESS FRONT
DW49HC-B	\$5,705	2/3	50	26.5	33.75	115	1/4	2.5	13.7	BLACK
DW49HC-S	\$6,720									STAINLESS FRONT
DW64HC-B	\$6,305	2/4	65	26.5	33.75	115	1/4	2.5	18.5	BLACK
DW64HC-S	\$7,365									STAINLESS FRONT
DW79HC-B	\$8,280	3/5	80	26.5	33.75	115	1/4	2.5	24.1	BLACK
DW79HC-S	\$9,425									STAINLESS FRONT
DW94HC-B	\$8,750	4/6	95	26.5	33.75	115	1/4	2.5	28.63	BLACK
DW94HC-S	\$10,005									STAINLESS FRONT

Depth measurement includes handles. Height measurement includes mounting height.

ACCESS OPTIONS

- Metal lids

EXTERIOR FINISHES

- Black
- Stainless Steel

INTERIOR FINISHES

- Galvanized steel
- Stainless steel

AVAILABLE OPTIONS

- Remote models available

AVAILABLE ACCESSORIES

- Frosty brew model (30-32° F)
- Extra wide dividers
- Locks

MOUNTING OPTIONS

- 3" casters
- 6" legs

AGENCY CERTIFICATIONS



GLASS & PLATE CHILLERS



Heavy-duty sliding lids
7 year warranty on parts, labour, and compressor
Made in USA

Front or top loading

Interior thermometer

Self-closing door with 120° stay-open feature
 (Front Loading Models)

Field-reversible door
 (Front Loading Models)

Easy door removal
 for service and cleaning (Top Loading)

Magnetic gasket attached to each door
 for positive seal


Auto-defrost

Built-in Condensate Evaporator System


Operating Temperature -10F

Two Epoxy Coated Shelves

R290 Refrigerant



ADJUSTABLE DIVIDERS
 to organize cooler to meet your specific needs



100% METAL LIDS
 reinforced to prevent bowing (GF models)

FRONT LOADING

CHILLS TO 0°F, PRODUCING FROST WHEN REMOVED

MODEL #	LIST PRICE	DOORS/ SHELVES	CASE CAPACITY		WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
			12oz MUGS	8" PLATES								
FLG24HC-1-B	\$6,915	1/2	80	100	24	30.13	32	115	1/4	2.5	5.06	BLACK
FLG24HC-1-S	\$7,050											STAINLESS

Front breathing

needs no installation clearances on the side, back or bottom

Depth measurement includes handles.



TOP LOADING

CHILLS TO 0°F, PRODUCING FROST WHEN REMOVED

MODEL #	LIST PRICE	LIDS/ DIVIDERS	CASE CAPACITY		WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	COLOR
			12oz MUGS	8" PLATES								
GF24HC-B	\$5,965	1/2	76	100	24	26.13	33.63	115	1/2	3.5	4	BLACK
GF24HC-S	\$6,995											STAINLESS
GF34HC-B	\$6,685	1/2	94	150	34	26.13	33.63	115	1/2	3.5	6.4	BLACK
GF34HC-S	\$7,830											STAINLESS
GF48HC-B	\$7,145	2/4	164	250	48	26.13	33.63	115	1/2	3.5	9.65	BLACK
GF48HC-S	\$8,425											STAINLESS

Depth measurement includes handles.

ACCESS OPTIONS

- Doors
- Metal lids

EXTERIOR FINISHES

- Black
- Stainless Steel

INTERIOR FINISHES

- Galvanized steel with reinforced stainless steel floor
- Stainless steel

AVAILABLE OPTIONS

- Remote models available

AVAILABLE ACCESSORIES

- Locks factory installed available for GF24L & GF34L

MOUNTING OPTIONS

- 6" legs (GF models only)

AGENCY CERTIFICATIONS



Bar & Wine Accessories

DESCRIPTION	UNIT(S)	PART NUMBER	LIST PRICE
SHELVING / ORGANIZERS			
Epoxy Coated Wire Shelf	DD48	403-322D	\$165
Epoxy Coated Wire Shelf	DD50/50C Shelf Kit (set of 2)	00C21-022A	\$360
Epoxy Coated Wire Shelf	DD58 Shelf Kit (set of 2)	00C21-007A--	\$470
Epoxy Coated Wire Shelf	DD68 Shelf Kit (set of 2)	00C21-006A--	\$330
Epoxy Coated Wire Shelf	DD72	403-326D	\$165
Epoxy Coated Wire Shelf	DD78 Shelf Kit (set of 3)	00C21-023A	\$330
Epoxy Coated Wire Shelf	DD94 Left/Right Shelf	403-216D	\$165
Epoxy Coated Wire Shelf	DD94 Center Shelf	403-249D	\$165
Epoxy Coated Wire Shelf	BB24	403-943D-02	\$150
Epoxy Coated Wire Shelf	BB36	403-924D-02	\$165
Epoxy Coated Wire Shelf	BB48/48G	403-322D	\$165
Epoxy Coated Wire Shelf	BB58/58G	403-582D	\$165
Epoxy Coated Wire Shelf	BB68/68G	403-216D (RH) 403-249D (LH)	\$165
Epoxy Coated Wire Shelf	BB72/72G	403-326D	\$165
Epoxy Coated Wire Shelf	BB78/78G CTR	403-582D	\$165
Epoxy Coated Wire Shelf	BB78/78G RH	403-584D	\$165
Epoxy Coated Wire Shelf	BB94/94G CTR	403-216D	\$165
Epoxy Coated Wire Shelf	BB94/94G RH	403-249D	\$165
Epoxy Coated Wire Shelf	DP46/67/93/119, DPD46/67/93/119	403-834D	\$165
Shelf Clip	DD48/72/94	403-168A	\$5
Shelf Clip	All BB's	403-168A	\$5

DESCRIPTION	UNIT(S)	PART NUMBER	LIST PRICE
MOUNTING			
6" Caster	BB24/BB36	00C31-038A	\$500
6" Caster	BB48, BB72 (set of four)	00C31-038A	\$500
3" Caster	BB48, BB72 (set of four)	00C31-041A	\$500
3" Caster	BB58, BB68 (set of four)	00C26-012A	\$520
3" Caster	BB78, BB94 (set of six)	00C26-017A	\$600
3" Caster	DD36	00C31-041A	\$500
6" Caster	DD36	00C31-038A	\$500
6" Caster	DD48, DD72 (set of four)	00C31-038A	\$500
3" Caster	DD48, DD72 (set of four)	00C31-041A	\$500
3" Caster	DD50, DD58, DD68 (set of four)	00C26-012A	\$520
3" Caster	DD78, DD94 (set of six)	00C26-017A	\$600
3" Caster	DW49 (set of four)	00C31-034ABB	\$520
3" Caster	DW64 (set of four)	00C31-031ABB	\$520
3" Caster	DW79, DW94 (set of six)	00C31-030ABB	\$600
6" Adjustable with Plate	DW49 (set of four)	00C31-036A--	\$500
6" Adjustable with Plate	DW64 (set of four)	00C31-033ABB	\$500
6" Adjustable with Plate	DW79, 94 (set of six)	00C31-032ABB	\$500
6" Adjustable with Plate	SF34 (set of four)	00C31-035AAA	\$500
Leg Accessory Kit	BM23 (set of four)	00C06-002A--	\$500
6" Adjustable with Plate	GF24, 34, 48 (set of four)	00C31-035AAA	\$500
6" Black Leg	BB/DD 24, 36, 48, 72 (set of four)	58B02-001A	\$500
6" Adjustable with Plate	BB58, 68, DD50, 58, 68 (set of four)	00C26S014A	\$525
6" Adjustable with Plate	BB/DD 78, 94 (set of six)	00C26S015A	\$500
LID LOCKS			
Lid Lock	GF24/34	00C30-100A	\$340
Lid Lock	GF48	00C30-101A	\$500
Lid Lock	SF34	00C30-031ABB	\$585
Lid Lock	DW49 Solid Lid	00C30-030AAA	\$585
Lid Lock	DW64 Solid Lid	00C30-029AAA	\$585
Lid Lock	DW79 Solid Lid	00C30-028AAA	\$585
Lid Lock (2 required for DW94)	DW94 Solid Lid	00C30-030AAA	\$585

Bar & Wine Accessories

DESCRIPTION	UNIT(S)	PART NUMBER	LIST PRICE
TAPS / FAUCETS / MANIFOLDS			
Hole cover for cut out on DD units	ALL DD UNITS	00C10-006A	\$90
1 Tap 3" OD Beer Faucet	ALL DD UNITS	406-053A	\$735
1 Tap 2 1/2" OD Beer/Wine Faucet	ALL DD UNITS	406-004A--	\$735
2 Tap 3" OD Beer/Wine Faucet	ALL DD UNITS	406-054A	\$780
3 Tap 3" OD Beer/Wine Faucet	ALL DD UNITS	406-055A	\$1,315
4 Tap 3" OD Beer/Wine Faucet	ALL DD UNITS	406-064A	\$2,320
5 Tap 3" OD Beer/Wine Faucet	ALL DD UNITS	406-075A	\$2,905
Single Faucet Adapter	ALL DD UNITS	406-056A	\$340
Double Faucet Adapter	ALL DD UNITS	406-057A	\$410
2 Way Manifold	ALL DD UNITS	402-188A--	\$200
3 Way Manifold	ALL DD UNITS	402-189A--	\$230
4 Way Manifold	ALL DD UNITS	402-191A	\$365
ADDITIONAL ACCESSORIES			
Wire Divider (Step)	DW UNITS	403-114D	\$90
Wire Divider (Adjustable)	DW UNITS	403-113D	\$125
Wire Divider Spring	DW UNITS	401-090AAB	\$5
Cap Catcher (black)	DW & SF UNITS	09B30S025C	\$165
Draft Arm Faucet Lock (slide on)	ALL DD UNITS	401-909A	\$305
Glass Rinser	ALL DD UNITS	406-067A	\$325





Super Bright RGB LED Liquor Shelves

- 50,000 hours minimum life
- Environmentally friendly: no mercury, lead or toxic gases
- Color-rich, programmable LED's
- Available up to 8' Long
- 44 Key RGB Wireless Remote Control to control unlimited colors with multiple lighting effects
- Independent level control: choose colors for each step independent of the others
- Plugs into any standard wall outlet
- Modular Construction
- Includes UL listed power supply
- 100% Black Acrylic bottle tiers. Glossy black on front and sides with frosted acrylic tops.

DESCRIPTION	PART NUMBER	LIST PRICE
2' LED Liquor Shelf, 24"L X 4.5"W X .75" Thick, 2 wall brackets	LS2-24L	\$780
3' LED Liquor Shelf, 36"L X 4.5"W X .75" Thick, 2 wall brackets	LS3-36L	\$1,115
4' LED Liquor Shelf, 48"L X 4.5"W X .75" Thick, 3 wall brackets	LS4-48L	\$1,590
5' LED Liquor Shelf, 60"L X 4.5"W X .75" Thick, 4 wall brackets	LS5-60L	\$2,120
6' LED Liquor Shelf, 72"L X 4.5"W X .75" Thick, 5 wall brackets	LS6-72L	\$2,440
2' Double Wide LED Liquor Shelf, 24"L X 9"W X .75" Thick, 2 wall brackets	LS2-24L-DW	\$1,420
3' Double Wide LED Liquor Shelf, 36"L X 9"W X .75" Thick, 2 wall brackets	LS3-36L-DW	\$1,745
4' Double Wide LED Liquor Shelf, 48"L X 9"W X .75" Thick, 3 wall brackets	LS4-48L-DW	\$2,065
5' Double Wide LED Liquor Shelf, 60"L X 9"W X .75" Thick, 4 wall brackets	LS5-60L-DW	\$2,455
6' Double Wide LED Liquor Shelf, 72"L X 9"W X .75" Thick, 5 wall brackets	LS6-72L-DW	\$2,840
2' Two Tier LED Bottle Display, 24"L X 9"D X 8"H	LBD2-24L	\$1,745
3' Two Tier LED Bottle Display, 36"L X 9"W X 8"H	LBD2-36L	\$2,580
4' Two Tier LED Bottle Display, 48"L X 9"W X 8"H	LBD2-48L	\$3,230
5' Two Tier LED Bottle Display, 60"L X 9"W X 8"H	LBD2-60L	\$4,220
6' Two Tier LED Bottle Display, 72"L X 9"W X 8"H	LBD2-72L	\$4,775
2' Three Tier LED Bottle Display, 24"L X 13.5"D X 12"H	LBD3-24L	\$2,390
3' Three Tier LED Bottle Display, 36"L X 13.5"D X 12"H	LBD3-36L	\$2,970
4' Three Tier LED Bottle Display, 48"L X 13.5"D X 12"H	LBD3-48L	\$3,870
5' Three Tier LED Bottle Display, 60"L X 13.5"D X 12"H	LBD3-60L	\$4,590
6' Three Tier LED Bottle Display, 72"L X 13.5"D X 12"H	LBD3-72L	\$5,810
2' Four Tier LED Bottle Display, 24"L X 18"W X 16"H	LBD4-24L	\$2,840
3' Four Tier LED Bottle Display, 36"L X 18"W X 16"H	LBD4-36L	\$4,000
4' Four Tier LED Bottle Display, 48"L X 18"W X 16"H	LBD4-48L	\$4,650
5' Four Tier LED Bottle Display, 60"L X 18"W X 16"H	LBD4-60L	\$5,550
6' Four Tier LED Bottle Display, 72"L X 18"W X 16"H	LBD4-72L	\$6,385





MILK COOLERS

MADE TO DELIVER CONSISTENT PERFORMANCE DURING REPEATED ACCESS

Cold Wall



Forced Air



MILK COOLERS



One-piece bottom for maximum support

7 year warranty on parts, labour, and compressor

Made in USA

CFC & HCFC-free insulation is foamed-in-place
for increased structural strength & energy efficiency

Epoxy coated, steel wire racks included
for added floor protection


Flexible compression door gaskets
ensure a tight seal for added temperature control

Cylinder Locks

Bottom drain for connection to drain hose and easy cleaning

External digital thermometer

Coolers hold milk between 36°-38°F
until ready to serve for maximum refreshment



ONE-PIECE REINFORCED FLOOR
for maximum milk crate support and made with stainless steel



SINGLE AND DUAL ACCESS
models available

COLD WALL - SINGLE ACCESS

MAINTAINS PRODUCT TEMPERATURES OF 32-40°F.

MODEL #	LIST PRICE	CASE CAPACITY		WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	EXTERIOR FINISH	INTERIOR FINISH
		13 X 13 X 11"	19 X 13 X 11"									
SM34HC-S	\$6,765	8	4	34	30.63	41.13	115	1/3	2.2	12.73	STAINLESS	STAINLESS
SM34HC-W	\$5,640										WHITE	GALVANIZED
SM34HC-W-02	\$6,525										WHITE	STAINLESS
SM49HC-S	\$7,740	12	8	49	30.63	41.13	115	1/3	2.2	20.32	STAINLESS	STAINLESS
SM49HC-W	\$6,385										WHITE	GALVANIZED
SM49HC-W-02	\$7,450										WHITE	STAINLESS
SM58HC-S	\$9,380	16	10	58	30.63	41.13	115	1/3	2.2	22.63	STAINLESS	STAINLESS
SM58HC-W	\$7,125										WHITE	GALVANIZED
SM58HC-W-02	\$8,575										WHITE	STAINLESS

Depth measurement includes handles. Height measurement includes mounting height.

FORCED AIR - SINGLE ACCESS

MAINTAINS PRODUCT TEMPERATURES OF 32-40°F.

MODEL #	LIST PRICE	CASE CAPACITY		WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	EXTERIOR FINISH	INTERIOR FINISH
		13 X 13 X 11"	19 X 13 X 11"									
SMF34HC-1-S	\$7,865	8	4	34	33.63	46.88	115	1/4	1.87	13.59	STAINLESS	STAINLESS
SMF34HC-1-W	\$7,385										WHITE	GALVANIZED
SMF34HC-1-W-02	\$7,395										WHITE	STAINLESS
SMF49HC-1-S	\$9,395	12	8	49	33.63	46.88	115	1/4	2.46	19.66	STAINLESS	STAINLESS
SMF49HC-1-W	\$8,600										WHITE	GALVANIZED
SMF49HC-1-W-02	\$8,655										WHITE	STAINLESS
SMF58HC-1-S	\$10,550	16	10	58	33.63	46.88	115	1/4	2.46	24	STAINLESS	STAINLESS
SMF58HC-1-W	\$9,600										WHITE	GALVANIZED
SMF58HC-1-W-02	\$9,620										WHITE	STAINLESS

Depth measurement includes handles. Height measurement includes mounting height.

ACCESS OPTIONS

- Metal lids

EXTERIOR FINISHES

- White coated steel
- Stainless steel

INTERIOR FINISHES

- Galvanized steel
- Stainless steel

AVAILABLE ACCESSORIES

- Cow Spot graphics
- Custom graphics available
- Corner & Wrap-around bumpers

MOUNTING OPTIONS

- 4" casters (SM models only)
- 6" casters (SMF models only)

AGENCY CERTIFICATIONS



MILK COOLERS

COLD WALL - DUAL ACCESS

MAINTAINS PRODUCT TEMPERATURES OF 32-40°F.

MODEL #	LIST PRICE	CASE CAPACITY		WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	EXTERIOR FINISH	INTERIOR FINISH
		13 X 13 X 11"	19 X 13 X 11"									
ST34HC-S	\$8,010	8	4	34	31.25	41.13	115	1/2	3.7	12.37	STAINLESS	STAINLESS
ST34HC-W	\$6,900										WHITE	GALVANIZED
ST34HC-W-02	\$7,725										WHITE	STAINLESS
ST49HC-S	\$9,020	12	8	49	31.25	41.13	115	1/2	3.7	18.97	STAINLESS	STAINLESS
ST49HC-W	\$7,735										WHITE	GALVANIZED
ST49HC-W-02	\$8,660										WHITE	STAINLESS
ST58HC-S	\$9,960	16	10	58	31.25	41.13	115	1/2	3.7	22.5	STAINLESS	STAINLESS
ST58HC-W	\$8,385										WHITE	GALVANIZED
ST58HC-W-02	\$9,390										WHITE	STAINLESS

Depth measurement includes handles. Height measurement includes mounting height.

FORCED AIR - DUAL ACCESS

MAINTAINS PRODUCT TEMPERATURES OF 32-40°F.

MODEL #	LIST PRICE	CASE CAPACITY		WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	EXTERIOR FINISH	INTERIOR FINISH
		13 X 13 X 11"	19 X 13 X 11"									
STF49HC-1-S	\$12,960	12	8	49	34	47.75	115	1/4	2.46	20.55	STAINLESS	STAINLESS
STF49HC-1-W	\$11,575										WHITE	GALVANIZED
STF49HC-1-W-02	\$12,965										WHITE	STAINLESS
STF58HC-1-S	\$12,885	16	10	58	34	47.75	115	1/4	2.46	24.3	STAINLESS	STAINLESS
STF58HC-1-W	\$11,875										WHITE	GALVANIZED
STF58HC-1-W-02	\$13,300										WHITE	STAINLESS

Depth measurement includes handles. Height measurement includes mounting height.

DESCRIPTION	UNIT(S)	PART NUMBER	LIST PRICE
MOUNTING			
4" Plate Caster (standard)	SM/ST 34,49,58 (per caster-2 required per cabinet)	401-094A--	\$115
4" Plate Caster w/brake (standard)	SM/ST 34,49,58 (per caster-2 required per cabinet)	401-099A--	\$115
7" Plate Caster (standard)	SMF34,SMF49,SMF58 (per caster-2 required per cabinet)	401-519A	\$115
7" Plate Caster w/brake (standard)	SMF34,SMF49,SMF58 (per caster-2 required per cabinet)	401-520A	\$115
5" Plate Caster w/brake (standard)	STF49/STF58 (per caster-2 required per cabinet)	401-127A--	\$115
5" Plate Caster (standard)	STF49/STF58 (per caster-2 required per cabinet)	401-209A	\$115
6" Adjustable with Plate	SM34,49,58 ST34,49,58 (set of four)	00C06-003A	\$500

BUMPERS <i>(Require field tapping and installation)</i>			
Wrap Around Bumpers	SM49 / ST49	00C01-005A--	\$970
Wrap Around Bumpers	SM58 / ST58	00C01-006A--	\$1,265
Wrap Around Bumpers	SMF49 / STF49	00C01-010A	\$940
Wrap Around Bumpers	SMF58 / STF58	00C01-011A	\$980
Corner Bumpers (single)	All Milk Coolers	703-868A	\$75
Corner Bumpers (Set of 4)	Corner Bumper Kit (set of 4)	00C01-012A-01	\$245

DECALS			
Base Kit (Cow Spots)	SM34, ST34, SMF34	807-836C	\$645
1 Base Kit (Cow Spots)	SM49, ST49, SMF49	807-836C	\$645
Supplemental Kit (Cow Spots)	SM49, ST49, SMF49	807-837C	\$250
1 Base Kit (Cow Spots)	SM58, ST58, SMF58	807-836C	\$645
Supplemental Kit (Cow Spots)	SM58, ST58, SMF58 (2 kits required)	807-837C	\$250
Got Milk Lid Decal	STF49	807-839C-004	\$245
Got Milk Lid Decal	STF58	807-839C-005	\$245
Got Milk Door Decal	SMF/SM/ST34	807-839C-006	\$245
Got Milk Door Decal	SMF/SM/ST58	807-839C-008	\$245



BLAST CHILLERS / SHOCK FREEZERS

RAPID CHILLING FOR OPTIMAL FOOD SAFETY AND KITCHEN EFFICIENCY



Self Contained

BLAST CHILLERS/SHOCK FREEZERS

Self Contained



NOW WITH R290 REFRIGERANT

Stainless steel exterior and interior

Die-formed interior floor

Central drain for easy cleaning

Automatic recognition of core probe

HACCP alarm display button

Timed manual defrost button

USB data recorder

Automatic product storing at end of cycle

Up to 99 custom programmable cycles

**5" Touchscreen LCD Display (RBS models)
Electronic control board display (CF model)**


High precision heated multi sensor probe

5 Year Warranty parts/labour/compressor



CORE PROBE

measures product temperature



INTUITIVE PROGRAMMABLE DISPLAY

5" touchscreen on RBS models
Electronic control on CF model

WHAT IS BLAST CHILLING AND FREEZING?

Blast Chilling extracts the heat out of food, rapidly lowering the temperature. Department of Health guidelines require that all food temperatures be reduced from 150°F to 38°F degrees within a 90 minute period to keep food out of the "danger zone" of 145°F to 46°F, where bacteria multiplies fast.

Blast freezing rapidly lowers food temperatures from 150°F to 0°F vs. chilling temperatures above.

WHAT IS SOFT CHILL?

The Soft Chill cycle is ideal for the rapid, but gentle chilling of any dish (i.e., rice, pasta, fish, and fruit). This cycle brings the temperature of the food down while maintaining positive air temperatures of 37°F or above. This prevents ice crystals from forming that can damage the structure of delicate foods and allows for delicate foods to keep their brilliant colors.

WHAT IS HARD CHILL?

The Hard Chill cycle is ideal for chilling "standard products" such as cooked meat, lasagna, and individually portioned meals.

BENEFITS OF BLAST CHILLING

- Always serve fresh, top quality products
- Color, texture, and nutritional value are locked in
- The fast cooling process of blast chilling dramatically reduces bacteria reproduction, minimizing food spoilage
- Delicate foods like rice, pasta, fish, and fruit are protected
- Kitchen Efficiency – Saves Time & Money
- Allows advance food prep by preparing larger batches that can be refrigerated or frozen for later use
- Can enhance profits by increasing product capacity and reducing food waste
- Allows left over food from serving line to be quickly and safely chilled for later use
- Use Blast Chiller/Freezers on raw or cooked food

BLAST CHILLER/SHOCK FREEZERS

MODEL #	LIST PRICE	PAN CAPACITY	CHILLING CYCLE	CHILLING CAPACITY	WIDTH	DEPTH	HEIGHT	VOLTS	AMPS	CUBIC FEET
SB-031-RA-HC	\$19,045	3 - 12x20"	194° to 37° F (90 minutes) 194° to 0° F (240 minutes)	17.6 lbs 11 lbs	22.05	27.6	20.47	115-120	9.9	7.3

Depth measurement includes handles. Height measurement includes mounting height.

BLAST CHILLER/SHOCK FREEZERS

R290 Refrigerant

Self-closing doors

with still position at 100 degrees

Ergonomic handles

6" legs standard

MODEL #	LIST PRICE	PAN CAPACITY	CHILLING CYCLE	CHILLING CAPACITY	WIDTH	DEPTH	HEIGHT	VOLTS	AMPS
RBS-054-SA-HC	\$34,595	5 - 12x20" or 5 - 18x26"	194° to 37° F (90 minutes) \$51,390	45 lbs 30 lbs	33.46	34.65	35.43	208-240 6-15P	6.6
RBS-122L-SA-HC	\$54,475	12 - 12x20" or 12 - 18x26"	194° to 37° F (90 minutes) 194° to 0° F (240 minutes)	100 lbs 70 lbs	31.10	34.25	71.26	208-240 15-20P	9
RBS-162-SA-HC	\$70,000	16 - 12x20" or 16 - 18x26"	194° to 37° F (90 minutes) 194° to 0° F (240 minutes)	140 lbs 100 lbs	33.46	39.37	77.17	208-240 15-20P	13.2

Depth measurement includes handles. Height measurement includes mounting height.

ACCESSORIES	UNIT(S)	PART NUMBER
MOUNTING		
3.2" Casters	RBS-054-SA-HC	FR920596
5" Casters	RBS-122L-SA-HC / RBS-162-SA-HC	FR920839

FINISHES

- Stainless steel interior and exterior

AGENCY CERTIFICATIONS



BLAST CHILLER/FREEZER

Self-Contained



5" High Definition, Easy-To-Use Touch Display
Blast Chilling, Shock Freezing, Thawing Mode
Self-Contained R404A Refrigeration System

Shown with optional ramp

Stainless Steel Exterior And Interior

Rounded interior corners for proper cleaning

High Density, Polyurethane Insulation

Hinged Door With Gasket

with Closing Ramp System and Ergonomic Vertical Door Handle

Anti-Condensation Resistance

Placed On The Door Under The Gasket

Stainless Steel Door Liner

Thick Stainless Steel Internal Bumper

to Avoid Damage Caused By The Cart

Die-Formed Leak-Proof Floor

Heated Core Probe


with 4 Measuring Points

Customized Blast Chilling, Blast Freezing and Thawing Cycles

320 cycles can be memorized

USB Connection

for Uploading And Downloading Data And Recipes



EXPANDABILITY AND CONTROL

easily add, edit or rename recipes, all organized by product type and function



TOUCH CONTROL PHOTO MENU

is easy to use, and the function selection is immediate and intuitive

BLAST CHILLER/FREEZERS

MODEL #	LIST PRICE	DOORS/ SHELVES	WIDTH	DEPTH	HEIGHT	VOLTS	HP	AMPS	CUBIC FEET	CHILLING CYCLE	CHILLING CAPACITY
RCBL-202-R-PFA-HC	\$130,660	1/0	43.31	64.25	94.5	208	3.75	13.2	49.95	160° to 38° F (90 minutes)	242 lbs

Depth measurement includes handles. Height measurement includes mounting height.



EXTERIOR FINISHES

- Stainless steel

INTERIOR FINISHES

- Stainless steel

AVAILABLE ACCESSORIES

- Additional Single Sensor Probe
- Stainless steel ramp

INTERIOR SPACE CAPACITY

- Maximum Interior Dimensions for Carts:
35"W x 40"D x 71"H (not included)

AGENCY CERTIFICATIONS



ACCESSORIES	UNIT(S)	PART NUMBER	LIST PRICE
RAMPS			
Stainless steel ramp 43.2" wide by 31.9" deep	RCBL-202-R-PFA-HC	RF47G00011	\$4,680

[illegible]

WARRANTY

SALES TERMS

PRICES & SPECIFICATIONS

Beverage-Air reserves the right to change the price and specifications of the equipment and/or material without notice. Prices are F.O.B. plant of manufacture.

CANCELLATION

Buyer may cancel its order, reduce quantities, revise specifications, or extend schedules only by mutual agreement as to reasonable and proper cancellation charges which shall take into account expenses already incurred and commitment made by seller, and buyer shall indemnify seller against any loss.

FREIGHT CLASS

All Beverage-Air products ship under 150 freight classification.

CUSTOMER'S FREIGHT DAMAGE PROCEDURE

Before signing the carrier's freight bill the customer should do the following:

Visible Damage:

1. Inspect shipment for any damage. If you see damage or feel there may be concealed damage, mark the carrier's copy of the freight bill "damaged".
2. If there is damage to your shipment, action must be taken by you to notify Beverage-Air immediately. A freight claim must be filed with the carrier and an inspection scheduled by the carrier. It is the duty of the carrier to give you a written report upon notification. (VISIBLE AND CONCEALED).
3. For visible damage, where possible, do not accept delivery unless the condition noted on your copy of the freight bill and signed by the driver.

Concealed Damage:

If the damage is concealed, notify the carrier within 5 days of the receipt of the product by phone and in writing as well as Beverage Air. Ask them to send their agent to complete an inspection report. Retain all cartons and merchandise for inspection. It is critical that the customer take the above actions; without these steps claims for concealed damages may be denied.

3RD PARTY FREIGHT

3rd Party Freight shipments are FOB Beverage-Air and are not eligible for refusal at time of delivery. ALL 3rd PARTY SHIPMENTS ARE THE RESPONSIBILITY OF THE SHIPPER.

Claims for damaged product are to be filed by the shipper and Beverage-Air will not be liable. This product is not eligible for return to our warehouse facility.

RETURN OF PRODUCT

EQUIPMENT - Prior Authorization must be granted by Beverage-Air before equipment can be returned for credit. Returns will only be authorized within 90 days of invoice date. Return authorizations are valid for 30 days. Equipment approved for return is subject to a 25% restocking charge.

Returned equipment must be shipped freight prepaid, packed in original carton, and received in good condition.

PARTS - Prior Authorization must be granted by Beverage-Air before parts can be returned for credit. Returns will only be authorized within 30 days of invoice date. Return authorizations are valid for 30 days. Parts approved for return are subject to a 25% or \$25.00 restocking charge (whichever is greater). Returned parts must be shipped freight prepaid, in the original packaging, and received in good condition.

WARRANTY (Warranty valid in USA and Canada)

SEVEN (7) YEAR PARTS AND LABOUR WARRANTY:

Beverage-Air Corporation warrants to the original purchaser of Beverage-Air branded equipment, including all parts thereof, that such equipment is free from defects in material and workmanship, under normal use, with proper maintenance, and service as indicated by Beverage-Air installation and operation instructions, for a period of seven (7) years from the date of installation, or eighty-eight (88) Months from the date of shipment from the manufacturer, whichever is earlier (units shipped from July, 1 2024 are eligible for 7-year warranty).

SEVEN (7) YEAR COMPRESSOR PART WARRANTY*:

In addition to the warranty set forth above, Beverage-Air warrants the hermetically/semi-hermetically sealed compressor (part only) for Seven Years; not to exceed eighty-eight (88) months from the date of shipment from Beverage-Air, provided upon receipt of the compressor, manufacturer examination shows the sealed compressor to be defective. This extended warranty does not cover freight for the replacement compressor or freight for the return of the failed compressor.

* Units shipped after 07/01/2024. Previous warranty applies to units shipped prior.

EXCEPTIONS:

- CT96 and CF3 Models carry a one (1) year parts and labour warranty, limited to fifteen (15) months from date of shipment from Beverage-Air. These are excluded from additional compressor warranty.
- SR/SF (Slate) and TMR/TMF models carry a two (2) year parts and labour warranty, limited to twenty-seven (27) months from date of shipment from the Beverage-Air.
- BZ, VM, CDR, BDC, NC, DPCR, MT, and Blast Chillers carry a three (3) year parts and labour warranty; additional two (2) years compressor part only.
- Units installed in Residential applications will be not covered under this warranty. Units are intended for Commercial use only.

Note: 3rd party extended warranties are not covered by this warranty statement.

Normal wear parts, as deemed by Beverage Air, such as but not exclusive to, light bulbs/lamps and gaskets are not covered by this warranty. For the purpose of this warranty, the original purchaser shall be deemed to mean the individual or company for who the product was originally installed.

Units that utilize variable speed compressor technology can experience nuisance tripping on Class A GFCI outlets which have a trip limit of 4 mA to 6 mA. To avoid this issue in a location that requires GFCI circuit protection, Beverage Air & Victory recommends using a HUBBELL Model Number GFRST83W 20A Heavy Duty Hospital Grade Self-Test GFCI Receptacle. Nuisance tripping not covered under warranty.

Our obligation under this warranty shall be limited to repairing or replacing, including labour, any part of such product, which proves thus defective. Beverage-Air reserves the right to examine any product claimed to be defective and request photos of the unit prior to dispatching service. Moisture or water damage is not covered under warranty. If service is deemed non-warranty, Beverage Air reserves the right to bill the end user for service.

The labour warranty shall be for self-contained units only and for standard straight time, which is defined as normal service rate time, for service performed during normal working hours. All warranty labour will be covered at standard time. Any service requested outside of a servicer's normal working hours including weekends and any additional overtime will be at the responsibility of the equipment purchaser. Any part or accessory determined to be defective in the product should be returned to the company within thirty (30) days under the terms of this warranty and must be accompanied by a record of the cabinet model, serial number, and identified with a return material authorization number (RMA#) issued by the manufacturer.

Special installation/applications, including remote locations, are limited in coverage by this warranty. Any installation that requires extra work, and/or travel, to gain access to the unit for service is the sole responsibility of the equipment purchaser.

Improper operation resulting from factors, including but not limited to, improper or negligent cleaning and maintenance, improper installation, low voltage conditions, inadequate wiring, outdoor use (unless otherwise specified) and accidental damage are not manufacturing defects and are strictly the responsibility of the purchaser.

With the exception of Blast Chillers product is designed for maintaining temperature and not bringing food to a desired temperature therefore cannot be held responsible for this function under warranty. Units must be in a conditioned environment or warranty will be void. Non-standard use of unit can also be subject to reduced or voided warranty.

Condensing coils must be cleaned at regular intervals as a part of preventative maintenance for optimal performance. Failure to do so is subject to a voided warranty. Although cleaning requirements vary in accordance with operation of various products, Beverage-Air recommends a minimum monthly cleaning.

NO CLAIMS CAN BE MADE AGAINST THIS WARRANTY FOR SPOILAGE OF FOOD, PRODUCTS, LOSS OF SALES OR CONSEQUENTIAL DAMAGES.

THE FOREGOING WARRANTIES ARE EXPRESSLY GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED, OR STATUTORY, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HERBY DISCLAIMED, ALL OTHER OBLIGATIONS OR LIABILITIES ON OUR PART, AND WE NEITHER ASSUME, NOR AUTHORIZE ANY OTHER PERSON TO ASSUME FOR US, ANY OBLIGATION OR LIABILITY IN CONNECTION WITH THE SALE OF SAID REFRIGERATION UNITS OR ANY PARTS THERE OF.

This warranty shall not be assignable and shall be honored only in so far as the original purchaser. This warranty does not apply outside the limits of the United States of America and Canada, nor does it apply to any part that has been subject to misuse, neglect alteration, accident, or to any damage caused by transportation, flood, fire, acts of terrorism, or acts of God.

LIMITATION OF LIABILITY:

Beverage-Air Corporation or their affiliates shall not be liable for any indirect, incidental, special or consequential damages, or losses of a commercial nature arising out of malfunction equipment or its parts components thereof, as a result of defects in material or workmanship. THE ORIGINAL OWNER'S SOLE AND EXCLUSIVE REMEDY AND BEVERAGE-AIR'S SOLE AND EXCLUSIVE LIABILITY SHALL BE LIMITED TO THE REPAIR OR REPLACEMENT OF PARTS OR COMPONENTS CONTAINED IN THE EQUIPMENT IDENTIFIED ABOVE WHICH UNDER NORMAL USE AND SERVICE MALFUNCTION AS A RESULT OF DEFECTS IN MATERIAL OR WORKMANSHIP, SUBJECT TO THE APPLICABLE PROVISIONS AND LIMITATIONS STATED ABOVE.

Note: Additional Terms and Conditions of sale may apply. Notice: Specifications are subject to change without notice. Contact Beverage-Air for specific model agency approval. All prices are ex-works Brookville, PA. July 1, 2024.

Canadian Regional Sales Representatives



REGION	REP / AGENT	E-MAIL	CELLULAR
British Columbia	Ryan Lewis – Sales Rep	ryan@masales.ca	604-329-0684
	Mark Thiessen – Sales Rep	mark@masales.ca	604-657-7615
Alberta	James Goodman – Sales Rep (Calgary)	james@masales.ca	403-618-3636
	Collin Von Hansen – Sales Rep	collin@masales.ca	587-832-2090
	Sandro Salvador – Sales Rep (Edmonton)	sandro@masales.ca	780-405-2637
Prairies	Jeff McGowan – Sales Rep (SK, MB)	mcgowansales@bellnet.ca	647-231-3815
Ontario	Chris Ozog – Sales Rep (Central ON)	chris.ozog@garland-group.com	416-526-7989
	Geoff Scott – Regional Sales Manager Rep (Southern & Western ON)	geoff.scott@garland-group.com	647-828-9391
	Chris Taylor – Sales Rep (Central ON)	chris.taylor@garland-group.com	416-358-4421
	Jeff McGowan – Sales Rep (Northeastern ON)	mcgowansales@bellnet.ca	647-231-3815
Quebec	Maxime Gaudreault – Regional Sales Manager Rep (Quebec City)	maxime.gaudreault@garland-group.com	437-577-3719
	Jean-François Bonin – Sales Rep (Montreal)	jean-francois.bonin@garland-group.com	438-221-4193
	Michel Grenier – Sales Rep (Montreal)	michel.grenier@garland-group.com	437-333-3447
Atlantic Canada	Aaron Taylor – Sales Rep (PEI, NB)	aaron@tayloragencies.com	506-872-1177
	Steven Donnelly – Sales Rep (NS, NL)	steven@tayloragencies.com	902-999-7631

GARLAND CANADA CUSTOMER SERVICE	VOICE	FAX
Sales	(888) 442-7526	(800) 361-2724

Scan the code below to locate a dealer, distributor or sales representative in your area.



www.garlandcanada.ca/sales/buy-locally



Welbilt offers fully-integrated kitchen systems with award-winning product brands: **Cleveland™**, **Convotherm®**, **Delfield®**, **Frymaster®**, **Garland®**, **Kolpak®**, **Lincoln®**, **Merco®**, **Merrychef®** and **Multiplex®**. Supported by service brands: **KitchenCare®**, aftermarket parts and service; **FitKitchen®**, fully-integrated kitchen systems; and **KitchenConnect®**, cloud-based open digital platform.

Bringing innovation to the table • welbilt.com