



Canada Price List



Effective: July 1, 2026



Visit Welbilt Brand Portal:
<https://assets.welbilt.com/login/>



www.garlandcanada.ca



@thegarlandcanada

GARLAND
CANADA
WELBILT DISTRIBUTION



Price List Canada

NOTICE:

VICTORY PRODUCTS ARE NOT APPROVED OR AUTHORIZED FOR HOME OR RESIDENTIAL USE, BUT ARE INTENDED FOR COMMERCIAL APPLICATIONS ONLY. VICTORY WILL NOT PROVIDE SERVICE, WARRANTY, MAINTENANCE OR SUPPORT OF ANY KIND OTHER THAN IN COMMERCIAL APPLICATIONS.

INSTRUCTIONS AND ASSISTANCE IN ORDERING

Specify the following information when ordering:

1. Your order number
2. Quantity and model number of units
3. Voltage, Cycle, (Hz), & Phase
4. Delivery date and shipping instruction

SERVICE

When corresponding with the factory regarding service, performance or replacement parts, be sure to refer to the particular product by correct model number including prefix and suffix letters, numbers and serial number. This information can be found on the rating plate. Any information pertaining to performance parts or servicing can be obtained by writing our Mississauga office. Continuous product improvement is a Garland policy, therefore specifications and design are subject to change without notice.

TERMS AND CONDITIONS

All prices exclude the Goods and Services Tax (G.S.T.) and Provincial and Local Taxes. All prices are in Canadian Dollars.

Refer to Garland dealer policy for:

- A. Terms of Sale
- B. Equipment Returns or Order Cancellations
- C. Damaged Shipments


Garland Canada reserves the right to change warranties, accessories or product configurations without notice. Access our website at www.GarlandCanada.ca for current information which supercedes any printed information. Further inquiries may also be directed to Customer Service at 1-888-442-7526.

GARLAND CANADA CUSTOMER SERVICE	VOICE	FAX
Sales	(888) 442-7526	(800) 361-2724



For over 70 years, Victory has been a leading manufacturer of commercial refrigeration products. By utilizing a continuous product development process to ensure a steady stream of innovative designs, each Victory model is designed with essential standard features, while also offering a wide variety of options, accessories and modifications.

Offering over 800 models in 23 product series, Victory is specified and purchased for use in prisons, colleges, universities, hospitals, supermarkets, schools, and fine restaurants throughout the United States and around the world.



VICTORY'S COMPETITIVE ADVANTAGE

By leveraging our heritage of industry leadership, exceptional product quality and unmatched innovation, we offer a comprehensive brand of refrigeration to meet a variety of industry needs.

Victory Refrigeration's robust line of products has numerous design advantages and technical innovations that set them apart from the competition. These icons are displayed throughout this book to easily identify the specific features of certain units.



VARIABLE SPEED TECHNOLOGY

While typical units are built with a fixed speed compressor, many of Victory's units now feature a variable speed compressor. While this terminology may seem confusing, it's actually a simple concept. With a traditional fixed speed compressor, the motor runs at full power when the compressor kicks on—it's all or nothing. A variable speed compressor adapts its speed to the demand of the cabinet.

For instance, during the service rush, door openings increase. A variable speed compressor can compensate for the additional door openings and run the compressor motor at high speed. Conversely, at night the unit may not have a single door opening, thus the variable speed compressor will run at a lower speed to maximize efficiency. As a result, a variable speed compressor utilizes less energy, keep more consistent product temperatures and reduces wear on internal components.

When you see this logo, the BTU listed in the chart represents the maximum capacity of the refrigeration system.

**ADAPTIVE
DEFROST**

ADAPTIVE DEFROST

Most Victory offerings utilize an adaptive defrost feature. Adaptive defrost allows the controller to sense buildup on the coil and switch to defrost mode as needed—permitting the system to clean the coil of ice development quickly in high ambient conditions. The result of utilizing adaptive defrost is reduced energy consumption as the defrost cycles are shorter and only when needed (as opposed to specific timed defrost cycles), more consistent temperature stratification and quicker cabinet pull down.



R290 REFRIGERANT

R290 is a hydrocarbon, which is an organic compound containing only carbon and hydrogen. It's an environmentally friendly refrigerant with zero ozone depletion and low global warming potential. Hydrocarbon refrigerants have been used for over 20 years in Europe and Asia and have been tested to minimize safety concerns.

Hydrocarbon refrigerants are more efficient conductors of heat than traditional fluorocarbon refrigerants. Thus, smaller charge volumes and flow rates can produce the same results—allowing for reduction in compressor motor sizes and lower energy consumption.



THERMAL EXPANSION VALVE

Expansion valve technology, as opposed to traditional cap tubes, allows the refrigeration system to automatically adjust for the proper amount of refrigerant needed. By utilizing this feature, units equipped with an expansion valve, reduce temperature fluctuations for precise temperature control. In addition, by boosting refrigeration power when rapid recovery is needed, expansion valve technology allows for quicker cabinet pull down during harsh conditions.

AFTERMARKET SERVICE

As a customer, our commitment to you continues after the purchase of a Victory unit. Our aftermarket services provide you with a full range of support tools. Whether it's customer support, technical support, parts or warranty/dispatch our dedicated team is here to assist.

FACTORY HEADQUARTERS SALES OFFICE

3779 Champion Blvd
Winston-Salem, NC 27105
Phone: (336) 245-6400
Fax: (336) 245-6453
Email: info@VictoryRefrigeration.com
Web: www.VictoryRefrigeration.com

WARRANTY DISPATCH SERVICE

(877) 866-1223
Dispatch@alirefna.com

FACTORY TECHNICAL SERVICE

Phone: (800) 684-1199
Fax: (800) 262-9381
TS@alirefna.com

FACTORY CUSTOMER SERVICE

Phone: (888) 845-9800
Fax: (800) 253-5168
CS@alirefna.com

FACTORY PARTS

Phone: (800) 684-1199
Fax: (800) 262-9381
Parts@alirefna.com



TABLE OF CONTENTS

	ULTRASPEC REFRIGERATORS/FREEZERS (reach-ins, pass-thrus, roll-ins, roll-thrus, fish-file)	6	
	ULTRASPEC WARMING CABINETS	26	
	ULTRASPEC DUAL TEMPS	34	
	ELITE REFRIGERATORS/FREEZERS/WARMING	40	
	AIR CURTAINS	48	
	WINE REFRIGERATORS	52	
	MERCHANDISERS	58	
	MILK COOLERS	64	
	CHEF BASES	70	
	SANDWICH PREP TABLES	76	
	PIZZA PREP TABLES	84	
	WORKTOPS	90	
	UNDERCOUNTERS	98	
	BLAST CHILLERS	106	
	Hi-5 BLAST CHILLERS	114	
	ACCESSORIES	120	
	WARRANTY	128	
	REPS/MAP	130	





ULTRASPEC® REFRIGERATORS AND FREEZERS

The Victory Ultraspec line of refrigerators and freezers combines function and style. Built to withstand the harsh elements of a kitchen setting, the Victory Ultraspec series offers industry-leading features with front-of-the-house elegance.

Whether it's the environmental friendly refrigeration system or touchpoint interface controls, the Ultraspec models are a sure fit for any kitchen.

High-quality materials, robust features and stylish aesthetics, make the Ultraspec series a reflection of excellence.

ULTRASPEC®

REACH-IN \ PASS-THRU \ ROLL-IN \ ROLL-THRU

FEATURES

Whether it's a reach-in, pass-thru, roll-in or roll-thru model, the Ultraspec series offer solutions for any operation. Available in a stainless steel exterior and interior or stainless steel exterior with an aluminum interior, both options feature heavy-duty, 20-gauge stainless steel door with a stay-open feature for easy product loading. Set on cam-lift hinges, and with a stainless steel interior liner, each door has a one-piece, snap-in magnetic door gasket. The low-profile handles and cylinder lock offer a stylish look without compromising functionality.

Performance and functionality are key elements to the Ultraspec series. The full electronic control with touchpoint interface allows for easy selections and a clear temperature display. This easy-to-use control also features a manager's lockout function-allowing for specific temperature control and reducing inadvertent changes to the settings.

The high-performance, top-mount refrigeration system uses R290 refrigerant to comply with all environmental concerns. By utilizing a variable speed compressor, the motor adapts its speed based on demand, thus providing maximum efficiency and reduced energy consumption. All Ultraspec units utilize expansion valve technology, allowing the refrigeration system to automatically adjust for the proper amount of refrigerant needed. The epoxy-coated coil is located out of the food zone allowing full use of the internal cabinet. Additionally, the Ultraspec series offers a hinged front shroud, for ease of service.

Each model comes standard with adaptive defrost, a feature that will reduce energy consumption by only going into defrost mode when necessary. This allows for more consistent temperature stratification and quicker cabinet pull down. Refrigerator models are capable of maintaining product temperatures of 36°F to 38°F. Freezer models maintain temperatures of -10°F.

WARRANTIES

7 YEAR Parts & Labour Warranty

7 YEAR Compressor Warranty

LIFETIME Warranty on Handles and Hinges (parts only)

2 YEAR Warranty on Gaskets

ACCESSORIES

Exterior Door Laminate

Correctional Packages

Additional Shelves: Heavy Duty Epoxy Coated, Silver Freeze, or Stainless Steel

Full list of accessories on page 120

CERTIFICATIONS



Please refer to energystar.gov to view the most up-to-date product listing and performance data



	STANDARD	OPTIONS
SHELVING:	(3) Heavy Duty Silver Freeze Wire Shelves Which Accommodate 18 X 26 Pans	Adjustable Tray Slide Kits or Order a Combination of Shelves and Kits to Use in Our Exclusive MODULAR Interiors: Type A Tray Slide Kit Accommodates (1) 18 X 26 Sheet Pan or (2) 14 X 18 Sheet Pans per Pair Type A/C Universal Tray Slide Kit Accommodates (1) 18 X 26 Sheet Pan, (2) 14 X 18 or (2) 12 X 20 Sheet Pans Per Pair
EXTERIOR:	Stainless Steel	Stainless steel Back with Rear Grille (N/A for Roll-In/Thru)
INTERIOR:	Stainless Steel	Aluminum
DOORS:	20-Gauge Heavy-Duty Doors featuring a modern, upscale look	Glass doors, UltraGlass doors, or Sliding glass display doors (DRS models only)
REFRIGERATION SYSTEM:	High-performance, top-mount refrigeration system uses R290 refrigerant to comply with all environmental concerns. Refrigerators maintain 36°F – 38°F; Freezers maintain -10°F.	FlexTemp Models Maintain Between 28–38°F Remote Models: (legs only) Refrigerant must be specified at time of order
MOUNTING:	6" Legs (N/A for Roll-In/Thru)	6" Casters or 3" Casters; No Charge at Time of Unit Order (N/A for Roll-In/Thru) Seismic/Flanged Legs 6" Stainless Steel Kick Plate (N/A for Roll-In/Thru)



ULTRASPEC®

REFRIGERATORS \ REACH-IN

STANDARD WIDTH AND DEPTH	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
ONE SECTION W:26 1/2" H:84 1/4" 21.01 cubic ft capacity 3 shelves	RS-1D-S1-HC	\$19,675	34 7/8"	1	Full	Stainless Steel	1/3	6.5	2800	115/60/1 5-15p
	RS-1D-S1-HD-HC	\$20,050	34 7/8"	2	Half	Stainless Steel	1/3	6.5	2800	
	RS-1D-S1-G-HC	\$21,005	33 1/2"	1	Full	Glass	1/3	6.5	2800	
	RS-1D-S1-HG-HC	\$23,280	33 1/2"	2	Half	Glass	1/3	6.5	2800	
TWO SECTIONS W:52 1/8" H:84 1/4" 44.57 cubic ft capacity 6 shelves	RS-2D-S1-HC	\$25,175	34 7/8"	2	Full	Stainless Steel	1/3	6.5	2800	115/60/1 5-15p
	RS-2D-S1-HD-HC	\$25,970	34 7/8"	4	Half	Stainless Steel	1/3	6.5	2800	
	RS-2D-S1-G-HC	\$27,765	33 1/2"	2	Full	Glass	1/3	6.5	2800	
	RS-2D-S1-HG-HC	\$27,970	33 1/2"	4	Half	Glass	1/3	6.5	2800	
THREE SECTIONS W:77 3/4" H:84 1/4" 68.34 cubic ft capacity 9 shelves	RS-3D-S1-HC	\$32,525	34 7/8"	3	Full	Stainless Steel	3/4	8.5	4950	115/60/1 5-15p
	RS-3D-S1-HD-HC	\$33,630	34 7/8"	6	Half	Stainless Steel	3/4	8.5	4950	
	RS-3D-S1-G-HC	\$36,080	33 1/2"	3	Full	Glass	3/4	8.5	4950	
	RS-3D-S1-HG-HC	\$37,230	33 1/2"	6	Half	Glass	3/4	8.5	4950	

EXTRA WIDE STANDARD DEPTH	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
ONE SECTION W: 31 1/4" H: 84 1/4" 24.08 cubic ft capacity 3 shelves	RS-1D-S1-EW-HC	\$19,830	34 7/8"	1	Full	Stainless Steel	1/3	6.5	2800	115/60/1 5-15p
	RS-1D-S1-EW-HD-HC	\$20,205	34 7/8"	2	Half	Stainless Steel	1/3	6.5	2800	
	RS-1D-S1-EW-G-HC	\$21,560	33 1/2"	1	Full	Glass	1/3	6.5	2800	
	RS-1D-S1-EW-HG-HC	\$21,530	33 1/2"	2	Half	Glass	1/3	6.5	2800	
TWO SECTIONS W: 58 3/8" H: 84 1/4" 49.02 cubic ft capacity 6 shelves	RS-2D-S1-EW-HC	\$26,770	34 7/8"	2	Full	Stainless Steel	1/3	6.5	2800	115/60/1 5-15p
	RS-2D-S1-EW-HD-HC	\$27,515	34 7/8"	4	Half	Stainless Steel	1/3	6.5	2800	
	RS-2D-S1-EW-G-HC	\$29,100	33 1/2"	2	Full	Glass	1/3	6.5	2800	
	RS-2D-S1-EW-HG-HC	\$29,615	33 1/2"	4	Half	Glass	1/3	6.5	2800	
THREE SECTIONS W: 85 1/2" H: 84 1/4" 74.16 cubic ft capacity 9 shelves	RS-3D-S1-EW-HC	\$37,550	34 7/8"	3	Full	Stainless Steel	3/4	8.5	4950	115/60/1 5-15p
	RS-3D-S1-EW-HD-HC	\$38,660	34 7/8"	6	Half	Stainless Steel	3/4	8.5	4950	
	RS-3D-S1-EW-G-HC	\$42,030	33 1/2"	3	Full	Glass	3/4	8.5	4950	
	RS-3D-S1-EW-HG-HC	\$42,650	33 1/2"	6	Half	Glass	3/4	8.5	4950	

EXTRA WIDE NARROW DEPTH	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
ONE SECTION W: 31 1/4" H: 84 1/4" 20.15 cubic ft capacity 3 shelves	RS-1N-S1-HC	\$20,645	30 3/4"	1	Full	Stainless Steel	1/3	6.5	2800	115/60/1 5-15p
	RS-1N-S1-HD-HC	\$22,040	30 3/4"	2	Half	Stainless Steel	1/3	6.5	2800	
	RS-1N-S1-G-HC	\$21,845	29 3/8"	1	Full	Glass	1/3	6.5	2800	
	RS-1N-S1-HG-HC	\$22,245	29 3/8"	2	Half	Glass	1/3	6.5	2800	
TWO SECTIONS W: 58 3/8" H: 84 1/4" 41.35 cubic ft capacity 6 shelves	RS-2N-S1-HC	\$26,340	30 3/4"	2	Full	Stainless Steel	1/3	6.5	2800	115/60/1 5-15p
	RS-2N-S1-HD-HC	\$27,080	30 3/4"	4	Half	Stainless Steel	1/3	6.5	2800	
	RS-2N-S1-G-HC	\$29,740	29 3/8"	2	Full	Glass	1/3	6.5	2800	
	RS-2N-S1-HG-HC	\$31,035	29 3/8"	4	Half	Glass	1/3	6.5	2800	




ADAPTIVE
DEFROST


R290

((TXV))

STANDARD WIDTH AND DEPTH




EXTRA WIDE, STANDARD DEPTH



ULTRASPEC OPTIONS

- ↳ For aluminum interior, change RS to RSA.
- ↳ For Ultra Glass full doors, change G to UG.
- ↳ For Ultra Glass half doors, change HG to HD-UG.

EXTRA WIDE, NARROW DEPTH



ULTRASPEC®

REFRIGERATORS \ PASS-THRU

STANDARD WIDTH AND DEPTH	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
ONE SECTION W: 26 1/2" H: 84 1/4" 22.9 cubic ft capacity 3 shelves	RS-1D-S1-PT-HC	\$25,840	38 3/4"	2	Full	Stainless Steel	1/3	6.5	2800	115/60/1 5-15p
	RS-1D-S1-PT-HD-HC	\$26,600	38 3/4"	4	Half	Stainless Steel				
	RS-1D-S1-PT-G-HC	\$28,235	36 1/8"	2	Full	Glass	1/3	6.5	2800	
	RS-1D-S1-PT-HG-HC	\$28,710	36 1/8"	4	Half	Glass				
TWO SECTIONS W: 52 1/8" H: 84 1/4" 48.33 cubic ft capacity 6 shelves	RS-2D-S1-PT-HC	\$33,350	38 3/4"	4	Full	Stainless Steel	1/3	6.5	2800	115/60/1 5-15p
	RS-2D-S1-PT-HD-HC	\$34,830	38 3/4"	8	Half	Stainless Steel				
	RS-2D-S1-PT-G-HC	\$38,145	36 1/8"	4	Full	Glass	3/4	8.5	4950	
	RS-2D-S1-PT-HG-HC	\$38,780	36 1/8"	8	Half	Glass				
THREE SECTIONS W: 77 3/4" H: 84 1/4" 74 cubic ft capacity 9 shelves	RS-3D-S1-PT-HC	\$43,455	38 3/4"	6	Full	Stainless Steel	3/4	8.5	4950	115/60/1 5-15p
	RS-3D-S1-PT-HD-HC	\$45,130	38 3/4"	12	Half	Stainless Steel				
	RS-3D-S1-PT-G-HC	\$49,785	36 1/8"	6	Full	Glass	2X 1/3	10.8	5600	
	RS-3D-S1-PT-HG-HC	\$51,080	36 1/8"	12	Half	Glass				

EXTRA WIDE STANDARD DEPTH	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
ONE SECTION W: 31 1/4" H: 84 1/4" 26.06 cubic ft capacity 3 shelves	RS-1D-S1-EW-PT-HC	\$23,085	38 3/4"	2	Full	Stainless Steel	1/3	6.5	2800	115/60/1 5-15p
	RS-1D-S1-EW-PT-HD-HC	\$25,220	38 3/4"	4	Half	Stainless Steel				
	RS-1D-S1-EW-PT-G-HC	\$27,155	35 7/8"	2	Full	Glass	1/3	6.5	2800	
	RS-1D-S1-EW-PT-HG-HC	\$26,485	35 7/8"	4	Half	Glass				
TWO SECTIONS W: 58 3/8" H: 84 1/4" 52.97 cubic ft capacity 6 shelves	RS-2D-S1-EW-PT-HC	\$34,085	38 3/4"	4	Full	Stainless Steel	1/3	6.5	2800	115/60/1 5-15p
	RS-2D-S1-EW-PT-HD-HC	\$36,210	38 3/4"	8	Half	Stainless Steel				
	RS-2D-S1-EW-PT-G-HC	\$38,215	35 7/8"	4	Full	Glass	3/4	8.5	4950	
	RS-2D-S1-EW-PT-HG-HC	\$39,445	35 7/8"	8	Half	Glass				
THREE SECTIONS W: 85 1/2" H: 84 1/4" 80.1 cubic ft capacity 9 shelves	RS-3D-S1-EW-PT-HC	\$47,415	38 3/4"	6	Full	Stainless Steel	3/4	8.5	4950	115/60/1 5-15p
	RS-3D-S1-EW-PT-HD-HC	\$51,080	38 3/4"	12	Half	Stainless Steel				
	RS-3D-S1-EW-PT-G-HC	\$54,185	35 7/8"	6	Full	Glass	2X 1/3	10.8	5600	
	RS-3D-S1-EW-PT-HG-HC	\$54,310	35 7/8"	12	Half	Glass				




ADAPTIVE
DEFROST


R290

((TXV))

STANDARD WIDTH AND DEPTH



EXTRA WIDE, STANDARD DEPTH



ULTRASPEC OPTIONS

- ⌋ For aluminum interior, change RS to RSA.
- ⌋ For Ultra Glass full doors, change G to UG.
- ⌋ For Ultra Glass half doors, change HG to HD-UG.

ULTRASPEC®

REFRIGERATORS \ ROLL-IN \ ROLL-THRU

ROLL-IN	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
ONE SECTION W: 36 1/2" H: 84 1/2" 34.86 cubic ft capacity	RIS-1D-S1-HC	\$20,460	36 5/8"	1	Full	Stainless Steel	1/3	6.5	2800	115/60/1 5-15p
	RIS-1D-S1-G-HC	\$21,445	35 1/4"	1	Full	Glass				
TWO SECTIONS W: 68 7/8" H: 84 1/2" 70.84 cubic ft capacity	RIS-2D-S1-HC	\$29,740	36 5/8"	2	Full	Stainless Steel	3/4	8.5	4950	115/60/1 5-15p
	RIS-2D-S1-G-HC	\$31,715	35 1/4"	2	Full	Glass				
THREE SECTIONS W: 101 1/4" H: 84 1/2" 106.81 cubic ft capacity	RIS-3D-S1-HC	\$45,260	36 5/8"	3	Full	Stainless Steel	2X 1/3	10.8	5600	115/60/1 5-15p
	RIS-3D-S1-G-HC	\$48,210	35 1/4"	3	Full	Glass				

ROLL-THRU	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
ONE SECTION W: 36 1/2" H: 84 1/2" 38.69 cubic ft capacity	RIS-1D-S1-PT-HC	\$26,935	40 1/8"	1	Full	Stainless Steel	3/4	8.5	4950	115/60/1 5-15p
	RIS-1D-S1-PT-G-HC	\$27,920	37 3/8"	1	Full	Glass				
TWO SECTIONS W: 68 7/8" H: 84 1/2" 78.49 cubic ft capacity	RIS-2D-S1-PT-HC	\$38,795	40 1/8"	2	Full	Stainless Steel	3/4	8.5	4950	115/60/1 5-15p
	RIS-2D-S1-PT-G-HC	\$40,760	37 3/8"	2	Full	Glass	2X 1/3	10.8	5600	
THREE SECTIONS W: 101 1/4" H: 84 1/2" 118.30 cubic ft capacity	RIS-3D-S1-PT-HC	\$50,375	40 1/8"	3	Full	Stainless Steel	2X 1/3	10.8	5600	115/60/1 5-15p
	RIS-3D-S1-PT-G-HC	\$53,330	37 3/8"	3	Full	Glass				

EXTRA HIGH ROLL-IN	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
ONE SECTION W: 36 1/2" H: 90" 38.06 cubic ft capacity	RIS-1D-S1-XH-HC	\$21,050	36 5/8"	1	Full	Stainless Steel	1/3	6.5	2800	115/60/1 5-15p
	RIS-1D-S1-XH-G-HC	\$22,030	35 1/4"	1	Full	Glass				
TWO SECTIONS W: 68 7/8" H: 90" 77.35 cubic ft capacity	RIS-2D-S1-XH-HC	\$30,155	36 5/8"	2	Full	Stainless Steel	3/4	8.5	4950	115/60/1 5-15p
	RIS-2D-S1-XH-G-HC	\$32,125	35 1/4"	2	Full	Glass				

EXTRA HIGH ROLL-THRU	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
ONE SECTION W: 36 1/2" H: 90" 42.27 cubic ft capacity	RIS-1D-S1-PT-XH-HC	\$30,080	40 1/8"	2	Full	Stainless Steel	3/4	8.5	4950	115/60/1 5-15p
	RIS-1D-S1-PT-XH-G-HC	\$31,065	37 3/8"	2	Full	Glass				
TWO SECTIONS W: 68 7/8" H: 90" 85.76 cubic ft capacity	RIS-2D-S1-PT-XH-HC	\$43,455	40 1/8"	4	Full	Stainless Steel	3/4	8.5	4950	115/60/1 5-15p
	RIS-2D-S1-PT-XH-G-HC	\$45,425	37 3/8"	4	Full	Glass	2X 1/3	10.8	5600	




ADAPTIVE
DEFROST

R290

((TXV))


STANDARD




ULTRASPEC OPTIONS

- ↳ For aluminum interior, change RIS to RISA.
- ↳ UltraGlass Doors not available on roll-in or roll-thru models

REACH-IN AND PASS-THRU DEPTHS



EXTRA HIGH



ULTRASPEC®

FREEZERS \ REACH-IN

STANDARD WIDTH AND DEPTH	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
ONE SECTION W:26 1/2" H:84 1/4" 21.01 cubic ft capacity 3 shelves	FS-1D-S1-HC	\$21,865	34 7/8"	1	Full	Stainless Steel	3/4	9.1	2450	115/60/1 5-15p
	FS-1D-S1-HD-HC	\$22,250	34 7/8"	2	Half	Stainless Steel	3/4	9.1	2450	
	FS-1D-S1-G-HC	\$23,865	33 1/2"	1	Full	Glass	3/4	9.1	2450	
	FS-1D-S1-HG-HC	\$24,910	33 1/2"	2	Half	Glass	3/4	9.1	2450	
TWO SECTIONS W:52 1/8" H:84 1/4" 44.57 cubic ft capacity 6 shelves	FS-2D-S1-HC	\$29,280	34 7/8"	2	Full	Stainless Steel	3/4 +	10.5	2580 not VST	115/60/1 5-15p
	FS-2D-S1-HD-HC	\$30,035	34 7/8"	4	Half	Stainless Steel	3/4 +	10.5	2580 not VST	115/60/1 5-15p
	FS-2D-S1-G-HC	\$33,275	33 1/2"	2	Full	Glass	2X 3/4	13.9	4900	115/60/1 5-20p
	FS-2D-S1-HG-HC	\$36,960	33 1/2"	4	Half	Glass	2X 3/4	13.9	4900	115/60/1 5-20p
THREE SECTIONS W:77 3/4" H:84 1/4" 68.34 cubic ft capacity 9 shelves	FS-3D-S1-HC	\$39,490	34 7/8"	3	Full	Stainless Steel	2X 3/4	13.9	4900	115/60/1 5-20p
	FS-3D-S1-HD-HC	\$40,605	34 7/8"	6	Half	Stainless Steel	2X 3/4	13.9	4900	
	FS-3D-S1-G-HC	\$45,485	33 1/2"	3	Full	Glass	2X 3/4	13.9	4900	
	FS-3D-S1-HG-HC	\$44,600	33 1/2"	6	Half	Glass	2X 3/4	13.9	4900	

EXTRA WIDE STANDARD DEPTH	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
ONE SECTION W: 31 1/4" H: 84 1/4" 24.08 cubic ft capacity 3 shelves	FS-1D-S1-EW-HC	\$22,585	34 7/8"	1	Full	Stainless Steel	3/4	9.1	2450	115/60/1 5-15p
	FS-1D-S1-EW-HD-HC	\$22,965	34 7/8"	2	Half	Stainless Steel	3/4	9.1	2450	
	FS-1D-S1-EW-G-HC	\$25,250	33 1/2"	1	Full	Glass	3/4	9.1	2450	
	FS-1D-S1-EW-HG-HC	\$26,425	33 1/2"	2	Half	Glass	3/4	9.1	2450	
TWO SECTIONS W: 58 3/8" H: 84 1/4" 49.02 cubic ft capacity 6 shelves	FS-2D-S1-EW-HC	\$29,970	34 7/8"	2	Full	Stainless Steel	3/4 +	10.5	2580 not VST	115/60/1 5-15p
	FS-2D-S1-EW-HD-HC	\$30,740	34 7/8"	4	Half	Stainless Steel	3/4 +	10.5	2580 not VST	115/60/1 5-15p
	FS-2D-S1-EW-G-HC	\$35,300	33 1/2"	2	Full	Glass	2X 3/4	13.9	4900	115/60/1 5-20p
	FS-2D-S1-EW-HG-HC	\$37,665	33 1/2"	4	Half	Glass	2X 3/4	13.9	4900	115/60/1 5-20p
THREE SECTIONS W: 85 1/2" H: 84 1/4" 74.16 cubic ft capacity 9 shelves	FS-3D-S1-EW-HC	\$43,650	34 7/8"	3	Full	Stainless Steel	2X 3/4	13.9	4900	115/60/1 5-20p
	FS-3D-S1-EW-HD-HC	\$44,755	34 7/8"	6	Half	Stainless Steel	2X 3/4	13.9	4900	
	FS-3D-S1-EW-G-HC	\$51,645	33 1/2"	3	Full	Glass	2X 3/4	13.9	4900	
	FS-3D-S1-EW-HG-HC	\$55,140	33 1/2"	6	Half	Glass	2X 3/4	13.9	4900	

EXTRA WIDE NARROW DEPTH	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
ONE SECTION W: 31 1/4" H: 84 1/4" 20.15 cubic ft capacity 3 shelves	FS-1N-S1-HC	\$23,565	30 3/4"	1	Full	Stainless Steel	3/4	9.1	2450	115/60/1 5-15p
	FS-1N-S1-HD-HC	\$23,245	30 3/4"	2	Half	Stainless Steel	3/4	9.1	2450	
	FS-1N-S1-G-HC	\$25,530	29 3/8"	1	Full	Glass	3/4	9.1	2450	
	FS-1N-S1-HG-HC	\$26,900	29 3/8"	2	Half	Glass	3/4	9.1	2450	
TWO SECTIONS W: 58 3/8" H: 84 1/4" 41.35 cubic ft capacity 6 shelves	FS-2N-S1-HC	\$29,670	30 3/4"	2	Full	Stainless Steel	3/4 +	10.5	2580 not VST	115/60/1 5-15p
	FS-2N-S1-HD-HC	\$30,390	30 3/4"	4	Half	Stainless Steel	3/4 +	10.5	2580 not VST	115/60/1 5-15p
	FS-2N-S1-G-HC	\$34,635	29 3/8"	2	Full	Glass	2X 3/4	13.9	4900	115/60/1 5-20p
	FS-2N-S1-HG-HC	\$42,150	29 3/8"	4	Half	Glass	2X 3/4	13.9	4900	115/60/1 5-20p




ADAPTIVE
DEFROST


R290

((TXV))

STANDARD WIDTH AND DEPTH




EXTRA WIDE, STANDARD DEPTH



ULTRASPEC OPTIONS

- ↳ For aluminum interior, change FS to FSA.
- ↳ For Ultra Glass full doors, change G to UG.
- ↳ For Ultra Glass half doors, change HG to HD-UG.

EXTRA WIDE, NARROW DEPTH



ULTRASPEC®


FREEZERS \ PASS-THRU

STANDARD WIDTH AND DEPTH	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/ HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
ONE SECTION W:26 1/2" H:84 1/4" 22.9 cubic ft capacity 3 shelves	FS-1D-S1-PT-HC	\$28,445	38 3/4"	2	Full	Stainless Steel	3/4	9.1	2450	115/60/1 5-15p
	FS-1D-S1-PT-HD-HC	\$29,555	38 3/4"	4	Half	Stainless Steel				
	FS-1D-S1-PT-G-HC	\$32,440	36 1/8"	2	Full	Glass	3/4	9.1	2450	
	FS-1D-S1-PT-HG-HC	\$34,880	36 1/8"	4	Half	Glass				
TWO SECTIONS W:52 1/8" H:84 1/4" 48.33 cubic ft capacity 6 shelves	FS-2D-S1-PT-HC	\$43,670	38 3/4"	4	Full	Stainless Steel	2X 3/4	13.9	4900	115/60/1 5-20p
	FS-2D-S1-PT-HD-HC	\$44,705	38 3/4"	8	Half	Stainless Steel				
	FS-2D-S1-PT-G-HC	\$51,665	36 1/8"	4	Full	Glass	2X 3/4	13.9	4900	
	FS-2D-S1-PT-HG-HC	\$55,365	36 1/8"	8	Half	Glass				


EXTRA WIDE STANDARD DEPTH	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/ HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
ONE SECTION W: 31 1/4" H: 84 1/4" 26.06 cubic ft capacity 3 shelves	FS-1D-S1-EW-PT-HC	\$32,750	38 3/4"	2	Full	Stainless Steel	3/4	9.1	2450	115/60/1 5-15p
	FS-1D-S1-EW-PT-HD-HC	\$33,555	38 3/4"	4	Half	Stainless Steel				
	FS-1D-S1-EW-PT-G-HC	\$38,075	35 7/8"	2	Full	Glass	3/4	9.1	2450	
	FS-1D-S1-EW-PT-HG-HC	\$40,485	35 7/8"	4	Half	Glass				
TWO SECTIONS W: 58 3/8" H: 84 1/4" 52.97 cubic ft capacity 6 shelves	FS-2D-S1-EW-PT-HC	\$44,905	38 3/4"	4	Full	Stainless Steel	2X 3/4	13.9	4900	115/60/1 5-20p
	FS-2D-S1-EW-PT-HD-HC	\$46,190	38 3/4"	8	Half	Stainless Steel				
	FS-2D-S1-EW-PT-G-HC	\$55,560	35 7/8"	4	Full	Glass	2X 3/4	13.9	4900	
	FS-2D-S1-EW-PT-HG-HC	\$60,045	35 7/8"	8	Half	Glass				



STANDARD WIDTH AND DEPTH



EXTRA WIDE, STANDARD DEPTH



ULTRASPEC OPTIONS

- ↳ For aluminum interior, change FS to FSA.
- ↳ For Ultra Glass full doors, change G to UG.
- ↳ For Ultra Glass half doors, change HG to HD-UG.

ULTRASPEC®

FREEZERS \ ROLL-IN \ ROLL-THRU

ROLL-IN	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
ONE SECTION W: 36 1/2" H: 84 1/2" 34.86 cubic ft capacity	FIS-1D-S1-HC	\$26,260	36 5/8"	1	Full	Stainless Steel	3/4	9.1	2450	115/60/1 5-15p
TWO SECTIONS W: 68 7/8" H: 84 1/2" 70.84 cubic ft capacity	FIS-2D-S1-HC	\$38,345	36 5/8"	2	Full	Stainless Steel	2X 3/4	13.9	4900	115/60/1 5-20p
THREE SECTIONS W: 101 1/4" H: 84 1/2" 106.81 cubic ft capacity	FIS-3D-S1-HC	\$50,710	36 5/8"	3	Full	Stainless Steel	2X 3/4	13.9	4900	115/60/1 5-20p


ROLL-THRU	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
ONE SECTION W: 36 1/2" H: 84 1/2" 38.69 cubic ft capacity	FIS-1D-S1-PT-HC	\$34,265	40 1/8"	1	Full	Stainless Steel	3/4 +	10.5	2580 not VST	115/60/1 5-15p
TWO SECTIONS W: 68 7/8" H: 84 1/2" 78.49 cubic ft capacity	FIS-2D-S1-PT-HC	\$52,290	40 1/8"	2	Full	Stainless Steel	2X 3/4	13.9	4900	115/60/1 5-20p

EXTRA HIGH ROLL-IN	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
ONE SECTION W: 36 1/2" H: 90" 38.06 cubic ft capacity	FIS-1D-S1-XH-HC	\$27,305	36 5/8"	1	Full	Stainless Steel	3/4 +	10.5	2580 not VST	115/60/1 5-15p
TWO SECTIONS W: 68 7/8" H: 90" 77.35 cubic ft capacity	FIS-2D-S1-XH-HC	\$43,685	36 5/8"	2	Full	Stainless Steel	2X 3/4	13.9	4900	115/60/1 5-20p

EXTRA HIGH ROLL-THRU	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
ONE SECTION W: 36 1/2" H: 90" 42.27 cubic ft capacity	FIS-1D-S1-PT-XH-HC	\$35,975	40 1/8"	2	Full	Stainless Steel	3/4 +	10.5	2580 not VST	115/60/1 5-15p
TWO SECTIONS W: 68 7/8" H: 90" 85.76 cubic ft capacity	FIS-2D-S1-PT-XH-HC	\$57,055	40 1/8"	4	Full	Stainless Steel	2X 3/4	13.9	4900	115/60/1 5-20p




STANDARD




ULTRASPEC OPTIONS

- For aluminum interior, change FIS to FISA.
- UltraGlass Doors not available on roll-in or roll-thru models

REACH-IN AND PASS-THRU DEPTHS



EXTRA HIGH



ULTRASPEC®

SLIDING GLASS DOORS



REACH-IN	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
TWO SECTIONS W: 52 1/8" H: 84 1/4" 44.94 cubic ft capacity 6 shelves	DRS-2D-S1-LD-HC	\$30,305	33 5/8"	2	Full	Sliding Glass	1/3	6.5	2800	115/60/1 5-15p
	DRS-2D-S1-HD-HC	\$31,285	35 5/8"	4	Half	(2) Sliding Glass (2) Stainless Steel	1/3	6.5	2800	

PASS-THRU	MODEL	LIST PRICE	DEPTH	DOORS			HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
				#	SIZE	MATERIAL				
TWO SECTIONS W: 52 1/8" H: 84 1/4" 48.33 cubic ft capacity 6 shelves	DRS-2D-S1-PT-LD-HC	\$41,710	35 3/8"	4	Full	Sliding Glass	3/4	8.5	4950	115/60/1 5-15p
	DRS-2D-S1-PT-HD-HC	\$42,395	38 3/4"	8	Half	(4) Sliding Glass (4) Stainless Steel	3/4	8.5	4950	







REACH-IN



PASS THRU



ULTRASPEC OPTIONS

For aluminum interior, change DRS to DRSA.

ULTRASPEC®

FISH FILE

FEATURES

Designed to keep seafood as fresh as possible, the Ultraspec series also includes a fish file. Offering five stainless steel drawers for ample storage, the fish file allows product to lie on a bed of ice. Each drawer, fitted with a one-piece, snap-in magnetic drawer gasket, has stainless steel pans that drain independently into the main drain line.

The full electronic control with touchpoint interface allows for easy selections and a clear temperature display. This easy-to-use control also features a manager's lockout function-allowing for specific temperature control and reducing inadvertent changes to the settings.

The high-performance, top-mount refrigeration system uses R290 refrigerant to comply with all environmental concerns.

By utilizing a variable speed compressor, the motor adapts its speed based on demand, thus providing maximum efficiency and reduced energy consumption. The fish file utilizes expansion valve technology, allowing the refrigeration system to automatically adjust for the proper amount of refrigerant needed. The epoxy-coated coil is located out of the food zone allowing full use of the internal cabinet. Additionally, the front shroud is hinged for ease of service.

Adaptive defrost, a feature that will reduce energy consumption by only going into defrost when necessary, comes standard on the fish file. This allows for more consistent temperature stratification and quicker cabinet pull down.

REFRIGERATOR	MODEL	LIST PRICE	DEPTH	DRAWERS	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
W: 26 1/2" H: 83 3/4" 20.9 cubic ft capacity	RS-1D-S1-HC-FF	\$33,460	34 1/2"	5	1/3	6.5	2800	115/60/1 5-15p

WARRANTIES

- 7 YEAR Parts & Labour Warranty
- 7 YEAR Compressor Warranty
- LIFETIME Warranty on Handles and Hinges (parts only)
- 2 YEAR Warranty on Gaskets

ACCESSORIES

- Stainless Steel Case Back And Shroud
- Drawer Locks
- Remote Models (6" legs only)
- Full list of accessories on page 120

CERTIFICATIONS



Please refer to [Energystar.gov](https://www.energystar.gov) to view the most up-to-date product listing and performance data





ADAPTIVE
DEFROST

R290

((TXV))

STANDARD







ULTRASPEC® WARMING CABINETS

As any line service or large-scale food service operation would know, holding prepared food at the proper temperature is critical. Victory warming cabinets provide this key function with the same stylish look as its refrigerators and freezers.

Dual bottom-mounted heaters, externally mounted blower and adjustable humidity levels are just a few features that make these warming cabinets worthy of the Ultraspec name.

Performing alongside other Ultraspec models, you'll often find Victory warming cabinets in cafeterias, hospitals, schools and catering operations.

ULTRASPEC®

WARMING CABINETS \ REACH-IN \ PASS-THRU \ ROLL-IN \ ROLL-THRU

FEATURES

To go along with our line of refrigerators and freezers, the Ultraspec series includes warming cabinets. Available in a stainless steel exterior and interior or stainless steel exterior with an aluminum interior, both options feature heavy-duty, 20-gauge stainless steel door with a stay-open feature for easy product loading. Set on cam-lift hinges, and with a stainless steel interior liner, each door has a one-piece, snap-in magnetic door gasket. The low-profile handles and cylinder lock offer a stylish look without compromising functionality.

The Ultraspec warming cabinets are heated with two bottom-mounted heating elements per section. Its externally mounted blower allows for full use of the internal cabinet while maintaining even temperatures. Humidity levels are easily controlled with its built-in, adjustable humidity control vent.

These warming cabinets have a full electronic control with a touchpoint interface, allowing for easy selection and a clear temperature displays. The easy-to-use control also features a manager's lockout function-allowing for specific temperature control and reducing inadvertent changes to the settings. Operating temperatures can range from 80°F – 180°F.

WARRANTIES

7 YEAR Parts & Labour Warranty

7 YEAR Compressor Warranty

LIFETIME Warranty on Handles and Hinges

2 YEAR Warranty on Gaskets

ACCESSORIES

Exterior Door Laminate

Correctional Packages

Additional Shelves: Silver Freeze or Stainless Steel

Full list of accessories on page 120

CERTIFICATIONS



Please refer to energystar.gov to view the most up-to-date product listing and performance data



	STANDARD	OPTIONS
SHELVING:	(3) Heavy Duty Silver Freeze Wire Shelves Which Accommodate 18 X 26 Pans	Adjustable Tray Slide Kits or Order a Combination of Shelves and Kits to Use in Our Exclusive MODULAR Interiors: Type A Tray Slide Kit Accommodates (1) 18 X 26 Sheet Pan or (2) 14 X 18 Sheet Pans per Pair Type A/C Universal Tray Slide Kit Accommodates (1) 18 X 26 Sheet Pan, (2) 14 X 18 or (2) 12 X 20 Sheet Pans Per Pair
EXTERIOR:	Stainless Steel	Stainless steel Back with Rear Grille (N/A for Roll-In/Thru)
INTERIOR:	Stainless Steel	Aluminum
DOORS:	20-Gauge Heavy-Duty Doors featuring a modern, upscale look	Glass doors or UltraGlass doors
MOUNTING:	6" Legs (N/A for Roll-In/Thru)	6" Casters or 3" Casters; No Charge at Time of Unit Order (N/A for Roll-In/Thru) Seismic/Flanged Legs 6" Stainless Steel Kick Plate (N/A for Roll-In/Thru)



ULTRASPEC®

WARMING CABINETS \ REACH-IN \ PASS-THRU


STANDARD WIDTH REACH-IN	MODEL	LIST PRICE	DOORS			HEATER WATTS	AMPS	VOLTAGE AND NEMA PLUG
			#	SIZE	MATERIAL			
ONE SECTION 26 1/2" X 35" X 84 1/4" 3 shelves 21.5 cubic ft capacity	HS-1D-1	\$16,485	1	Full	Stainless Steel	1500	6.8	230 L14-20P
	HS-1D-1-HD	\$17,460	2	Half	Stainless Steel	1500	6.8	
	HS-1D-1-G	\$17,200	1	Full	Glass	1500	6.8	
	HS-1D-1-HG	\$17,330	2	Half	Glass	1500	6.8	
TWO SECTIONS 52 1/8" X 35" X 84 1/4" 6 shelves 46.5 cubic ft capacity	HS-2D-1	\$23,980	2	Full	Stainless Steel	3000	13	230 L14-20P
	HS-2D-1-HD	\$25,050	4	Half	Stainless Steel	3000	13	
	HS-2D-1-G	\$25,605	2	Full	Glass	3000	13	
	HS-2D-1-HG	\$25,940	4	Half	Glass	3000	13	

STANDARD WIDTH PASS-THRU	MODEL	LIST PRICE	DOORS			HEATER WATTS	AMPS	VOLTAGE AND NEMA PLUG
			#	SIZE	MATERIAL			
ONE SECTION 26 1/2" X 39 1/4" X 84 1/4" 3 shelves 23.7 cubic ft capacity	HS-1D-1-PT	\$19,815	2	Full	Stainless Steel	1500	6.8	230 L14-20P
	HS-1D-1-PT-HD	\$21,340	4	Half	Stainless Steel	1500	6.8	
	HS-1D-1-PT-G	\$21,595	2	Full	Glass	1500	6.8	
	HS-1D-1-PT-HG	\$23,280	4	Half	Glass	1500	6.8	
TWO SECTIONS 52 1/8" X 39 1/4" X 84 1/4" 6 shelves 48 cubic ft capacity	HS-2D-1-PT	\$29,560	4	Full	Stainless Steel	3000	13	230 L14-20P
	HS-2D-1-PT-HD	\$31,295	8	Half	Stainless Steel	3000	13	
	HS-2D-1-PT-G	\$34,010	4	Full	Glass	3000	13	
	HS-2D-1-PT-HG	\$36,210	8	Half	Glass	3000	13	


EXTRA WIDE REACH-IN	MODEL	LIST PRICE	DOORS			HEATER WATTS	AMPS	VOLTAGE AND NEMA PLUG
			#	SIZE	MATERIAL			
ONE SECTION 31 1/4" X 35" X 84 1/4" 3 shelves 24.4 cubic ft capacity	HS-1D-1-EW	\$17,200	1	Full	Stainless Steel	1500	6.8	230 L14-20P
	HS-1D-1-EW-HD	\$18,365	2	Half	Stainless Steel	1500	6.8	
	HS-1D-1-EW-G	\$19,010	1	Full	Glass	1500	6.8	
	HS-1D-1-EW-HG	\$21,015	2	Half	Glass	1500	6.8	
TWO SECTIONS 58 3/8" X 35" X 84 1/4" 6 shelves 52 cubic ft capacity	HS-2D-1-EW	\$24,245	2	Full	Stainless Steel	3000	13	230 L14-20P
	HS-2D-1-EW-HD	\$24,745	4	Half	Stainless Steel	3000	13	
	HS-2D-1-EW-G	\$28,235	2	Full	Glass	3000	13	
	HS-2D-1-EW-HG	\$31,665	4	Half	Glass	3000	13	

EXTRA WIDE PASS-THRU	MODEL	LIST PRICE	DOORS			HEATER WATTS	AMPS	VOLTAGE AND NEMA PLUG
			#	SIZE	MATERIAL			
ONE SECTION 31 1/4" X 39 1/4" X 84 1/4" 3 shelves 26.2 cubic ft capacity	HS-1D-1-EW-PT	\$19,780	2	Full	Stainless Steel	1500	6.8	230 L14-20P
	HS-1D-1-EW-PT-HD	\$20,565	4	Half	Stainless Steel	1500	6.8	
	HS-1D-1-EW-PT-G	\$21,595	2	Full	Glass	1500	6.8	
	HS-1D-1-EW-PT-HG	\$21,855	4	Half	Glass	1500	6.8	
TWO SECTIONS 58 3/8" X 39 1/4" X 84 1/4" 6 shelves 55.6 cubic ft capacity	HS-2D-1-EW-PT	\$29,435	4	Full	Stainless Steel	3000	13	230 L14-20P
	HS-2D-1-EW-PT-HD	\$30,935	8	Half	Stainless Steel	3000	13	
	HS-2D-1-EW-PT-G	\$34,340	4	Full	Glass	3000	13	
	HS-2D-1-EW-PT-HG	\$41,690	8	Half	Glass	3000	13	

STANDARD WIDTH AND DEPTH




EXTRA WIDE, STANDARD DEPTH



ULTRASPEC OPTIONS

- ┐ For aluminum interior, change HS to HSA.
- ┐ For Ultra Glass full doors, change G to UG.
- ┐ For Ultra Glass half doors, change HG to HD-UG.

SIDE VIEW OF REACH-IN AND PASS-THRU



ULTRASPEC®

WARMING CABINETS \ ROLL-IN \ ROLL-THRU


STANDARD ROLL-IN	MODEL	LIST PRICE	DOORS			HEATER WATTS	AMPS	VOLTAGE AND NEMA PLUG
			#	SIZE	MATERIAL			
ONE SECTION 36 1/2" X 36 1/2" X 84 1/2" 33.6 cubic ft capacity	HIS-1D-1	\$20,470	1	Full	Stainless Steel	1500	6.8	230 L14-20P
	HIS-1D-1-GD	\$21,395	1	Full	Glass	1500	6.8	230 L14-20P
TWO SECTIONS 68 7/8" X 36 1/2" X 84 1/2" 67.2 cubic ft capacity	HIS-2D-1	\$28,180	2	Full	Stainless Steel	3000	13	230 L14-20P
	HIS-2D-1-GD	\$30,020	2	Full	Glass	3000	13	230 L14-20P

STANDARD ROLL-THRU	MODEL	LIST PRICE	DOORS			HEATER WATTS	AMPS	VOLTAGE AND NEMA PLUG
			#	SIZE	MATERIAL			
ONE SECTION 36 1/2" X 40 1/8" X 84 1/2" 36.2 cubic ft capacity	HIS-1D-1-PT	\$24,980	2	Full	Stainless Steel	1500	6.8	230 L14-20P
TWO SECTIONS 68 7/8" X 40 1/8" X 84 1/2" 72.4 cubic ft capacity	HIS-2D-1-PT	\$35,140	4	Full	Stainless Steel	3000	13	230 L14-20P
	HIS-2D-1-PT-GD	\$36,975	4	Full	Glass	3000	13	230 L14-20P

EXTRA HIGH ROLL-IN	MODEL	LIST PRICE	DOORS			HEATER WATTS	AMPS	VOLTAGE AND NEMA PLUG
			#	SIZE	MATERIAL			
ONE SECTION 36 1/2" X 36 1/2" X 90" 33.6 cubic ft capacity	HIS-1D-1-XH	\$21,500	1	Full	Stainless Steel	1500	6.8	230 L14-20P
TWO SECTIONS 68 7/8" X 36 1/2" X 90" 72.6 cubic ft capacity	HIS-2D-1-XH	\$29,575	2	Full	Stainless Steel	3000	13	230 L14-20P
	HIS-2D-1-XH-GD	\$31,420	2	Full	Glass	3000	13	230 L14-20P

EXTRA HIGH ROLL-THRU	MODEL	LIST PRICE	DOORS			HEATER WATTS	AMPS	VOLTAGE AND NEMA PLUG
			#	SIZE	MATERIAL			
ONE SECTION 36 1/2" X 40 1/8" X 90" 38.1 cubic ft capacity	HIS-1D-1-PT-XH	\$26,295	2	Full	Stainless Steel	1500	6.8	230 L14-20P
TWO SECTIONS 68 7/8" X 40 1/8" X 90" 77.3 cubic ft capacity	HIS-2D-1-PT-XH	\$35,150	4	Full	Stainless Steel	3000	13	230 L14-20P


STANDARD



ULTRASPEC OPTIONS

- ↳ For aluminum interior, change HIS to HISA.
- ↳ UltraGlass Doors not available on roll-in or roll-thru models

EXTRA HIGH







ULTRASPEC® DUAL TEMPS

As kitchen layouts continue to occupy smaller footprints, within the Victory Ultraspec series lies an often overlooked solution.

Dual temp units offer the flexibility to have both a refrigerator and freezer without needing the space for two stand-alone pieces of equipment.

By combining two units into one, with separate compartments and refrigeration systems, the Victory Ultraspec dual temp models are a great advantage for kitchens large and small.

ULTRASPEC®

DUAL TEMP \ REFRIGERATOR-FREEZER \ REFRIGERATOR-WARMER

FEATURES

Many times, kitchens simply don't have space for stand alone refrigerators and freezers. Victory solved that problem by introducing a line of Ultraspec dual temp units. Available in multiple sections and door configurations, the dual temp units have an insulated partition wall to make two separate compartments.

Available in a stainless steel exterior and interior or stainless steel exterior with an aluminum interior, both options feature heavy-duty, 20-gauge stainless steel door with a stay-open feature for easy product loading. Set on cam-lift hinges, and with a stainless steel interior liner, each door has a one-piece, snap-in magnetic door gasket. The low-profile handles and cylinder lock offer a stylish look without compromising functionality.

Each dual temp model has two full electronic controls with a touchpoint interface, allowing for easy selections and a clear temperature displays. These easy-to-use controls also features a manager's lockout function-allowing for specific temperature control and reducing inadvertent changes to the settings.

By utilizing two variable speed compressors, the motors adapt their speed based on demand, thus providing maximum efficiency and reduced energy consumption. All dual temp Ultraspec units utilize expansion valve technology, allowing the refrigeration systems to automatically adjust for the proper amount of refrigerant needed. The epoxy-coated coils are located out of the food zone allowing full use of the internal cabinet. Additionally, the Ultraspec dual temp units offer a hinged front shroud, for ease of service.

Each model comes standard with adaptive defrost, a feature that will reduce energy consumption by only going into defrost when necessary. This allows for more consistent temperature stratification and quicker cabinet pull down. Refrigerator models are capable of maintaining product temperatures of 36°F to 38°F. Freezer models maintain temperatures of -10°F. Warmer models have operating temperatures ranging from 80°F - 180°F.

WARRANTIES

7 YEAR Parts & Labour Warranty

7 YEAR Compressor Warranty

LIFETIME Warranty on Handles and Hinges

2 YEAR Warranty on Gaskets

ACCESSORIES

Exterior Door Laminate

Correctional Packages

Additional Shelves: Heavy Duty Epoxy Coated, Silver Freeze, or Stainless Steel

Full list of accessories on page 120

CERTIFICATIONS



Please refer to energystar.gov to view the most up-to-date product listing and performance data



	STANDARD	OPTIONS
SHELVING:	Heavy Duty Silver Freeze Wire Shelves Which Accommodate 18 X 26 Pans	Adjustable Tray Slide Kits or Order a Combination of Shelves and Kits to Use in Our Exclusive MODULAR Interiors: Type A Tray Slide Kit Accommodates (1) 18 X 26 Sheet Pan or (2) 14 X 18 Sheet Pans per Pair Type A/C Universal Tray Slide Kit Accommodates (1) 18 X 26 Sheet Pan, (2) 14 X 18 or (2) 12 X 20 Sheet Pans Per Pair
EXTERIOR:	Stainless Steel	Stainless steel Back with Rear Grille (N/A for Roll-In/Thru)
INTERIOR:	Stainless Steel	Aluminum
DOORS:	20-Gauge Heavy-Duty Doors featuring a modern, upscale look	Glass doors or UltraGlass doors
REFRIGERATION SYSTEM:	Two high-performance, top-mount refrigeration system uses R290 refrigerant to comply with all environmental concerns. Refrigerators maintain 36°F – 38°F; Freezers maintain -10°F.	FlexTemp Models Maintain Between 28–38°F Remote Models: (legs only) Refrigerant must be specified at time of order
MOUNTING:	6" Legs	6" Casters or 3" Casters; No Charge at Time of Unit Order (N/A for Roll-In/Thru) Seismic/Flanged Legs 6" Stainless Steel Kick Plate (N/A for Roll-In/Thru)



ULTRASPEC®

DUAL TEMP

REFRIGERATOR-FREEZER

STANDARD WIDTH REACH-IN	MODEL	LIST PRICE	DOORS			NET CAPAC-ITY	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
			#	SIZE	MATERIAL					
TOP/BOTTOM SECTIONS 26 1/2" X 34 7/8" X 84 1/4" 4 shelves	RFS-1D-S1-HD-HC	\$31,035	2	Half	Stainless Steel	R: 8.99 F: 8.99	R: 1/6 F: 1/2	R: 3 F: 7	R: 1094 F: 1865 not VST	(2) 115/60/1 (2) 5-15p
TWO SECTIONS 52 1/8" X 34 7/8" X 84 1/4" 6 shelves	RFS-2D-S1-HC	\$36,210	2	Full	Stainless Steel	R: 21.01 F: 21.01	R: 1/3 F: 3/4	R: 6.5 F: 9.1	R: 2800 F: 2450	(2) 115/60/1 (2) 5-15p
	RFS-2D-S1-HD-HC	\$36,855	4	Half	Stainless Steel					

STANDARD WIDTH PASS-THRU	MODEL	LIST PRICE	DOORS			NET CAPAC-ITY	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
			#	SIZE	MATERIAL					
TWO SECTIONS 52 1/8" X 38 3/4" X 84 1/4" 6 shelves	RFS-2D-S1-PT-HC	\$42,190	4	Full	Stainless Steel	R: 22.9 F: 22.9	R: 1/3 F: 3/4	R: 6.5 F: 9.1	R: 2800 F: 2450	(2) 115/60/1 (2) 5-15p
	RFS-2D-S1-PT-HD-HC	\$43,415	8	Half	Stainless Steel					

EXTRA WIDE REACH-IN	MODEL	LIST PRICE	DOORS			NET CAPAC-ITY	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
			#	SIZE	MATERIAL					
TOP/BOTTOM SECTIONS 31 1/4" X 34 7/8" X 84 1/4" 4 shelves	RFS-1D-S1-EW-HD-HC	\$37,500	2	Half	Stainless Steel	R: 10.2 F: 10.2	R: 1/6 F: 1/2	R: 3 F: 7	R: 1094 F: 1865 not VST	(2) 115/60/1 (2) 5-15p
TWO SECTIONS 58 3/8" X 34 7/8" X 84 1/4" 6 shelves	RFS-2D-S1-EW-HC	\$36,855	2	Full	Stainless Steel	R: 24.08 F: 24.08	R: 1/3 F: 3/4	R: 6.5 F: 9.1	R: 2800 F: 2450	(2) 115/60/1 (2) 5-15p
	RFS-2D-S1-EW-HD-HC	\$38,795	4	Half	Stainless Steel					

EXTRA WIDE PASS-THRU	MODEL	LIST PRICE	DOORS			NET CAPAC-ITY	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
			#	SIZE	MATERIAL					
TWO SECTIONS 58 3/8" X 38 3/4" X 84 1/4" 6 shelves	RFS-2D-S1-EW-PT-HC	\$44,590	4	Full	Stainless Steel	R: 26.06 F: 26.06	R: 1/3 F: 3/4	R: 6.5 F: 9.1	R: 2800 F: 2450	(2) 115/60/1 (2) 5-15p
	RFS-2D-S1-EW-PT-HD-HC	\$47,065	8	Half	Stainless Steel					

REFRIGERATOR-WARMER

EXTRA WIDE REACH-IN	MODEL	LIST PRICE	DOORS			NET CAPAC-ITY	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
			#	SIZE	MATERIAL					
TOP/BOTTOM SECTIONS 31 1/4" X 34 7/8" X 84 1/4" 4 shelves	HRS-1D-S1-EW-HD-HC	\$30,635	2	Half	Stainless Steel	R: 10.1 W: 10.1	R: 1/3 W: N/A	R: 7.5 W: 3.7	R: 1800 W: N/A	R: 115, 5-15p W: 230, 6-20p
TWO SECTIONS 58 3/8" X 34 7/8" X 84 1/4" 6 shelves	HRS-2D-S1-EW-HC	\$33,650	2	Full	Stainless Steel	R: 23.8 W: 23.8	R: 1/3 W: N/A	R: 6.5 W: 3.7	R: 2800 W: N/A	R: 115, 5-15p W: 230, 6-20p
	HRS-2D-S1-EW-HD-HC	\$34,715	4	Half	Stainless Steel					

EXTRA WIDE PASS-THRU	MODEL	LIST PRICE	DOORS			NET CAPAC-ITY	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
			#	SIZE	MATERIAL					
TWO SECTIONS 58 3/8" X 38 3/4" X 84 1/4" 6 shelves	HRS-2D-S1-EW-PT-HC	\$36,810	4	Full	Stainless Steel	R: 25.6 W: 25.6	R: 1/3 W: N/A	R: 6.5 W: 3.7	R: 2800 W: N/A	R: 115, 5-15p W: 230, 6-20p
	HRS-2D-S1-EW-PT-HD-HC	\$39,290	8	Half	Stainless Steel					



**ADAPTIVE
DEFROST**
R290
((TXV))

RFS


ULTRASPEC OPTIONS

- ☞ For aluminum interior, change RFS to RFSA.
- ☞ For Ultra Glass full doors, change G to UG.
- ☞ For Ultra Glass half doors, change HG to HD-UG.

STANDARD WIDTH AND DEPTH (RFS MODELS)



EXTRA WIDE, STANDARD DEPTH (RFS AND HRS MODELS)




HRS

ULTRASPEC OPTIONS

- ☞ For aluminum interior, change HRS to HRSA.
- ☞ For Ultra Glass full doors, change G to UG.
- ☞ For Ultra Glass half doors, change HG to HD-UG.

SIDE VIEW OF REACH-IN AND PASS-THRU (RFS AND HRS MODELS)







ELITE SERIES REFRIGERATORS FREEZERS AND WARMING CABINETS



The Victory Elite® lineup of top-mounted refrigerators, freezers, and warming cabinets bridge the often overlooked gap between the commodity and high-end units on the market.

Packing high performance, numerous key features, and an attractive, modern appearance, the Elite Series is a very appealing option for any foodservice operation.

The Elite series offers the same quality and functionality of a Victory unit at an excellent value.

ELITE SERIES

REFRIGERATORS \ FREEZERS \ WARMING CABINETS

FEATURES

The Victory Elite® series of refrigerators, freezers and warming cabinets offer a solid set of features for an excellent value. The Elite series come with a stainless steel front, aluminum interior and gray-coated sides and are available with solid or glass doors, in full or half door sections for refrigerators and freezers. Warming cabinets are only available with full, solid doors. Set on cam-lift hinges, each door has a one-piece, snap-in magnetic door gasket and solid doors are field reversible. The low-profile handles and cylinder lock offer a stylish look without compromising functionality. Featuring a full electronic control with a one-touch defrost and digital display, the Victory Elite series offers ease of use with quick temperature adjustments.

In the refrigerator and freezer units, the high-performance, top-mount refrigeration system uses R290 refrigerant to comply with all environmental concerns. By utilizing a variable speed compressor, the motor adapts its speed based on

demand, thus providing maximum efficiency and reduced energy consumption. All Elite series freezers utilize expansion valve technology, allowing the refrigeration system to automatically adjust for the proper amount of refrigerant needed. The epoxy-coated coil is located out of the food zone allowing full use of the internal cabinet.

Each each refrigerator and freezer model comes standard with adaptive defrost, a feature that will reduce energy consumption by only going into defrost when necessary. This allows for more consistent temperature stratification and quicker cabinet pull down. Refrigerator models are capable of maintaining product temperatures of 36°F to 38°F. Freezer models maintain temperatures of -10°F.

The warming cabinets feature safety-shielded heating elements, internal humidity control vents and an exterior mounted blower. Operating temperature can range from 80°F – 180°F.

WARRANTIES

7 YEAR Parts & Labour Warranty

7 YEAR Compressor Warranty

LIFETIME Warranty on Handles and Hinges (parts only)

2 YEAR Warranty on Gaskets

ACCESSORIES

Additional Shelves: Heavy Duty Epoxy Coated, Silver Freeze, or Stainless Steel

Full list of accessories on page 120

CERTIFICATIONS



Please refer to energystar.gov to view the most up-to-date product listing and performance data



	STANDARD	OPTIONS
SHELVING:	(3) Heavy Duty Epoxy Coated Shelves	Adjustable Tray Slide Kits: Type A Tray Slide Kit Accommodates (1) 18 X 26 Sheet Pan or (2) 14 X 18 Sheet Pans per Pair Type A/C Universal Tray Slide Kit Accommodates (1) 18 X 26 Sheet Pan, (2) 14 X 18 or (2) 12 X 20 Sheet Pans Per Pair
EXTERIOR:	Stainless steel front with continuous coil coated sides	Stainless steel front with stainless steel sides and/or stainless steel back
INTERIOR:	Corrosion resistant aluminum interior	Stainless steel
DOORS:	Stainless steel doors	Glass doors
BREAKER COVER:	None	Stainless steel
REFRIGERATION SYSTEM: (refrigerator /freezers)	High-performance, top-mount refrigeration system uses R290 refrigerant to comply with all environmental concerns. Refrigerators maintain 36°F – 38°F; Freezers maintain -10°F.	Remote Models: (legs only) Refrigerant must be specified at time of order
MOUNTING:	6" Casters	6" Legs or 3" Casters; No Charge at Time of Unit Order Seismic/Flanged Legs



ELITE SERIES

REFRIGERATORS \ FREEZERS


REFRIGERATORS	MODEL	LIST PRICE	DOORS			CUBIC FT CAPACITY	HP	AMPS	BTU/ HR	VOLTAGE AND NEMA PLUG
			#	SIZE	MATERIAL					
ONE SECTION 26" X 33 7/8" X 85" 3 shelves	VERSA-1D-SD-HC	\$10,690	1	Full	Stainless Steel	21.17	1/4	2.7	1702 not VST	115/60/1 5-15p
	VERSA-1D-HD-HC	\$11,175	2	Half	Stainless Steel	21.66	1/4	2.7	1702 not VST	
	VERSA-1D-GD-HC	\$11,865	1	Full	Glass					
	VERSA-1D-HG-HC	\$12,280	2	Half	Glass					
TWO SECTIONS 52" X 33 7/8" X 85" 6 shelves	VERSA-2D-SD-HC	\$13,905	2	Full	Stainless Steel	45.2	1/3	6.5	2800	115/60/1 5-15p
	VERSA-2D-HD-HC	\$14,560	4	Half	Stainless Steel	46.88	1/3	6.5	2800	
	VERSA-2D-GD-HC	\$15,470	2	Full	Glass					
	VERSA-2D-HG-HC	\$16,570	4	Half	Glass					
THREE SECTIONS 78" X 33 7/8" X 85" 9 shelves	VERSA-3D-SD-HC	\$18,430	3	Full	Stainless Steel	71.52	1/3	6.5	2800	115/60/1 5-15p
	VERSA-3D-HD-HC	\$19,615	6	Half	Stainless Steel	71.52	1/3	6.5	2800	
	VERSA-3D-GD-HC	\$20,815	3	Full	Glass					
	VERSA-3D-HG-HC	\$22,865	6	Half	Glass					

FREEZERS	MODEL	LIST PRICE	DOORS			CUBIC FT CAPACITY	HP	AMPS	BTU/ HR	VOLTAGE AND NEMA PLUG
			#	SIZE	MATERIAL					
ONE SECTION 26" X 33 7/8" X 85" 3 shelves	VEFSA-1D-SD-HC	\$12,085	1	Full	Stainless Steel	21.66	3/4	11	1927 not VST	115/60/1 5-15p
	VEFSA-1D-HD-HC	\$12,570	2	Half	Stainless Steel	21.66	3/4	11	1927 not VST	
	VEFSA-1D-GD-HC	\$15,695	1	Full	Glass					
	VEFSA-1D-HG-HC	\$18,050	2	Half	Glass					
TWO SECTIONS 52" X 33 7/8" X 85" 6 shelves	VEFSA-2D-SD-HC	\$16,115	2	Full	Stainless Steel	45.2	3/4+	10	2580 not VST	115/60/1 5-15p
	VEFSA-2D-HD-HC	\$16,725	4	Half	Stainless Steel	46.29	(2) 3/4	13.2	3854 not VST	115/60/1 5-20p
	VEFSA-2D-GD-HC	\$24,495	2	Full	Glass					
	VEFSA-2D-HG-HC	\$28,165	4	Half	Glass					
THREE SECTIONS 78" X 33 7/8" X 85" 9 shelves	VEFSA-3D-SD-HC	\$22,325	3	Full	Stainless Steel	69.1	(2) 3/4	13.2	3854 not VST	115/60/1 5-20p
	VEFSA-3D-HD-HC	\$23,105	6	Half	Stainless Steel	69.1	(2) 3/4	13.2	4900	
	VEFSA-3D-GD-HC	\$33,340	3	Full	Glass					
	VEFSA-3D-HG-HC	\$40,010	6	Half	Glass					



Freezers and 2 & 3 door refrigerators

STANDARD



ELITE SERIES


WARMING CABINETS \ REACH-IN

STANDARD WIDTH REACH-IN	MODEL	LIST PRICE	DOORS			HEATER WATTS	AMPS	VOLTAGE AND NEMA PLUG
			#	SIZE	MATERIAL			
ONE SECTION 26" X 33 7/8" X 84.5" 3 shelves cubic capacity: 21.17 sq ft	VEHSA-1D-SD	\$11,225	1	Full	Stainless Steel	1500	6.8	208/240 6-20P
TWO SECTIONS 52" X 33 7/8" X 84.5" 6 shelves cubic capacity: 45.04 sq ft	VEHSA-2D-SD	\$16,525	2	Full	Stainless Steel	3000	13	208/240 6-20P

STANDARD WIDTH PASS-THRU	MODEL	LIST PRICE	DOORS			HEATER WATTS	AMPS	VOLTAGE AND NEMA PLUG
			#	SIZE	MATERIAL			
ONE SECTION 26" X 37 3/8" X 84.5" 3 shelves cubic capacity: 21.17 sq ft	VEHSA-1D-PT-SD	\$15,480	2	Full	Stainless Steel	1500	6.8	208/240 6-20P



STANDARD







AIR CURTAINS



Service kitchens are always looking for solutions for safer, more efficient ways to increase production. Victory air curtains offer the cooling power and flexibility all in one machine.

Designed and built with service in mind, Victory air curtains offer up to 90 minutes of cooling power with doors open.

Whether it's a catering service or meal assembly, the Victory line of air curtains is an effective way to reduce service time, while still focusing on food safety.

AIR CURTAINS

REFRIGERATORS

FEATURES

With their stainless steel interior and exterior, the Victory air curtains feature heavy-duty, 20-gauge stainless steel door with a stay-open feature and a 270° door swing for easy product loading. Also available with a retractable, sliding door, both models have a one piece, snap-in magnetic door gasket and the stainless steel rear mounted push bar with rubbers bumpers make durable in harsh conditions.

The high-performance refrigeration system uses R290 refrigerant to comply with all environmental concerns.

Victory air curtains have a full electronic control with touchpoint interface, allowing for easy selections and a clear temperature display. This easy-to-use control also features a manager's lockout function-allowing for specific temperature control and reducing inadvertent changes to the settings.

The epoxy-coated coils are located out of the food zone allowing full use of the internal cabinet. Victory air curtains are capable of maintaining product temperatures at or below 41°F for up to 90 minutes with door open, when used as directed.

WARRANTIES

7 YEAR Parts & Labour Warranty

7 YEAR Compressor Warranty

LIFETIME Warranty on Handles and Hinges (parts only)

2 YEAR Warranty on Gaskets

ACCESSORIES

Exterior Door Laminate

Correctional Packages

Full list of accessories on page 120

CERTIFICATIONS



Please refer to energystar.gov to view the most up-to-date product listing and performance data




AIR CURTAINS	MODEL	LIST PRICE	DOORS			NET CAPACITY	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
			#	SIZE	MATERIAL					
REACH-IN 29" X 37 5/8" X 78 7/8" 15 tray slides	ACRS-1D-S1-HC	\$29,740	1	Full	Stainless Steel	13.6	3/4	8.3	4900	115/60/1 5-20p
	ACRS-1D-S1-G-HC	\$32,040	1	Full	Glass	13.6	3/4	8.3	4900	
PASS-THRU 29" X 38" X 78 7/8" 15 tray slides	ACRS-1D-S1-PT-HC	\$33,460	2	Full	Stainless Steel	15	3/4	8.3	4900	
PASS-THRU WITH SLIDE-AWAY DOOR 31 1/4" X 38 1/4" X 78 7/8" 15 tray slides	ACRS-1D-S1-PT-SD-HC	\$37,780	2	Full	Stainless Steel	15	3/4	8.3	4900	




	STANDARD
SHELVING:	Fifteen Pair (15) Adjustable Stainless Steel Pan Slides
EXTERIOR:	Stainless Steel
INTERIOR:	Stainless Steel
DOORS:	20-Gauge Heavy-Duty Stainless Steel Door or Glass Door
REFRIGERATION SYSTEM:	Refrigeration System Uses R-290 Refrigerant To Comply With All Environmental Concerns and is Capable Of Maintaining Product Temperatures At Or Below 41 F For Up To 90 Minutes With Door Open, When Used As Directed.
MOUNTING:	6" Heavy-duty Casters




AIR CURTAINS




ACRS-1D-S1-HC
ACRS-1D-S1-PT-HC




ACRS-1D-S1-G-HC




REACH-IN



PASS-THRU



ACRS-1D-S1-PT-SD-HC



PASS-THRU





WINE REFRIGERATORS

Showcasing wine options is a great way to increase potential sales. By displaying wine at proper temperature, options are visible without the need for additional storage.

Featuring an adjustable wine thermostat and a digital display, Victory wine refrigerators are flexible enough for a wide range of styles and varietals.

With its sleek, stylish look, the Victory line of wine refrigerators is perfect fit for any front-of-the-house application.

WINE REFRIGERATORS

SINGLE-TEMP \ DUAL-TEMP

FEATURES

Available in one or two door sections, Victory wine refrigerators have stainless steel interior and exterior. Victory wine refrigerators feature a beveled glass door with stainless steel frame to showcase the selection of wine. The a stay-open feature and chrome plated wine racks make for easy product loading. Set on cam-lift hinges, each door has a one-piece, snap-in magnetic door gasket. The low-profile handles and cylinder lock offer a stylish look without compromising functionality.

Victory wine refrigerators feature a full electronic control with touchpoint interface allowing for easy selections and a clear temperature display. This easy-to-use control also features a manager's lockout function-allowing for specific temperature control and reducing inadvertent changes to the settings.

The high-performance, top-mount refrigeration system uses R290 refrigerant to comply with all environmental concerns. By utilizing a variable speed compressor, the motor adapts its speed based on demand, thus providing maximum

efficiency and reduced energy consumption. All Victory wine units utilize expansion valve technology, allowing the refrigeration system to automatically adjust for the proper amount of refrigerant needed. The epoxy-coated coil is located out of the food zone allowing full use of the internal cabinet. Additionally, the Victory wine refrigerators offers a hinged front shroud, for ease of service.

Each model comes standard with adaptive defrost, a feature that will reduce energy consumption by only going into defrost when necessary. This allows for more consistent temperature stratification and quicker cabinet pull down. Victory wine refrigerators maintain specific temperatures at any set point between 40°F – 60°F.

WARRANTIES

7 YEAR Parts & Labour Warranty

7 YEAR Compressor Warranty

LIFETIME Warranty on Handles and Hinges (parts only)

2 YEAR Warranty on Gaskets

ACCESSORIES

Full list of accessories on page 120

CERTIFICATIONS



Please refer to [Energystar.gov](http://energystar.gov) to view the most up-to-date product listing and performance data



	STANDARD	OPTIONS
SHELVING:	Fully Extendable Wine Racks	—
EXTERIOR:	Stainless Steel	Stainless steel Back with Rear Grille (N/A on Pass/Roll Thru)
INTERIOR:	Stainless Steel	—
DOORS:	UltraGlass Doors	—
REFRIGERATION SYSTEM:	High-performance, top-mount refrigeration system uses R290 refrigerant to comply with all environmental concerns. Refrigerators maintain 40°F – 60°F	Remote Models: (legs only) Refrigerant must be specified at time of order
MOUNTING:	6" Legs	6" Casters or 3" Casters; No Charge at Time of Unit Order Seismic/Flanged Legs 6" Stainless Steel Kick Plate



WINE REFRIGERATORS

SINGLE-TEMP \ DUAL-TEMP

SINGLE-TEMP	MODEL	LIST PRICE	DOORS			NET CAPAC-ITY	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
			#	SIZE	MATE-RIAL					
ONE SECTION 26 1/2" X 35" X 84 1/4" 7 pull-out shelves, 1 fixed	WC-1D-S1-HC	\$33,790	1	Full	Ultra Glass	21.5	1/3	6.5	2800	115/60/1 5-15p

DUAL-TEMP	MODEL	LIST PRICE	DOORS			NET CAPAC-ITY	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
			#	SIZE	MATE-RIAL					
TOP/BOTTOM SECTIONS 26 1/2" X 35" X 84 1/4" 6 pull-out shelves (3 top, 3 bottom)	WCDT-1D-S1-HC	\$43,125	2	Half	Ultra Glass	1: 8.1 2: 8.1	1: 1/3 2: 1/3	1: 6.5 2: 6.5	1: 2800 2: 2800	(2) 115/60/1 (2) 5-15p
TWO SECTIONS 52 1/8" X 35" X 84 1/4" 14 pull-out shelves, 2 fixed	WCDT-2D-S1-HC	\$58,445	2	Full	Ultra Glass	1: 21.5 2: 21.5	1: 1/3 2: 1/3	1: 6.5 2: 6.5	1: 2800 2: 2800	(2) 115/60/1 (2) 5-15p






ADAPTIVE
DEFROST

R290

((TXV))

SINGLE TEMP / DUAL-TEMP







MERCHANDISERS BOTTOM MOUNT

Combining elegance and function, these display refrigerators and freezers make a dramatic impact in front-of-the-house applications.

With their stylish design, glass door front and customizable color options, Victory's bottom-mount display models are perfect for high-end restaurants, corporate dining and universities alike.

With modern looks, functions and features, these display models bring refrigeration to the front-of-the-house.



MERCHANDISERS

BOTTOM MOUNT

FEATURES

With a modern, beveled glass door on a stainless steel door frame, stainless steel exterior, and customizable color options, Victory's bottom-mount display refrigerators and freezers are a great option for front-of-the-house application. Set on chrome lift-off hinges, with a one piece, snap-in, magnetic door gasket, each door has a stay-open feature for easy product loading and comes standard with a mechanical door lock. The low-profile handles and cylinder lock offer a stylish look without compromising functionality.

Victory display refrigerators and freezers feature a full electronic control allowing for easy selections and a clear temperature display. This easy-to-use control also

features a manager's lockout function—allowing for specific temperature control and reducing inadvertent changes to the settings.

Freezer models utilize expansion valve technology, allowing the refrigeration system to automatically adjust for the proper amount of refrigerant needed. The epoxy-coated coil is located out of the food zone allowing full use of the internal cabinet.

Refrigerator models are capable of maintaining product temperatures of 36°F to 38°F. Freezer models maintain temperatures of -10°F.

WARRANTIES

7 YEAR Parts & Labour Warranty

7 YEAR Compressor Warranty

LIFETIME Warranty on Handles and Hinges (parts only)

2 YEAR Warranty on Gaskets

ACCESSORIES

Additional Shelves: Heavy Duty Epoxy Coated

Correctional Packages

Electronic door locks

Full list of accessories on page 120

CERTIFICATIONS



Please refer to energystar.gov to view the most up-to-date product listing and performance data



	STANDARD	OPTIONS
SHELVING:	(5) Heavy Duty Epoxy Coated	—
EXTERIOR:	Stainless Steel	Stainless Steel Back with Rear Grilles Numerous powdercoat colors to choose from 
INTERIOR:	Aluminum	White, black, or stainless steel
DOORS:	UltraGlass	—
REFRIGERATION SYSTEM:	High-performance, bottom-mount refrigeration system uses R290 refrigerant to comply with all environmental concerns. Refrigerators maintain 36°F – 38°F; Freezers maintain -10°F.	FlexTemp Models Maintain Between 28–38°F Remote Models: (legs only) Refrigerant must be specified at time of order
MOUNTING:	6" Casters	6" Legs or 3" Casters; No Charge at Time of Unit Order Seismic/Flanged Legs



MERCHANDISERS



BOTTOM MOUNT

REFRIGERATORS	MODEL	LIST PRICE	DOORS			NET CAPAC-ITY	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
			#	SIZE	MATE-RIAL					
ONE SECTION 27 1/4" X 34 1/8" X 84" 5 shelves	LSR23HC-1	\$16,310	1	Full	Ultra Glass	23.1	1/4	3.0	1479	115/60/1 5-15p
ONE SECTION 30" X 34 1/8" X 84" 5 shelves	LSR27HC-1	\$18,115	1	Full	Ultra Glass	26.17	1/4	3.0	1479	115/60/1 5-15p
TWO SECTIONS 52" X 34 1/8" X 84" 10 shelves	LSR49HC-1	\$21,725	2	Full	Ultra Glass	46.15	1/3	5.4	2392	115/60/1 5-15p
THREE SECTIONS 76" X 34 1/8" X 84" 15 shelves	LSR72HC-1	\$28,130	3	Full	Ultra Glass	69	1/2	6.2	3137	115/60/1 5-15p

FREEZERS	MODEL	LIST PRICE	DOORS			NET CAPAC-ITY	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
			#	SIZE	MATE-RIAL					
ONE SECTION 27 1/4" X 34 1/8" X 84" 5 shelves	LSF23HC-1	\$21,140	1	Full	Ultra Glass	22.5	3/4	7.5	1927	115/60/1 5-15p
ONE SECTION 30" X 34 1/8" X 84" 5 shelves	LSF27HC-1	\$23,955	1	Full	Ultra Glass	25.5	3/4	7.5	1927	115/60/1 5-15p
TWO SECTIONS 52" X 34 1/8" X 84" 10 shelves	LSF49HC-1	\$29,570	2	Full	Ultra Glass	46.1	1	11	2580	115/60/1 5-15p
THREE SECTIONS 76" X 34 1/8" X 84" 15 shelves	LSF72HC-5	\$42,340	3	Full	Ultra Glass	69	(2) 3/4	14	4324	230/60/1 L14-20P



STANDARD WIDTH AND DEPTH







MILK COOLERS

Available in 8, 12, and 16 crate capacities, these forced-air milk coolers combine a stylish design with the same function and durability as the rest of the Victory line.

Newly designed, specifically for high-volume service periods, Victory milk coolers are built for a lifetime of use.

With over 30 million school meals served daily, Victory's milk coolers are a perfect solution to any K-12 setting.



MILK COOLERS

REFRIGERATORS

FEATURES

Victory forced-air milk coolers feature a full stainless steel interior and exterior and are available in 8, 12, and 16 crate capacities in both single and dual access models. The one-piece reinforced floor ensures a lifetime of durability against constant loading of milk crates. Epoxy coated, steel wire racks offer added floor protection and increased air flow, while the flexible compression door gaskets ensure a tight seal for added temperature control.

These milk coolers have the same beveled edge design element known across the Victory line and feature an integrated, external thermometer

for real-time feedback about the temperature inside the cabinet. Pocket handles for ergonomic ease of use, and cylinder locks are standard features. Additionally, Victory milk coolers ship directly from the factory with casters installed and feature a bottom drain for connection to drain hose and easy cleaning.

The high-performance refrigeration system uses R290 refrigerant to comply with all environmental concerns and holds product between 36°F - 38°F until ready to serve.

WARRANTIES

7 YEAR Parts & Labour Warranty

7 YEAR Compressor Warranty

EXCLUSIVE 2 YEAR Warranty On Magnetic Door Gaskets

LIFETIME Warranty On Handles and Hinges (parts only)

ACCESSORIES

Corner Bumpers

Cafeteria Tray Slides

Graphics

Full list of accessories on page 120

CERTIFICATIONS



	STANDARD	OPTIONS
EXTERIOR:	Stainless Steel	-
INTERIOR:	Stainless Steel	-
REFRIGERATION SYSTEM:	High-performance refrigeration system uses R290 refrigerant to comply with all environmental concerns. Refrigerators maintain 36°F – 40°F Balanced, Forced-Air Refrigeration System Provides Rapid Chilling Of Product	-
MOUNTING:	Single-sided: 6" Heavy-Duty Plate Casters Dual-sided: 5" Heavy-Duty Plate Casters	4" Casters, or 6" Casters



MILK COOLERS

REFRIGERATORS


SINGLE SIDED	MODEL	LIST PRICE	CUBIC FEET	CASE CAPACITY 13 X 13 X 11"	CASE CAPACITY 19 X 13 X 11"	HP	AMPS	BTU/ HR	VOLTAGE AND NEMA PLUG
34" X 34 1/2" X 46 7/8"	VMCF34-1-S-HC	\$11,640	12.72	8	4	1/4	1.87	1110	115/60/1 5-15p
49" X 34 1/2" X 46 7/8"	VMCF49-1-S-HC	\$13,960	18.87	12	8	1/4	2.46	1851	115/60/1 5-15p
58" X 34 1/2" X 46 7/8"	VMCF58-1-S-HC	\$16,570	22.56	16	10	1/4	2.46	1851	115/60/1 5-15p

DUAL SIDED	MODEL	LIST PRICE	CUBIC FEET	CASE CAPACITY 13 X 13 X 11"	CASE CAPACITY 19 X 13 X 11"	HP	AMPS	BTU/ HR	VOLTAGE AND NEMA PLUG
49" X 35 7/8" X 47 5/8"	VMCFD49-1-S-HC	\$16,935	18.72	12	8	1/4	2.46	1851	115/60/1 5-15p
58" X 35 7/8" X 47 5/8"	VMCFD58-1-S-HC	\$18,725	22.54	16	10	1/4	2.46	1851	115/60/1 5-15p







FRONT VIEW: SINGLE SIDED




FRONT VIEW: DUAL SIDED



SIDE VIEW: SINGLE SIDED



SIDE VIEW: DUAL SIDED







CHEF BASES

Redesigned for better airflow, increased serviceability and maximum pan capacities, the Victory chef bases stand out amongst the competition.

Made to last with its reinforced, marine top and industry-leading drawer load ratings, Victory chef bases are sure to perform under extreme heat.

Even in the harshest conditions of a fast-paced kitchen, these Victory chef bases have the power and flexibility to excel.



CHEF BASES

REFRIGERATORS \ FREEZERS

FEATURES

Standard with a stainless steel exterior and galvanized back and bottom, the Victory chef bases feature a 16-gauge reinforced top that requires no additional heat shield. These chef bases come standard with a solid, marine edge top to prevent grease and grime from running down the side of the unit, extending the life of internal components.

The self-closing drawers offer a 275 lbs. load rating per drawer, have a one-piece, snap-in magnetic drawer gasket and offer a lifetime warranty on both drawers and drawer slides. Additionally, both upper and lower drawers accommodate 6-inch deep food service pans. With its full electronic control and digital temperature display, the Victory chef bases are ready for any kitchen.

The high-performance, side-mounted refrigeration system uses R290 refrigerant to comply with all environmental concerns. Additionally, the refrigeration system was designed to be completely serviceable from the front. Thus, eliminating the need to remove the top and greatly reducing equipment down time and service tech costs. The compressor compartment is available in alternative configurations when specified at the time of order.

With an epoxy-coated coil to help extend the life of the refrigeration system, each model comes standard with adaptive defrost, a feature that will reduce energy consumption by only going into defrost when necessary. This allows for more consistent temperature stratification and quicker cabinet pull down. Refrigerator models are capable of maintaining product temperatures of 36°F to 38°F. Freezer models maintain temperatures of -10°F

WARRANTIES

7 YEAR Parts & Labour Warranty

7 YEAR Compressor Warranty

EXCLUSIVE 2 YEAR Warranty On Magnetic Door & Drawer Gaskets

LIFETIME Warranty On Handles, Drawers & Drawer Slides (parts only)

ACCESSORIES

Drawer Locks

Additional Pan Supports

Correctional Packages

Full list of accessories on page 120

CERTIFICATIONS



	STANDARD	OPTIONS
TOPS:	Marine top	–
EXTERIOR:	Stainless Steel with galvanized back and bottom	Stainless Steel with Stainless Steel Back
INTERIOR:	Aluminum	Stainless Steel
REFRIGERATION SYSTEM:	High-performance refrigeration system uses R290 refrigerant to comply with all environmental concerns. Refrigerators maintain 36°F – 38°F; Freezers maintain -10°F.	Remote Models: (legs only) Refrigerant must be specified at time of order
COMPRESSOR LOCATION:	Right side	Left side
MOUNTING:	3" Heavy-Duty Casters	6" Casters, 6" Legs, or 6" Seismic Legs




CHEF BASES

REFRIGERATORS \ FREEZERS

REFRIGERATOR	MODEL	LIST PRICE	OVERALL WIDTH	CUBIC FEET	DRAWER # / SIZE	FULL SIZE PAN CAPACITY	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
DEPTH: 34 3/4" HEIGHT: 24 3/8"	CBR36HC	\$17,260	36"	5.64	2 small	4	1/6	1.7	1110	115/60/1 5-15p
	CBR48HC	\$18,615	48"	8.59	2 medium	4	1/6	1.7	1110	
	CBR52HC	\$19,555	52"	9.58	2 large	6	1/6	1.7	1110	
	CBR60HC	\$20,655	60"	11.55	2 x-large	6	1/6	1.7	1110	
	CBR72HC	\$23,665	72"	14.51	4 medium	8	1/3	5	2870	
	CBR84HC	\$26,775	84"	17.46	2 x-large & 2 medium	10	1/3	5	2870	
	CBR96HC	\$28,380	96"	20.42	4 large	8	1/3	5	2870	
	CBR112HC	\$33,915	112"	24.36	4 medium & 2 large	14	1/3	5	2870	

FREEZER	MODEL	LIST PRICE	OVERALL WIDTH	CUBIC FEET	DRAWER # / SIZE	FULL SIZE PAN CAPACITY	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
DEPTH: 34 3/4" HEIGHT: 24 3/8"	CBF36HC	\$19,710	36"	5.64	2 small	4	1/2	4.50	1268	115/60/1 5-15p
	CBF48HC	\$19,710	48"	8.59	2 medium	4	1/2	4.50	1268	
	CBF52HC	\$21,745	52"	9.58	2 large	6	1/2	4.50	1268	
	CBF60HC	\$23,445	60"	11.55	2 x-large	6	3/4	6.50	2312	
	CBF72HC	\$26,500	72"	14.51	4 medium	8	3/4	6.50	2312	
	CBF84HC	\$29,900	84"	17.46	2 x-large & 2 medium	10	3/4	6.50	2312	
	CBF96HC	\$31,695	96"	20.42	4 large	8	3/4	6.50	2312	


DRAWER SIZE & PAN CONFIGURATION




ADAPTIVE
DEFROST

R200


FRONT VIEW: REFRIGERATORS \ FREEZERS: 36" - 48" - 52"




FRONT VIEW: REFRIGERATORS \ FREEZERS: 60" - 72"




FRONT VIEW: REFRIGERATORS \ FREEZERS: 84" - 96"



FRONT VIEW: REFRIGERATOR: 112"



SIDE VIEW: ALL



CHEF BASE OPTIONS

↳ For left-side compressor placement, add -ALT to model #





SANDWICH PREP TABLES

As more food service operations expand, efficient food preparation and easy storage of ingredients is essential.

Built to last with a stainless steel exterior, heavy-duty pan liner and insulated lid, Victory sandwich prep tables are available in a standard or mega top with additional pan capacity.

With a multitude of configurations and industry-leading performance, these sandwich prep tables have the flexibility to be a perfect fit in any kitchen.



SANDWICH PREP TABLES

STANDARD TOP \ MEGA TOP

FEATURES

Victory sandwich prep tables come standard with a stainless steel exterior, aluminum interior and a galvanized back and bottom. The heavy-duty pan liner prevents spills from getting into the interior cabinet and makes clean up a breeze. Utilizing an insulated, flat lid, these sandwich prep units are streamlined to reduce the footprint in the kitchen.

Available in door or drawer configurations, door models are set on cartridge style hinges, with a stay-open feature for easy product loading. Both pan opening and lower drawers (drawer units) accommodate 6-inch deep food service pans with locking divider bars and a removable 10-inch cutting board for quick and easy cleaning. Door and drawer configurations have a one-piece, snap in gasket.

Low-profile handles and beveled door and drawer faces offer a stylish look without compromising functionality. Featuring a full electronic control with a one-touch defrost and digital display, the Victory sandwich prep tables offer ease of use with quick temperature adjustments.

The high-performance, rear-mounted refrigeration system uses R290 refrigerant to comply with all environmental concerns. With an epoxy-coated coil to help extend the life of refrigeration system, each model comes standard with adaptive defrost, a feature that will reduce energy consumption by clearing the coil of ice buildup as needed. This allows for more consistent temperature stratification and quicker cabinet pull down. Victory sandwich prep tables are capable of maintaining product temperatures of 36°F to 38°F.

WARRANTIES

7 YEAR Parts & Labour Warranty

7 YEAR Compressor Warranty

EXCLUSIVE 2 YEAR Warranty
On Door & Drawer Gaskets

LIFETIME Warranty On Handles,
Hinges, Drawers & Drawer Slides
(parts only)

ACCESSORIES

Garnish Rack (Full or half pans)

Crumb Catcher (Front or side)

Bottle Divider Kit

12" Cross Bar

Single/Double Overshelf Kit
(requires roll-top cover)

Full list of accessories on page 120

CERTIFICATIONS



	STANDARD	OPTIONS
EXTERIOR:	Stainless Steel with galvanized back and bottom	Stainless Steel with Stainless Steel Back
INTERIOR:	Aluminum	Stainless Steel
REFRIGERATION SYSTEM:	High-performance refrigeration system uses R290 refrigerant to comply with all environmental concerns. Refrigerators maintain 36°F – 38°F.	Remote Models: (legs only) Refrigerant must be specified at time of order
CUTTING BOARD:	10-inch Reversible	10-inch Composite
COVER:	Hinged, Insulated Flat Lid	Lift-off Lid Roll-top Cover
TOP:	Standard Top with two rows of pans	Mega Top with three rows of pans
MOUNTING:	6" Casters	6" Legs, 6" Seismic Legs, 3" Casters, Roller Kit, or Low-Profile Casters

pans not included




SANDWICH PREP TABLES


STANDARD TOP

STANDARD TOP	MODEL	LIST PRICE	DOORS	SHELVES	DRAWERS	1/6 PANS ON TOP	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
27" x 32 7/8" x 50 1/8" 6.77 cubic ft capacity	VSP27HC-08	\$9,360	1	2	0	8	1/10	2	1110	115/60/1 5-15p
	VSPD27HC-08-2	\$12,500	0	0	2					
36" x 32 7/8" x 50 1/8" 10 cubic ft capacity	VSP36HC-10	\$11,405	1	2	0	10	1/6	2.2	1094	115/60/1 5-15p
	VSPD36HC-10-2	\$15,400	0	0	2					
48" x 32 7/8" x 50 1/8" 13 cubic ft capacity	VSP48HC-12	\$12,590	2	4	0	12	1/6	2	1094	115/60/1 5-15p
	VSPD48HC-12-2	\$16,340	1	2	2					
	VSPD48HC-12-4	\$20,250	0	0	4					
60" x 32 7/8" x 50 1/2" 16 cubic ft capacity	VSP60HC-16	\$14,665	2	4	0	16	1/3	5.4	2291	115/60/1 5-15p
	VSPD60HC-16-2	\$18,505	1	2	2					
	VSPD60HC-16-4	\$22,070	0	0	4					
72" x 32 7/8" x 50 1/8" 20 cubic ft capacity	VSP72HC-18	\$17,110	3	6	0	18	1/3	5.4	2291	115/60/1 5-15p
	VSPD72HC-18-2	\$20,950	2	4	2					
	VSPD72HC-18-4	\$25,135	1	2	4					
	VSPD72HC-18-6	\$29,330	0	0	6					


TOP PAN CONFIGURATIONS / DRAWER CONFIGURATIONS




VSP27/VSPD27-08




VSP36/VSPD36-10




VSP48/VSPD48-12




VSP60/VSPD60-16




VSP72/VSPD72-18



VSPD27HC-08-2
VSPD60HC-16-2
VSPD60HC-16-4




VSPD36HC-10-2









VSPD48HC-12-2
VSPD48HC-12-4
VSPD72HC-18-2
VSPD72HC-18-4
VSPD72HC-18-6

ADAPTIVE
DEFROST

R290



HEIGHT AND DEPTH FOR STANDARD TOP





SANDWICH PREP TABLES


MEGA TOP

MEGA TOP	MODEL	LIST PRICE	DOORS	SHELVES	DRAWERS	1/6 PANS ON TOP	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
27" x 38 3/8" x 57 1/8" 6.9 cubic ft capacity	VSP27HC-12B	\$9,310	1	2	0	12	1/10	2	1110	115/60/1 5-15p
	VSPD27HC-12B-2	\$13,170	0	0	2					
36" x 38 3/8" x 57 1/8" 10 cubic ft capacity	VSP36HC-15B	\$12,520	1	2	0	15	1/6	2.2	1094	115/60/1 5-15p
	VSPD36HC-15B-2	\$16,670	0	0	2					
48" x 38 3/8" x 57 1/8" 13 cubic ft capacity	VSP48HC-18B	\$13,675	2	4	0	18	1/6	2	1094	115/60/1 5-15p
	VSPD48HC-18B-2	\$17,500	1	2	2					
	VSPD48HC-18B-4	\$21,160	0	0	4					
60" x 38 3/8" x 57 1/8" 16 cubic ft capacity	VSP60HC-24B	\$16,065	2	4	0	24	1/3	5.4	2291	115/60/1 5-15p
	VSPD60HC-24B-2	\$19,480	1	2	2					
	VSPD60HC-24B-4	\$23,395	0	0	4					
72" x 38 3/8" x 57 1/8" 20 cubic ft capacity	VSP72HC-30B	\$18,505	3	6	0	30	1/3	5.4	2291	115/60/1 5-15p
	VSPD72HC-30B-2	\$22,280	2	4	2					
	VSPD72HC-30B-4	\$26,190	1	2	4					
	VSPD72HC-30B-6	\$30,095	0	0	6					


TOP PAN CONFIGURATIONS / DRAWER CONFIGURATIONS



VSPD27HC-12B-2
VSPD60HC-24B-2
VSPD60HC-24B-4




VSPD36HC-15B-2



VSPD48HC-18B-2
VSPD48HC-18B-4
VSPD72HC-30B-2
VSPD72HC-30B-4
VSPD72HC-30B-6




VSP27HC-12B VSPD27HC-12B-2




HEIGHT AND DEPTH FOR MEGA TOP


Mega Tops have an extra row of pans on top, which increases their overall height and depth.




VSP36HC-15B VSPD36HC-15B-2




VSP48HC-18B VSP48HC-18B-2 VSP48HC-18B-4




VSP60HC-24B VSPD60HC-24B-2 VSPD60HC-24B-4



VSP72HC-30B VSPD72HC-30B-2



VSPD72HC-30B-4 VSPD72HC-30B-6







PIZZA PREP TABLES

As pizzas slide down the prep line, having easy access and ample space can help make for an efficient, streamlined setup.

Redesigned with more efficient air flow, the Victory pizza prep tables feature an ergonomic raised rail for easy accessibility.

The various sizes and configurations enable the Victory pizza prep tables to withstand the heat of the kitchen.

PIZZA PREP TABLES

FEATURES

Victory's pizza prep tables come standard with a stainless steel exterior, aluminum interior and a galvanized back and bottom. The 22-gauge stainless steel top holds a heavy-duty pan liner to prevent spills from getting into the interior cabinet and makes clean up a breeze. Utilizing an insulated, flat lid, these pizza preps units are streamlined to reduce the footprint in the kitchen.

Available in door or drawer configurations, door models are set on cartridge style hinges, with a stay-open feature for easy product loading. Door and drawer configurations have a one-piece, snap-in gasket. Both pan opening and lower drawers (drawer units) accommodate 6-inch deep food service pans with locking divider bars and a removable 19-inch cutting board for quick and easy cleaning.

Drawer units feature a heavy-duty drawer slide system with an impressive 275 lbs drawer load rating (per drawer).

Low-profile handles and beveled door and drawer faces offer a stylish look without compromising functionality. Featuring a

full electronic control with a one-touch defrost and digital display, the Victory pizza prep tables offer ease of use with quick temperature adjustments.

The high-performance, side-mounted refrigeration system uses R290 refrigerant to comply with all environmental concerns. Additionally, the refrigeration system was designed to be completely serviceable from the front. Thus, eliminating the need to remove the top and greatly reducing equipment down time and service tech costs. The compressor is available in alternative configurations when specified at the time of order.

With an epoxy-coated coil to help extend the life of refrigeration system, each model comes standard with adaptive defrost, a feature that will reduce energy consumption by clearing the coil of ice buildup as needed. This allows for more consistent temperature stratification and quicker cabinet pull down. Victory pizza prep tables are capable of maintaining product temperatures of 36°F to 38°F.

WARRANTIES

7 YEAR Parts & Labour Warranty

7 YEAR Compressor Warranty

EXCLUSIVE 2 YEAR Warranty
On Door & Drawer Gaskets

LIFETIME Warranty On Handles,
Hinges, Drawers & Drawer Slides
(parts only)

ACCESSORIES

Bun Tray Rack (per door)

Silver Freeze Shelves

Single/Double Overshelf Kit

Door locks

Night covers

Full list of accessories on page 120

CERTIFICATIONS



	STANDARD	OPTIONS
EXTERIOR:	Stainless Steel with galvanized back and bottom	Stainless Steel with Stainless Steel Back
INTERIOR:	Aluminum	Stainless Steel
SHELVING : (for units with doors)	Epoxy Coated Shelves (2 per section)	Tray Slide Pair, 1 Tray Slide Set For (1) 18" x 26" or (2) 14" x 18" Pans (A)
REFRIGERATION SYSTEM:	High-performance refrigeration system uses R290 refrigerant to comply with all environmental concerns. Refrigerators maintain 36°F – 38°F.	Remote Models: (legs only) Refrigerant must be specified at time of order
COMPRESSOR LOCATION:	Right side	Left side
MOUNTING:	3" Casters	6" Legs, 6" Seismic Legs, or 6" Casters,

pans not included




PIZZA PREP TABLES

REFRIGERATORS	MODEL	LIST PRICE	DOORS	SHELVES	DRAWERS	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG	DOOR/DRAWER ORIENTATION
46" x 53 3/8" x 37" 12.02 cubic ft capacity	VPP46HC	\$14,650	1	2	0	1/2	4.5	2940	115/60/1 5-15p	
	VPPD46HC-2	\$18,850	0	0	2					
	VPPD46HC-3	\$19,380	0	0	3					
60" x 53 3/8" x 37" 17.76 cubic ft capacity	VPP60HC	\$20,740	2	4	0	1/2	4.5	2940	115/60/1 5-15p	
	VPPD60HC-2	\$21,865	0	0	2					
	VPPD60HC-3	\$22,395	0	0	3					
67" x 53 3/8" x 37" 20.68 cubic ft capacity	VPP67HC	\$20,850	2	4	0	1/2	4.5	2940	115/60/1 5-15p	
	VPPD67HC-2	\$24,885	1	2	2					
	VPPD67HC-3	\$25,415	1	2	3					
	VPPD67HC-4	\$29,190	0	0	4					
	VPPD67HC-6	\$29,725	0	0	6					
72" x 53 3/8" x 37" 22.77 cubic ft capacity	VPP72HC	\$23,325	2	4	0	1/2	4.5	2940	115/60/1 5-15p	
	VPPD72HC-2	\$28,210	1	2	2					
	VPPD72HC-3	\$28,740	1	2	3					
	VPPD72HC-4	\$29,275	0	0	4					
	VPPD72HC-6	\$29,805	0	0	6					
93" x 53 3/8" x 37" 31.54 cubic ft capacity	VPP93HC	\$28,260	3	6	0	1/2	7.8	4234	115/60/1 5-15p	
	VPPD93HC-2	\$31,535	2	4	2					
	VPPD93HC-3	\$31,740	2	4	3					
	VPPD93HC-4	\$31,950	1	2	4					
	VPPD93HC-6	\$34,910	0	0	6					
119" x 53 3/8" x 37" 42.2 cubic ft capacity	VPP119HC	\$38,435	4	8	0	1/2	7.8	4234	115/60/1 5-15p	
	VPPD119HC-2	\$39,235	3	6	2					
	VPPD119HC-3	\$39,770	3	6	3					
	VPPD119HC-4	\$40,300	2	4	4					
	VPPD119HC-6T	\$41,230	2	4	6					
	VPPD119HC-6	\$40,700	1	2	6					
	VPPD119HC-8	\$41,165	0	0	8					
	VPPD119HC-9	\$41,705	1	2	9					


ADAPTIVE
DEFROST

R200


VPP46HC FRONT AND TOP PAN VIEW




VPP60HC FRONT AND TOP PAN VIEW




VPP67HC FRONT AND TOP PAN VIEW




VPP72HC FRONT AND TOP PAN VIEW




VPP93HC FRONT AND TOP PAN VIEW



VPP119HC FRONT AND TOP PAN VIEW




HEIGHT AND DEPTH FOR PIZZA PREP TABLES





VPPD drawer units have the same width, height and depth as door units. See chart for door/drawer orientations.

DRAWER SIZE & DRAWER PAN CONFIGURATION FOR DRAWER UNITS



VPPD60

VPPD46
VPPD67
VPPD93
VPPD119

VPPD72



WORKTOP REFRIGERATORS AND FREEZERS

Ample food preparation space is crucial in all foodservice applications. Having one unit that combines prep space and cold storage is precisely what Victory worktop refrigerators and freezers accomplish.

Offering a stainless steel top, foamed-in-place backsplash and environmentally friendly refrigeration system, these worktop units keep kitchens running efficiently throughout the day.

Victory worktop units are constructed with durable materials and are offered in various configurations to give the end user numerous options required to fit their workspace needs.



WORKTOPS

REAR MOUNT \ SIDE MOUNT \ REFRIGERATORS \ FREEZERS

FEATURES

With a 4-inch foamed-in-place stainless steel backsplash, Victory worktop units come standard with a stainless steel exterior, aluminum interior and a galvanized back and bottom. Available in door or drawer configurations, door models are set on cartridge style hinges, with a stay-open feature for easy product loading. Both door and drawer configurations have a one-piece, snap in gasket. Drawer units, both upper and lower, accommodate 6-inch deep food service pans. The low-profile handles and beveled door and drawer faces offer a stylish look without compromising functionality. Featuring a full electronic control with a one-touch defrost and digital display, the Victory worktop models offer ease of use with quick temperature adjustments.

The high-performance refrigeration system uses R290 refrigerant to comply with all environmental concerns. Both side and rear mounted refrigeration system are available, giving the end user the flexibility to utilize the models that best fits their kitchen needs. With an epoxy-coated coil to help extend the life of refrigeration system, each model comes standard with adaptive defrost, a feature that will reduce energy consumption by only going into defrost when necessary. This allows for more consistent temperature stratification and quicker cabinet pull down. Refrigerator models are capable of maintaining product temperatures of 36°F to 38°F. Freezer models maintain temperatures of -10°F.

WARRANTIES

7 YEAR Parts & Labour Warranty

7 YEAR Compressor Warranty

EXCLUSIVE 2 YEAR Warranty
On Door & Drawer Gaskets

LIFETIME Warranty On Handles,
Hinges, Drawers & Drawer Slides
(parts only)

ACCESSORIES

Door/Drawer Locks

Custom Cutting Board

Single/Double Overshelf Kit

Tray Slides

Bun Rack

Correctional Packages

Full list of accessories on page 120

CERTIFICATIONS



Please refer to
Energystar.gov
to view the most
up-to-date product
listing and
performance data



	STANDARD	OPTIONS
EXTERIOR:	Stainless Steel with galvanized back and bottom	Stainless Steel with Stainless Steel Back
INTERIOR:	Aluminum	Stainless Steel
REFRIGERATION SYSTEM:	High-performance refrigeration system uses R290 refrigerant to comply with all environmental concerns. Refrigerators maintain 36°F – 38°F; Freezers maintain -10°F.	Remote Models: (legs only) Refrigerant must be specified at time of order
MOUNTING:	6" Casters	6" Legs, 6" Seismic Legs, 3" Casters, Roller Kit, or Low-Profile Casters



pans not included


WORKTOPS

REAR MOUNT \ REFRIGERATORS \ FREEZERS \


REFRIGERATORS	MODEL	LIST PRICE	DOORS	SHELVES	DRAWERS	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
27" x 32 7/8" x 39 5/8" 6.15 cubic ft capacity	VWR27HC	\$7,265	1	2	0	1/10	2	1110	115/60/1 5-15p
	VWRD27HC-2	\$10,895	0	0	2				
32" x 32 7/8" x 39 5/8" 7.2 cubic ft capacity	VWR32HC	\$8,440	1	2	0	1/6	2	1110	115/60/1 5-15p
	VWRD32HC-2	\$10,880	0	0	2				
36" x 32 7/8" x 39 5/8" 8.5 cubic ft capacity	VWR36HC	\$9,615	1	2	0	1/6	2	1094	115/60/1 5-15p
	VWRD36HC-2	\$13,520	0	0	2				
48" x 32 7/8" x 39 5/8" 11.82 cubic ft capacity	VWR48HC	\$10,455	2	4	0	1/6	2	1094	115/60/1 5-15p
	VWRD48HC-2	\$13,715	1	2	2				
	VWRD48HC-4	\$17,130	0	0	4				
60" x 32 7/8" x 39 5/8" 14.75 cubic ft capacity	VWR60HC	\$11,615	2	4	0	1/5	3	1350	115/60/1 5-15p
	VWRD60HC-2	\$14,955	1	2	2				
	VWRD60HC-4	\$18,305	0	0	4				
72" x 32 7/8" x 39 5/8" 17.88 cubic ft capacity	VWR72HC	\$13,965	3	6	0	1/5	3	1350	115/60/1 5-15p
	VWRD72HC-2	\$17,460	2	4	2				
	VWRD72HC-4	\$20,520	1	2	4				
	VWRD72HC-6	\$24,150	0	0	6				

FREEZERS	MODEL	LIST PRICE	DOORS	SHELVES	DRAWERS	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
27" x 32 7/8" x 39 5/8" 5.87 cubic ft capacity	VWF27HC	\$8,335	1	2	0	1/4	2.5	857	115/60/1 5-15p
	VWFD27HC-2	\$10,940	0	0	2				
32" x 32 7/8" x 39 5/8" 7.2 cubic ft capacity	VWF32HC	\$10,195	1	2	0	1/3	4	1865	115/60/1 5-15p
	VWFD32HC-2	\$13,360	0	0	2				
36" x 32 7/8" x 39 5/8" 8.69 cubic ft capacity	VWF36HC	\$12,570	1	2	0	1/2	6	1865	115/60/1 5-15p
	VWFD36HC-2	\$14,245	0	0	2				
48" x 32 7/8" x 39 5/8" 11.04 cubic ft capacity	VWF48HC	\$14,245	2	4	0	1/2	7	1865	115/60/1 5-15p
	VWFD48HC-2	\$14,895	1	2	2				
	VWFD48HC-4	\$17,910	0	0	4				
60" x 32 7/8" x 39 5/8" 14.39 cubic ft capacity	VWF60HC	\$16,620	2	4	0	1/2	7	1865	115/60/1 5-15p
	VWFD60HC-2	\$21,305	1	2	2				
	VWFD60HC-4	\$22,435	0	0	4				


DRAWER SIZE & PAN CONFIGURATION FOR D UNITS



VWRD/VWFD 27, 32, & 60



VWRD/VWFD 36




VWRD/VWFD 48 & 72


**ADAPTIVE
DEFROST**

R200


**VWR27HC/VWF27HC VWRD27HC-2/VWF-
D27HC-2**




VWR32HC/VWF32HC VWRD32HC-2/VWFD32HC-2




**VWR36HC/VWF36HC VWRD36HC-2/VWF-
D36HC-2**




VWR48HC/VWF48HC




VWR48HC-2/VWF48HC-2




VWR48HC-4/VWF48HC-4




VWR60HC/VWF60HC




VWRD60HC-2/VWFD60HC-2




VWRD60HC-4/VWFD60HC-4




VWR72HC/VWF72HC




VWRD72HC-2/VWFD72HC-2



SIDE VIEW FOR ALL



VWRD72HC-4/VWFD72HC-4



VWRD72HC-6/VWFD72HC-6




WORKTOPS

SIDE MOUNT \ REFRIGERATORS \ FREEZERS

REFRIGERATORS	MODEL	LIST PRICE	DOORS	SHELVES	DRAWERS	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
46" x 34" x 39 1/2" 10.8 cubic ft capacity	VWR46HC	\$11,000	1	2	0	1/5	3	1350	115/60/1 5-15p
	VWRD46HC-2	\$14,910	0	0	2				
67" x 34" x 39 1/2" 18.97 cubic ft capacity	VWR67HC	\$13,705	2	4	0	1/5	3	1350	115/60/1 5-15p
	VWRD67HC-2	\$17,440	1	2	2				
	VWRD67HC-4	\$21,470	0	0	4				
93" x 34" x 39 1/2" 29.7 cubic ft capacity	VWR93HC	\$18,210	3	6	0	1/3	5	2630	115/60/1 5-15p
	VWRD93HC-2	\$22,035	2	4	2				
	VWRD93HC-4	\$25,880	1	2	4				
	VWRD93HC-6	\$29,850	0	0	6				
119" x 34" x 39 1/2" 40.12 cubic ft capacity	VWR119HC	\$25,035	4	8	0	1/3	5	2630	115/60/1 5-15p
	VWRD119HC-2	\$27,450	3	6	2				
	VWRD119HC-4	\$31,255	2	4	4				
	VWRD119HC-6	\$35,045	1	2	6				
	VWRD119HC-8	\$37,875	0	0	8				






FREEZERS	MODEL	LIST PRICE	DOORS	SHELVES	DRAWERS	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
67" x 34" x 39 1/2" 20.08 cubic ft capacity	VWF67HC	\$19,185	2	4	0	3/4	9	2312	115/60/1 5-15p


PAN CONFIGURATION FOR SIDE MOUNT WORKTOPS WITH DRAWERS



**ADAPTIVE
DEFROST**

R200





UNDERCOUNTER REFRIGERATORS AND FREEZERS

With their space-saving design, Victory undercounter refrigerators and freezers allow for additional cold storage without sacrificing counter space.

Built with a stainless steel exterior for durability and rear or side-mounted refrigeration system options, these units have the flexibility for any workspace.

With a variety of uses, Victory undercounters are perfect for applications in hotels, sporting venues and foodservice operations.



UNDERCOUNTERS

REAR MOUNT \ SIDE MOUNT \ REFRIGERATORS \ FREEZERS

FEATURES

Victory undercounter units come standard with a stainless steel exterior, aluminum interior and a galvanized back and bottom. The 1/2-inch sub-top ensures these undercounters easily fit under standard counters. Available in ADA heights with door or drawer configurations. Door models are set on cartridge style hinges, with a stay-open feature for easy product loading. Both door and drawer configurations have a one-piece, snap-in gasket. Drawer units, both upper and lower, accommodate 6-inch deep food service pans. The low-profile handles and beveled door and drawer faces offer a stylish look without compromising functionality. Featuring a full electronic control with a one-touch defrost and digital display, the Victory undercounter models offer ease of use with quick temperature adjustments.

The high-performance refrigeration system uses R290 refrigerant to comply with all environmental concerns. Both side and rear-mounted refrigeration systems are available, giving the end user the flexibility to utilize the models that best fits their kitchen needs. With an epoxy-coated coil to help extend the life of the refrigeration system, each model comes standard with adaptive defrost, a feature that will reduce energy consumption by only going into defrost when necessary. This allows for more consistent temperature stratification and quicker cabinet pull down. Refrigerator models are capable of maintaining product temperatures of 36°F to 38°F. Freezer models maintain temperatures of -10°F.

WARRANTIES

7 YEAR Parts & Labour Warranty

7 YEAR Compressor Warranty

EXCLUSIVE 2 YEAR Warranty
On Door & Drawer Gaskets

LIFETIME Warranty On Handles,
Hinges, Drawers & Drawer Slides
(parts only)

ACCESSORIES

Door/Drawer Locks

Custom Cutting Board

Single/Double Overshelf Kit

Tray Slides

Bun Rack

Correctional Packages

Full list of accessories on page 120

CERTIFICATIONS



Please refer to
Energystar.gov
to view the most
up-to-date product
listing and
performance data



	STANDARD	OPTIONS
EXTERIOR:	Stainless Steel with galvanized back and bottom	Stainless Steel with Stainless Steel Back
INTERIOR:	Aluminum	Stainless Steel
REFRIGERATION SYSTEM:	High-performance refrigeration system uses R290 refrigerant to comply with all environmental concerns. Refrigerators maintain 36°F – 38°F; Freezers maintain -10°F.	Remote Models: (legs only) Refrigerant must be specified at time of order
MOUNTING:	6" Casters	6" Legs, 6" Seismic Legs, 3" Casters, Roller Kit, or Low-Profile Casters



pans not included


UNDERCOUNTERS

REAR MOUNT \ REFRIGERATORS \ FREEZERS


REFRIGERATORS	MODEL	LIST PRICE	DOORS	SHELVES	DRAWERS	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
27" x 32 7/8" x 34 5/8" 6.15 cubic ft capacity	VUR27HC	\$7,055	1	2	0	1/10	2	1110	115/60/1 5-15p
	VURD27HC-2	\$10,615	0	0	2				
32" x 32 7/8" x 34 1/2" 7.22 cubic ft capacity	VUR32HC	\$8,090	1	2	0	1/6	2	1110	115/60/1 5-15p
	VURD32HC-2	\$10,805	0	0	2				
36" x 32 7/8" x 34 5/8" 8.5 cubic ft capacity	VUR36HC	\$9,125	1	2	0	1/6	2	1094	115/60/1 5-15p
	VURD36HC-2	\$13,135	0	0	2				
48" x 32 7/8" x 34 5/8" 11.82 cubic ft capacity	VUR48HC	\$10,145	2	4	0	1/6	2	1094	115/60/1 5-15p
	VURD48HC-2	\$13,500	1	2	2				
	VURD48HC-4	\$17,035	0	0	4				
60" x 32 7/8" x 34 5/8" 14.75 cubic ft capacity	VUR60HC	\$11,300	2	4	0	1/5	3	1350	115/60/1 5-15p
	VURD60HC-2	\$14,615	1	2	2				
	VURD60HC-4	\$17,965	0	0	4				
72" x 32 7/8" x 34 5/8" 17.88 cubic ft capacity	VUR72HC	\$13,550	3	6	0	1/5	3	1350	115/60/1 5-15p
	VURD72HC-2	\$16,690	2	4	2				
	VURD72HC-4	\$20,320	1	2	4				
	VURD72HC-6	\$24,020	0	0	6				

FREEZERS	MODEL	LIST PRICE	DOORS	SHELVES	DRAWERS	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
27" x 32 7/8" x 34 5/8" 5.87 cubic ft capacity	VUF27HC	\$8,135	1	2	0	1/4	2.5	857	115/60/1 5-15p
	VUFD27HC-2	\$12,255	0	0	2				
32" x 32 7/8" x 34 1/2" 7.22 cubic ft capacity	VUF32HC	\$8,915	1	2	0	1/3	4	1865	115/60/1 5-15p
	VUFD32HC-2	\$10,940	0	0	2				
36" x 32 7/8" x 34 5/8" 8.69 cubic ft capacity	VUF36HC	\$11,870	1	2	0	1/2	6	1865	115/60/1 5-15p
	VUFD36HC-2	\$16,025	0	0	2				
48" x 32 7/8" x 34 5/8" 11.04 cubic ft capacity	VUF48HC	\$12,010	2	4	0	1/2	7	1865	115/60/1 5-15p
	VUFD48HC-2	\$16,480	1	2	2				
	VUFD48HC-4	\$17,535	0	0	4				
60" x 32 7/8" x 34 5/8" 14.39 cubic ft capacity	VUF60HC	\$16,545	2	4	0	1/2	7	1865	115/60/1 5-15p
	VUFD60HC-2	\$21,115	1	2	2				
	VUFD60HC-4	\$22,815	0	0	4				


DRAWER SIZE & PAN CONFIGURATION FOR D UNITS



VURD/VUFD 27, 32, & 60



VURD/VUFD 36




VURD/VUFD 48 & 72


ADAPTIVE
DEFROST

R200


VUR27HC/VUF27HC VURD27HC-2/VUF-
D27HC-2




VUR32HC/VUF32HC VURD32HC-2/VUFD32HC-2



VUR36HC/VUF36HC VURD36HC-2/VUF-
D36HC-2




VUR48HC/VUF48HC VURD48HC-2/VUFD48HC-2 VURD48HC-4/VUFD48HC-4





VURD60HC-2/VUFD60HC-2

VURD60HC-4/VUFD60HC-4




VUR72HC/VUF72HC

VURD72HC-2/VUFD72HC-2





SIDE VIEW FOR ALL



VURD72HC-4/VUF72HC-4

VURD72HC-6/VUF72HC-6




UNDERCOUNTERS

SIDE MOUNT \ REFRIGERATORS \ FREEZERS

REFRIGERATORS	MODEL	LIST PRICE	DOORS	SHELVES	DRAWERS	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
46" x 33 7/8" x 34 1/2" 10.8 cubic ft capacity	VUR46HC	\$11,000	1	2	0	1/5	3	1350	115/60/1 5-15p
	VURD46HC-2	\$14,620	0	0	2				
67" x 33 7/8" x 34 1/2" 18.97 cubic ft capacity	VUR67HC	\$13,705	2	4	0	1/5	3	1350	115/60/1 5-15p
	VURD67HC-2	\$17,285	1	2	2				
	VURD67HC-4	\$21,165	0	0	4				
93" x 33 7/8" x 34 1/2" 29.7 cubic ft capacity	VUR93HC	\$18,210	3	6	0	1/3	5	2630	115/60/1 5-15p
	VURD93HC-2	\$20,930	2	4	2				
	VURD93HC-4	\$24,960	1	2	4				
	VURD93HC-6	\$28,805	0	0	6				
119" x 33 7/8" x 34 1/2" 40.12 cubic ft capacity	VUR119HC	\$25,035	4	8	0	1/3	5	2630	115/60/1 5-15p
	VURD119HC-2	\$25,495	3	6	2				
	VURD119HC-4	\$29,430	2	4	4				
	VURD119HC-6	\$33,370	1	2	6				
	VURD119HC-8	\$37,310	0	0	8				




FREEZERS	MODEL	LIST PRICE	DOORS	SHELVES	DRAWERS	HP	AMPS	BTU/HR	VOLTAGE AND NEMA PLUG
67" x 33 7/8" x 34 1/2" 20.08 cubic ft capacity	VUF67HC	\$18,900	2	4	0	3/4	9	2312	115/60/1 5-15p

PAN CONFIGURATION FOR SIDE MOUNT UNDERCOUNTERS WITH DRAWERS




ADAPTIVE
DEFROST

R200



VUR93HC / VURD93HC-2 / VURD93HC-4 / VURD93HC-6



VUR119HC / VURD119HC-2 / VURD119HC-4 / VURD119HC-6 / VURD-119HC-8







BLAST CHILLERS

Rapid chilling or freezing food is key to reducing bacteria growth. Putting hot food in a traditional reach-in refrigerator or freezer may compromise the quality of other products and create unsafe food conditions.

Victory blast chillers and shock freezers offer a great solution by chilling or freezing product in a dedicated unit. Once chilled to specified food safe temperature, product can then be transferred to long-term storage.

Additionally, utilizing a blast chiller will help preserve the quality of food, saving time and money on spoiled and discarded product.



BLAST CHILLERS

REACH-IN \ ROLL-IN \ ROLL-THRU

FEATURES

Having a blast chiller in the kitchen is an essential way to quickly bring product to safe temperatures. Victory's blast chillers feature stainless steel interior and exterior and has a central floor drain for easy cleanup. Featuring a stainless steel door with a stay-open for easy product loading, each door also has a snap-in gasket and an anti-condensation perimeter heater around the door opening.

Featuring an electronic control with LCD color display ensures precise control of blast chilling cycles. One touch hard and soft automatic blast chilling or shock freezing cycles based either on core probe temperature or timed cycle. Automatic recognition of the core probe and automatic conservation mode at the end of a cycle. A one touch display of HACCP alarms recorded in memory and a real time clock provides date, time, and

duration of HACCP alarms. Printers are standard on Victory blast chillers.

On board program memory holds 99 total cycles (68 factory pre-set recipes, up to 31 custom programs). Adjustable evaporator fan speed button allows for regulation of the fan during the blast chilling cycle. The micro-switch control cuts out the evaporator fan and compressor whenever the door is opened.

The self-contained refrigeration system utilizes R404a refrigerant and features a hermetically sealed compressor with an overload protection. An evaporator fitted with a high flow rate fan ensures maximum cooling efficiency. Indirect air flow assures highest product quality. These blast chillers will take product temperatures from 194°F to 37°F in 90 minutes; 194°F to 0°F in 240 minutes.

WARRANTIES

3 YEAR Parts & Labour Warranty plus an **ADDITIONAL 2 YEAR** Compressor Warranty

2 YEAR Warranty on Gaskets

ACCESSORIES

USB Data Recorder/Interface

Additional Single Sensor Probes (up to 4 possible)

Full list of accessories on page 120

Ramp for remote roll-in/thru units

CERTIFICATIONS



Intertek



Intertek

	STANDARD	OPTIONS
REFRIGERATION SYSTEM:	The self-contained refrigeration system utilizes R404a refrigerant. Blast chillers will take product temperatures from 194°F to 37°F in 90 minutes; 194°F to 0°F in 240 minutes.	Remote Models: (Roll-in and Roll-thru)
MOUNTING:	Adjustable Stainless Steel Feet (N/A for Roll-In/Thru)	Casters with Brakes (N/A for Roll-In/Thru)




BLAST CHILLERS

BLAST CHILLERS \ SELF CONTAINED REACH-IN


REACH-IN MODELS	LIST PRICE	PAN CAPACITY	PAN SIZE	TEMP RANGE	LBS BC LBS SF	DISTANCE BETWEEN SLIDES	HP	AMPS	BTU/ HR	VOLTAGE AND NEMA PLUG
VBCF5-45PU 31 1/8" x 27 1/2" x 33 1/2" R404a Refrigerant	\$37,690	5	18"x26"	194/0	45-30	2.56"	1	6.1	3879	208-240 6-15P
VBCF8-70PU 31 1/8" x 31 1/2" x 52" R404a Refrigerant	\$47,760	8	18"x26"	194/0	70-40	2.56"	1	10.1	6435	208-240 6-15P
VBCF12-100PU 31 1/8" x 31 1/2" x 70 7/8" R404a Refrigerant	\$59,345	12	18"x26"	194/0	100-70	2.56"	2.75	9	6195	208-240 15-20P
VBCF16-140PU 31 1/8" x 31 1/2" x 76 3/4" R404a Refrigerant	\$76,265	16	18"x26"	194/0	140-100	2.56"	2.3	13.2	9200	208-240 15-20P
VBCF12-200PU 43 1/4" x 34 5/8" x 70 7/8" R404a Refrigerant	\$99,940	24/12	12"x20" / 18"x26"	194/0	200-140	2.56"	4	24	28615	208-240 15-30P




BLAST CHILLERS




VBCF5-45PU




VBCF8-70PU



VBCF12-100PU



VBCF16-140PU



VBCF12-200PU


BLAST CHILLERS

BLAST CHILLER, FREEZER, THAWER \ SELF CONTAINED REACH-IN

REACH-IN MODELS	LIST PRICE	CART CAPACITY	TEMP RANGE	LBS BC LBS SF	HP	AMPS	BTU/ HR	VOLTAGE AND NEMA PLUG
VBCFT-20-200PU-XL 39" x 64 1/4" x 94 1/2"	\$139,645	1	160/38	187-88	2.8	25.6	10,857	208-240 15-30P



shown with optional ramp







HI-5 BLAST CHILLERS

Using the most advanced technology, with a user friendly, intuitive interface, the HI5 blast chillers are the link between the present and the future of modern kitchens.

Packing 5 functional applications into one unit: blast chilling, blast freezing, thawing, retarder proofing and slow cooking, HI5 units save space while expanding the offering at the same time.

Whether it's cost reduction, consistent quality, food safety or maximizing efficiency, this multi-functional unit is a versatile tool for any kitchen.



HI-5

BLAST CHILLERS

FEATURES

These multi-functional units offer 5 distinct functions-all in one unit: blast chilling, blast freezing, thawing, dough retarder and slow cooking. With a simple selection from the control panel, each function is performed within the same cabinet.

The space-saving design features stainless steel interior, exterior and has a central floor drain for easy cleanup. Featuring a stainless steel door with a stay-open feature for easy product loading, a snap-in gasket and an anti-condensation perimeter heater around the door opening ensure a tight seal and prevent condensation.

The electronic control with LCD color display ensures precise control of chilling/cooking cycles. HI5 units also have a one touch hard and soft automatic blast chilling or shock freezing cycles based either on core probe temperature or timed cycle.

With an automatic recognition of the core probe and automatic holding mode at the end of a cycle makes for a user-friendly experience. In addition, the real-time clock provides date, time, and duration of HACCP alarms via a one touch display. The on board program memory holds 99 total cycles (68 factory pre-set recipes, up to 31 custom programs).

The self-contained refrigeration system utilizes R404a refrigerant and features a hermetically sealed compressor with an overload protection. An evaporator fitted with a high flow rate fan ensures maximum cooling efficiency and an adjustable evaporator fan speed button allows for regulation of the fan during the blast chilling cycle. HI5 units also feature a hot gas condensate pan with an overflow tube for direct access to a floor drain.

WARRANTIES

3 YEAR Parts & Labour Warranty plus an **ADDITIONAL 2 YEAR** Compressor Warranty

2 YEAR Warranty on Gaskets

ACCESSORIES

Printer Kit

USB Data Recorder / Interface

Remote Condensing Unit

Water Cooled Condenser

Removable Sterilizer

CERTIFICATIONS



Intertek



Intertek

	STANDARD	OPTIONS
REFRIGERATION SYSTEM:	The self-contained refrigeration system utilizes R404a refrigerant.	-
MOUNTING:	Adjustable Stainless Steel Feet	Castor Kit, 2 with Brakes




HI-5

BLAST CHILLERS


REACH-IN MODELS	LIST PRICE	PAN CAPACITY	PAN SIZE	TEMP RANGE	LBS BC LBS SF	DISTANCE BETWEEN SLIDES	HP	AMPS	BTU/ HR	VOLTAGE AND NEMA PLUG
HI5-5-45U 31 1/8" X 28 3/8" X 33 1/2" R404a Refrigerant	\$59,155	5	12"x20"	194/0	45-30	2.56"	1	6.1	3879	208-240 6-15P
HI5-8-70U 31 1/8" X 32 1/4" X 52" R404a Refrigerant	\$73,945	8	18"x26"	194/0	70-40	2.56"	1	10.1	6435	208-240 6-15P
HI5-12-100U 31 1/8" X 32 1/4" X 70 7/8" R404a Refrigerant	\$92,425	12	18"x26"	194/0	100-70	2.56"	2.75	9	6195	208-240 15-20P
HI5-16-140U 31 1/8" X 32 1/4" X 76 3/4" R404a Refrigerant	\$117,075	16	18"x26"	194/0	140-100	2.56"	2.3	13.2	9200	208-240 15-20P
HI5-12-200U 43 1/4" x 42 1/4" x 70 7/8" R404a Refrigerant	\$141,720	12	18"x26"	194/0	200-140	2.56"	4	24	28615	208-240 15-30P




HI-5 BLAST CHILLERS




HI5-5-45U




HI5-8-70U



HI5-12-100U



HI5-16-140U



HI5-12-200U

ACCESSORIES

SHELVING

UNITS	ACCESSORY	MODEL NUMBER	LIST PRICE
DRS/DRSA 2 DOOR	Stainless Steel Shelf (RH)	50607206	\$2,195
DRS/DRSA 2 DOOR	Silver Freeze Shelf	50599103	\$2,745
DRS/DRSA 2 DOOR	Silver Freeze Shelf	50599203	\$2,745
DRS/DRSA 2 DOOR PASS-THRU	Stainless Steel Shelf (RH)	50607206	\$2,195
DRS/DRSA 2 DOOR PASS-THRU	Epoxy Coated Shelf (LH)	50607207	\$1,130
DRS/DRSA 2 DOOR PASS-THRU	Epoxy Coated Shelf (RH)	50607208	\$315
DRS/DRSA 2 DOOR PASS-THRU	Silver Freeze Shelf	50599312	\$825
FIS/FISA 2 DOOR	Shelf/Pilaster Kit	0-0272-122S	\$1,155
FIS/FISA EXTRA HIGH 2 DOOR	Shelf/Pilaster Kit	0-0272-122S	\$1,155
FS NARROW 2 DOOR	Silver Freeze Shelf	50346403	\$400
FS/FSA 1 DOOR	Silver Freeze Shelf	50269404	\$345
FS/FSA 1 DOOR	Stainless Steel Shelf	50597703	\$685
FS/FSA 1 DOOR GLASS	Silver Freeze Shelf	50597706	\$615
FS/FSA 1 DOOR SOLID	Silver Freeze Shelf	50597701	\$950
FS/FSA 2 DOOR	Silver Freeze Shelf	50269404	\$345
FS/FSA 2 DOOR	Stainless Steel Shelf	50597703	\$685
FS/FSA 2 DOOR GLASS	Silver Freeze Shelf	50597806	\$585
FS/FSA 2 DOOR SOLID	Silver Freeze Shelf	50597801	\$915
FS/FSA 3 DOOR	Silver Freeze Shelf	50269404	\$345
FS/FSA 3 DOOR	Stainless Steel Shelf	50597703	\$685
FS/FSA 3 DOOR GLASS	Silver Freeze Shelf	50597806	\$585
FS/FSA 3 DOOR GLASS	Silver Freeze Shelf	50597906	\$570
FS/FSA 3 DOOR SOLID	Silver Freeze Shelf	50597801	\$915
FS/FSA 3 DOOR SOLID	Silver Freeze Shelf	50597901	\$445
FS/FSA EXTRA WIDE 1 DOOR	Silver Freeze Shelf	50269404	\$345
FS/FSA EXTRA WIDE 1 DOOR	Silver Freeze Shelf	50346001	\$970
FS/FSA EXTRA WIDE 1 DOOR	Stainless Steel Shelf	50262901	\$2,505
FS/FSA EXTRA WIDE 2 DOOR	Silver Freeze Shelf	50269404	\$345
FS/FSA EXTRA WIDE 2 DOOR	Stainless Steel Shelf	50262901	\$2,505
FS/FSA EXTRA WIDE 2 DOOR GLASS	Silver Freeze Shelf	50548204	\$580
FS/FSA EXTRA WIDE 2 DOOR SOLID	Silver Freeze Shelf	50548201	\$970
FS/FSA EXTRA WIDE 3 DOOR	Silver Freeze Shelf	50269404	\$345
FS/FSA EXTRA WIDE 3 DOOR	Stainless Steel Shelf	50262901	\$2,505
FS/FSA EXTRA WIDE 3 DOOR GLASS	Silver Freeze Shelf	50548204	\$580
FS/FSA EXTRA WIDE 3 DOOR GLASS	Silver Freeze Shelf	50548304	\$235
FS/FSA EXTRA WIDE 3 DOOR SOLID	Silver Freeze Shelf	50548201	\$970
FS/FSA EXTRA WIDE 3 DOOR SOLID	Silver Freeze Shelf	50548301	\$595

SHELVING (continued)

UNITS	ACCESSORY	MODEL NUMBER	LIST PRICE
FS/FSA NARROW 1 DOOR	Stainless Steel Shelf	50263001	\$615
FS/FSA NARROW 1 DOOR GLASS	Silver Freeze Shelf	50346102	\$675
FS/FSA NARROW 1 DOOR SOLID	Silver Freeze Shelf	50346103	\$370
FS/FSA NARROW 2 DOOR	Silver Freeze Shelf	50269404	\$345
FS/FSA NARROW 2 DOOR	Silver Freeze Shelf	50346401	\$235
FS/FSA NARROW 2 DOOR	Stainless Steel Shelf	50597703	\$685
HRS/HRSA 2 DOOR EXTRA WIDE	Silver Freeze Shelf	50548201	\$970
HRS/HRSA EXTRA WIDE 1 DOOR	Silver Freeze Shelf	50346001	\$970
HRS/HRSA EXTRA WIDE 1 SECTION HALF DOORS	Silver Freeze Shelf	50346201	\$970
HRS/HRSA EXTRA WIDE 2 DOOR	Silver Freeze Shelf	50548204	\$580
HRS/HRSA EXTRA WIDE 2 DOOR	Stainless Steel Shelf	50262901	\$2,505
HS/HSA 1 DOOR	Silver Freeze Shelf	50597701	\$950
HS/HSA 2 DOOR	Silver Freeze Shelf	50597801	\$915
HS/HSA EXTRA WIDE 1 DOOR	Silver Freeze Shelf	50346001	\$970
HS/HSA EXTRA WIDE 2 DOOR	Silver Freeze Shelf	50548201	\$970
LSR23/LSF23	Silver Freeze Shelf	50597720	\$535
LSR49/LSF49	Silver Freeze Shelf	50597724	\$565
LSR72	Silver Freeze Shelf	50597720	\$535
LSR72	Silver Freeze Shelf	50597724	\$565
LSR72/LSF72	Additional Plated Shelf	403-874D-04	\$960
RFS/RFSA 1 DOOR	Stainless Steel Shelf	50262701	\$2,205
RFS/RFSA 1 SECTION HALF DOORS	Silver Freeze Shelf	50597701	\$950
RFS/RFSA 1 SECTION HALF DOORS	Stainless Steel Shelf	50597703	\$685
RFS/RFSA 2 DOOR	Stainless Steel Shelf	50262701	\$2,205
RFS/RFSA 2 DOOR SOLID	Silver Freeze Shelf	50597701	\$950
RFS/RFSA EXTRA WIDE 1 DOOR	Stainless Steel Shelf	50262701	\$2,205
RFS/RFSA EXTRA WIDE 1 SECTION HALF DOORS	Silver Freeze Shelf	50346201	\$970
RFS/RFSA EXTRA WIDE 2 DOOR	Silver Freeze Shelf	50346001	\$970
RFS/RFSA EXTRA WIDE 2 DOOR	Stainless Steel Shelf	50262701	\$2,205
RIS/RISA 2 DOOR	Shelf/Pilaster Kit	0-0272-122S	\$1,155
RIS/RISA EXTRA HIGH 2 DOOR	Shelf/Pilaster Kit	0-0272-122S	\$1,155
RS/RSA 1 DOOR	Silver Freeze Shelf	50269404	\$345
RS/RSA 1 DOOR	Stainless Steel Shelf	50597703	\$685
RS/RSA 1 DOOR GLASS	Silver Freeze Shelf	50597706	\$615
RS/RSA 1 DOOR SOLID	Silver Freeze Shelf	50597701	\$950
RS/RSA 2 DOOR	Silver Freeze Shelf	50269404	\$345
RS/RSA 2 DOOR	Stainless Steel Shelf	50597703	\$685
RS/RSA 2 DOOR GLASS	Silver Freeze Shelf	50597806	\$585
RS/RSA 2 DOOR SOLID	Silver Freeze Shelf	50597801	\$915

ACCESSORIES

SHELVING (continued)

UNITS	ACCESSORY	MODEL NUMBER	LIST PRICE
RS/RSA 3 DOOR	Silver Freeze Shelf	50269404	\$345
RS/RSA 3 DOOR	Stainless Steel Shelf	50597703	\$685
RS/RSA 3 DOOR GLASS	Silver Freeze Shelf	50597806	\$585
RS/RSA 3 DOOR GLASS	Silver Freeze Shelf	50597906	\$570
RS/RSA 3 DOOR SOLID	Silver Freeze Shelf	50597801	\$915
RS/RSA 3 DOOR SOLID	Silver Freeze Shelf	50597901	\$445
RS/RSA EXTRA WIDE 1 DOOR	Silver Freeze Shelf	50269404	\$345
RS/RSA EXTRA WIDE 1 DOOR	Silver Freeze Shelf	50346001	\$970
RS/RSA EXTRA WIDE 1 DOOR	Stainless Steel Shelf	50262701	\$2,205
RS/RSA EXTRA WIDE 1 DOOR	Stainless Steel Shelf	50262901	\$2,505
RS/RSA EXTRA WIDE 2 DOOR	Silver Freeze Shelf	50269404	\$345
RS/RSA EXTRA WIDE 2 DOOR	Stainless Steel Shelf	50262901	\$2,505
RS/RSA EXTRA WIDE 2 DOOR GLASS	Silver Freeze Shelf	50548204	\$580
RS/RSA EXTRA WIDE 2 DOOR SOLID	Silver Freeze Shelf	50548201	\$970
RS/RSA EXTRA WIDE 3 DOOR	Silver Freeze Shelf	50269404	\$345
RS/RSA EXTRA WIDE 3 DOOR	Stainless Steel Shelf	50262901	\$2,505
RS/RSA EXTRA WIDE 3 DOOR GLASS	Silver Freeze Shelf	50548204	\$580
RS/RSA EXTRA WIDE 3 DOOR GLASS	Silver Freeze Shelf	50548304	\$235
RS/RSA EXTRA WIDE 3 DOOR SOLID	Silver Freeze Shelf	50548201	\$970
RS/RSA EXTRA WIDE 3 DOOR SOLID	Silver Freeze Shelf	50548301	\$595
RS/RSA NARROW 1 DOOR	Stainless Steel Shelf	50263001	\$615
RS/RSA NARROW 1 DOOR GLASS	Silver Freeze Shelf	50346102	\$675
RS/RSA NARROW 1 DOOR SOLID	Silver Freeze Shelf	50346103	\$370
RS/RSA NARROW 2 DOOR	Stainless Steel Shelf	50346402	\$3,525
RS/RSA NARROW 2 DOOR	Silver Freeze Shelf	50269404	\$345
RS/RSA NARROW 2 DOOR	Silver Freeze Shelf	50346401	\$235
RS/RSA NARROW 2 DOOR	Silver Freeze Shelf	50346403	\$400
RS/RSA NARROW 2 DOOR	Stainless Steel Shelf	50597703	\$685

TRAY SLIDES

TYPE	DESCRIPTION	MODEL NUMBER	LIST PRICE
Type "A" Standard & Extra Wide Units	1 tray slide set for: (1) 18x26" or (2) 14x18" pans	10601211S	\$380
BOTTOM SUPPORT FOR (1) 18X26" OR (2) 14X18" PAN			
SPACING	2"	3"	4"
Full Door	26	18	13
Half Door	12	8	6

TYPE	DESCRIPTION	MODEL NUMBER	LIST PRICE
Type "A/C" Standard & Extra Wide Units	1 tray slide set for: (1) 18x26" or (2) 14x18" or (2) 12x20" pans	10601201S	\$650
BOTTOM SUPPORT FOR (1) 18X26" OR (2) 14X18" PAN			
SPACING	2"	3"	
Full Door	18	13	
Half Door	8	6	

BREAKER KITS

UNITS	ACCESSORY	MODEL NUMBER	LIST PRICE
VEFSA/VERSA 1, 2, OR 3 SECTION	Stainless Steel Breakers (Half Doors)	61C08-019A	\$1,020
VEFSA/VERSA 1, 2, OR 3 SECTION	Stainless Steel Breakers (Full Doors)	61C08-020A	\$760

KICK PLATES

UNITS	ACCESSORY	MODEL NUMBER	LIST PRICE
1 DOOR UNITS	Front Kick Plate	0-0280-136S	\$1,235
2 DOOR UNITS	Front Kick Plate (per side on pass-thru models)	0-0280-117S	\$1,215
EXTRA WIDE 1 DOOR UNITS	Front Kick Plate	0-1780-117S	\$1,290
EXTRA WIDE 2 DOOR UNITS	Front Kick Plate	0-1780-120S	\$1,470

SHELF CLIPS

UNITS	ACCESSORY	MODEL NUMBER	LIST PRICE
RS / FS / DRS / HS / RFS / LSR / LSF VSP / VWR / VWF / VUR / VWF / VPP	Shelf Clip	50022601	\$5
VERSA / VEFSA	Shelf Clip	403-168A	\$15

DOOR LOCKS

UNITS	ACCESSORY	MODEL NUMBER	LIST PRICE
VSP/VWR/VWF/VUR/VWF/VPP	Door Lock (Price Per Door)	00C30-099A	\$380
VEFSA/VERSA	Door Lock (Price Per Door)	61C11S032A	\$1,385

ACCESSORIES

CASTERS / LEGS (sold in sets of 4)

UNITS	ACCESSORY	MODEL NUMBER	LIST PRICE
CBF/CBR	6" Seismic Legs	00C31-055A	\$1,365
DRS/DRSA	6" Seismic Legs	00C31-055A	\$1,980
DRS/DRSA	Flanged Legs	0-0140-106S	\$1,365
FS/FSA	6" Seismic Legs	00C31-055A	\$1,980
FS/FSA	Flanged Legs	0-0140-106S	\$1,365
HI5	6" Seismic Legs	00C31-055A	\$1,365
HRS/HRSA	6" Seismic Legs	00C31-055A	\$1,980
HRS/HRSA	Flanged Legs	0-0140-106S	\$1,365
HS/HSA	6" Seismic Legs	00C31-055A	\$1,980
HS/HSA	Flanged Legs	0-0140-106S	\$1,365
LSF/LSR	6" Seismic Legs	00C31-055A	\$1,365
RFS/RFSA	6" Seismic Legs	00C31-055A	\$1,980
RFS/RFSA	Flanged Legs	0-0140-106S	\$1,365
RS/RSA	6" Seismic Legs	00C31-055A	\$1,980
RS/RSA	Flanged Legs	0-0140-106S	\$1,365
VBCF	6" Seismic Legs	00C31-055A	\$1,600
VEFSA/VERSA	6" Caster	61C01-001A	\$1,600
VEFSA/VERSA	3" Caster	61C01-013A	\$1,365
VEFSA/VERSA	6" Seismic Legs	00C31-055A	\$1,365
VPP/VPPD	6" Seismic Legs	00C31-055A	\$1,365
VSP/VSPD	6" Seismic Legs	00C31-055A	\$1,365
VUF/VUFD/VUR/VURD	6" Seismic Legs	00C31-055A	\$1,365
VWF/VWFD/VWR/VWRD	6" Seismic Legs	00C31-055A	\$1,365
WC/WCDT	6" Seismic Legs	00C31-055A	\$1,365

OVERSHELVES

UNITS	ACCESSORY	MODEL NUMBER	LIST PRICE
VPP46/VPPD46	Single Overshelf	00C23-044A	\$3,490
	Double Overshelf	00C23-119D-01	\$6,645
VPP60/VPPD60	Single Overshelf	00C23-143D-00	\$1,890
	Double Overshelf	00C23-144D-00	\$1,890
VPP67/VPPD67	Single Overshelf	00C23-0445A	\$950
	Double Overshelf	00C23-116D-01	\$8,295
VPP93/VPPD93	Single Overshelf	00C23-046A	\$5,130
	Double Overshelf	00C23-120D-01	\$9,125
VPP119/VPPD119	Single Overshelf	00C23-047A	\$6,390
	Double Overshelf	00C23-121D-01	\$8,725

BOTTLE DIVIDER KITS FOR VSP KITS (SANDWICH PREP TOP)

UNITS	ACCESSORY	MODEL NUMBER	LIST PRICE
VSP Mega Top Models	Bottle Divider Kit/Organizer (holds qty. of 10 bottles) 16 oz.	00B23-023D-01	\$355
VSP Mega Top Models	Bottle Divider Kit/Organizer (holds qty. of 10 bottles) 24 oz.	00B23-024D-01	\$355
VSP Standard Top Models	Bottle Divider Kit/Organizer (holds qty. of 8 bottles) 16 oz.	00B23-025D-01	\$355
VSP Standard Top Models	Bottle Divider Kit/Organizer (holds qty. of 8 bottles) 24 oz.	00B23-026D-01	\$355

WIRE SHELF DIVIDERS

UNITS	ACCESSORY	MODEL NUMBER	LIST PRICE
27" VSP, VUR, and VWR Models	Shelf Divider	403-722C	\$170
36" VSP, VUR, and VWR Models	Shelf Divider	403-723C	\$170
48" VSP, VUR, and VWR Models	Shelf Divider	403-723C	\$170
60" VSP, VUR, and VWR Models	Shelf Divider	403-723C	\$170
72" VSP, VUR, and VWR Models	Shelf Divider	403-723C	\$170
VSP Models	Shelf Divider	403-721C	\$170
VUR Rear Mount Models	Shelf Divider	403-721C	\$170
VWR Rear Mount Models	Shelf Divider	403-721C	\$170

SANDWICH PREP NIGHT COVERS

UNITS	ACCESSORY	MODEL NUMBER	LIST PRICE
STANDARD TOP			
VSP27HC-08/VSPD27HC-08	8 Pan Cover	00C32-013A-02	\$1,315
VSP36HC-10/VSPD36HC-10	8 Pan Cover - VSP36-08	00C32-013A-06	\$1,315
VSP48HC-12/VSPD48HC-12	10 Pan Cover	00C32-013A-03	\$1,315
VSP60HC-16/VSPD60HC-16	12 Pan Cover	00C32-013A-04	\$1,315
VSP72HC-18/VSPD72HC-18	(1) 12 Pan Cover & (1) 6 Pan Cover	00C32-013A-04 00C32-013A-01	\$1,315
MEGA TOP			
VSP27HC-12B/VSPD27HC-12B	12 Pan Cover	00C32-014A-01	\$1,455
VSP36HC-15B/VSPD36HC-15B	15 Pan Cover	00C32-014A-04	\$1,455
VSP48HC-18B/VSPD48HC-18B	18 Pan Cover	00C32-014A-02	\$1,455
VSP60HC-24B/VSPD60HC-24B	12 Pan Cover	00C32-014A-01	\$1,455
VSP72HC-30B/VSPD72HC-30B	(1) 12 Pan Cover & (1) 18 Pan Cover	00C32-014A-01 00C32-014A-02	\$1,455

PIZZA PREP NIGHT COVERS

UNITS	ACCESSORY	MODEL NUMBER	LIST PRICE
DP46HC	full cover	00C32-017A-03	\$1,335
DP60HC	full cover	00C32-022D-04	\$1,250
DP67HC	full cover	00C32-022D-01	\$1,255
DP72HC	full cover	00C32-022D-03	\$1,300
DP93HC	section cover (order two)	00C32-017A-01	\$1,335
DP119HC	kit contains left and right covers	00C32-022D-02	\$2,135

ACCESSORIES

BUN TRAY RACKS

UNITS	ACCESSORY	MODEL NUMBER	LIST PRICE
VPP/VUF/VUR/VWF/VWR	Bun Tray Rack - Per Door	403-431D	\$695

GARNISH RACKS

UNITS	ACCESSORY	MODEL NUMBER	LIST PRICE
VSP/VSPD/VPP/VPPD Models	Garnish Rack - Full Pan	403-460C	Call for price
VSP/VSPD/VPP/VPPD Models	Garnish Rack - Half Pan	403-466C	Call for price

CROSS BAR PAN SUPPORT

UNITS	ACCESSORY	MODEL NUMBER	LIST PRICE
VSP/VSPD Models	12" Cross Bar	28D40-081D-04	\$145

CRUMB CATCHERS

UNITS	ACCESSORY	MODEL NUMBER	LIST PRICE
VSP27HC/VSPD27HC	Front Crumb Catcher	00C23-071A-01	\$1,930
VSP36HC/VSPD36HC	Front Crumb Catcher	00C23-071A-09	\$2,015
VSP48HC/VSPD48HC	Front Crumb Catcher	00C23-071A-02	\$2,080
VSP60HC/VSPD60HC	Front Crumb Catcher	00C23-071A-03	\$2,225
VSP72HC/VSPD72HC	Front Crumb Catcher	00C23-071A-04	\$2,370
VSP/VSPD Models	Side Crumb Catcher	00C23-072A	\$1,580

FLEXTMP CONTROL OPTION (28°-38°F)

UNITS	ACCESSORY	MODEL NUMBER
RS/RSA/RIS/RISA	(Refrigerators Only) Capable of set points between 28 to 40 degrees, with positive defrost cycles	Add -FLEX to end of model #

EXPORT CRATING

UNITS	ACCESSORY	MODEL NUMBER
1, 2, AND 3 DOOR UNITS	Export Crating	Add -EXP to end of model #

ADDITIONAL ACCESSORIES/OPTIONS

ACCESSORY
Stainless Steel Back (Horizontal Models)
Louvered Upper Case End
Stainless Steel Rear Grille
Banking Strip
Rehinging
Multiple Door Laminates Available
Remote Models: Add -R to end of model #

BLAST CHILLER ACCESSORIES

UNITS	ACCESSORY	MODEL NUMBER	LIST PRICE
VBCF20-175 / VBCF20-230	Stainless steel ramp (order 2 for pass-thru models) 35.3" wide by 31.9" deep	FR960075	\$7,320
VBCF40-350 and larger	Stainless steel ramp (order 2 for pass-thru models) 39.2" wide by 31.9" deep	FR960076	\$13,945
VBCFT-20-200PU-XL	Stainless steel ramp 43.2" wide by 31.9" deep	FR960077	\$13,625
All VBCF and HI5 Models	Replacement probe	FR6638321	\$3,615
All VBCF and HI5 Models	Secondary probe	FR966428	\$3,715
HI5-5-45U	Casters	FR920596	\$2,270
HI5-8-70U/HI5-12-100U/HI5-16-140U	Casters	FR920839	\$4,185
HI5-12-200U	Casters	FR920735	\$4,020
VBCF-5-45U	Casters	FR920596	\$2,270
VBCF8-70U/VBCF12-100U/VBCF16-140U	Casters	FR920839	\$4,185
VBCF-12-200U	Casters	FR920735	\$4,020
HI5-12-200U/HI5-16-140U	USB Port/Data Recorder	FR966406	Call for price
HI5-5-45U	USB Port/Data Recorder	FR966405	Call for price
HI5-8-70U/HI5-12-100U	USB Port/Data Recorder	FR966289	Call for price
VBCF-5-45U	USB Port/Data Recorder	FR966405	Call for price
VBCF-8-70U/VBCF-12-100U	USB Port/Data Recorder	FR966289	Call for price
VBCF12-200U/VBCF16-140U	USB Port/Data Recorder	FR966406	Call for price
VBCF120-1000/VBCF120-1350	USB Port/Data Recorder	FR966406	Call for price
VBCF20-175/VBCF20-230	USB Port/Data Recorder	FR966406	Call for price
VBCF40-350/VBCF40-465	USB Port/Data Recorder	FR966406	Call for price
VBCF80-660/VBCF80-925	USB Port/Data Recorder	FR966406	Call for price

BLAST CHILLER CORRECTIONAL OPTIONS

UNITS	ACCESSORY	MODEL NUMBER
Prison Package	Tamper Proof Screws, Protection Panel, Blunt Probe, & Lockable Door	Add -PPK to model

WARRANTY

TERMS & CONDITIONS

- A. PRICES:** The price to be paid by the Dealer for products purchased is established by the price list in effect at the date of shipment. Victory reserves the right to revise price lists without notice. The price of items not listed in the price lists shall be as quoted in writing by Victory.
- B. PAYMENT:** Dealer agrees to pay for all products purchased per the terms approved by Victory's credit department. Failure to make any payments or to carry out the terms of any purchase order shall at Victory's option constitute grounds for immediate termination and for acceleration of any unpaid balance owed by the Dealer to Victory.
- C. DELIVERY:** All deliveries are F.O.B. Brookville, PA unless otherwise stated. Point of shipment, routing, and mode of transportation for all products purchased shall be determined by Victory; there is no guarantee specific routings or carriers.
- D. FREIGHT DAMAGE:** All shortage and damage claims must be filed by the Dealer with the carrier. Carrier must be notified of concealed damage within 48 hours (about 4 days) after delivery. All discrepancies, shortages, overages, and damages should be indicated on the carrier's freight bill. Delivery to carrier at Victory's plant shall constitute delivery to Dealer and the risk of loss from whatever cause shall pass at the time of such delivery.

- E. PENALTY CLAUSES:** Dealer penalty clauses contained in their purchase orders or contractually agreed to between the Dealer and their clients are not binding on Victory. Victory does not accept orders subject to penalty clauses. This Agreement supersedes any such clauses in Dealer purchase orders.
- F. SPECIFICATION AND PRODUCT DESIGN:** We reserve the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements to previously purchased equipment.
- G. INSTALLATION:** Equipment installation is the responsibility of the Purchaser.
- H. RETURN POLICY:** Except Victory errors, purchases are not returnable. If a return is authorized, a return authorization number must be issued before any equipment can be returned for credit. Goods which are accepted for return as accommodation to the purchaser must be shipped in the original carton, freight prepaid and received in good condition. Such goods are subject to restocking charges and refurbishing costs.

WARRANTY

(Continental USA & Canada Only)

SEVEN (7) YEAR PARTS & LABOUR LIMITED WARRANTY

Victory® Refrigeration (Victory) warrants to the original purchaser of Victory branded equipment, that such equipment is free from defects in material and workmanship, under normal use, proper maintenance and service as indicated by Victory's installation and operation instructions, for a period of six (6) years from the date of installation, or Seventy-Five (75) months from the date of shipment from the manufacturer, whichever is earlier.

SEVEN (7) YEAR COMPRESSOR PART LIMITED WARRANTY*

In addition to the warranty set forth above Victory® Refrigeration (Victory), warrants the hermetically/semi-hermetically sealed compressor (part only) for an additional year (1) years beyond the initial six (6) year warranty period; not to exceed eighty-seven (87) months from the date of shipment from Victory, provided upon receipt of the compressor, manufacturer examination shows the sealed compressor to be defective.

This extended warranty does not cover freight for the replacement compressor or freight for return of the failed compressor. Also, this extended compressor-part only warranty does NOT apply to any electrical controls, condenser, evaporator, fan motors, overload switch, starting relay, capacitors, temperature control, filter/drier, accumulator, refrigeration tubing, wiring harness, labour charges, or supplies which are covered by the standard warranty above.

*Units shipped after 07/1/2024. Previous warranty applies to units shipped prior.

Exceptions:

- Warranty does not apply for units installed in a Residential application. Units are intended for Commercial use only.
- Blast Chillers carry a 3 year parts and labour warranty; 2 additional years for the compressor



WARRANTY

(continued)

Normal wear type parts, such as light bulbs/lamps, gaskets, fuses, batteries, blast chiller/freezer probes, thermostat, or electronic controller calibration and/or adjustment, and any normal maintenance items as outlined in the Owner's Manual, adjustment of door mechanisms or freight damage are not covered by this warranty. For this warranty, the original purchaser shall be deemed the individual or company for whom the product was originally installed.

Proof of purchase must be supplied to Victory to validate the warranty. This warranty is valid only if equipment is professionally installed and started up as outlined in the Owner's Manual.

Units that utilize variable speed compressor technology can experience nuisance tripping on Class A GFCI outlets which have a trip limit of 4 mA to 6 mA. To avoid this issue in a location that requires GFCI circuit protection, Beverage-Air & Victory recommends using a HUBBELL Model Number GFRST83W 20A Heavy Duty Hospital Grade Self-Test GFCI Receptacle.

Removal or alteration of the serial/data plate from equipment shall be deemed to release Victory from all warranty obligations or any other obligations, expressed or implied. The warranty does not cover installation, start-up, normal maintenance, food loss, or other consequential damage, and it excludes components that are removable without tools. Our obligation under this warranty shall be limited to repairing or replacing, including labour, any part of such product, which proves defective.

Victory reserves the right to examine any product claimed to be defective. The labour warranty shall be for self-contained units only and for standard straight time, which is defined as normal service rate time, for service performed during normal working hours. Any service requested outside of a servicer's normal working hours will be covered under this warranty at the normal rate and any extra overtime rate will be the equipment purchaser's responsibility. Victory shall not be responsible for any costs incurred if the work is performed by other than Victory's authorized service personnel.

Reimbursement claims for parts and/or labour service costs must be made in writing. Model, cabinet serial number and installation location must be shown on the claim. A receipted bill from the servicing agency must accompany the claim, together with full details of the service problems, diagnosis and work performed. Victory reserves sole discretion whether further documentation on a claim is to be submitted. Any part determined to be defective in the product should be returned to the company within thirty (30) days under the terms of this warranty and must be accompanied by a record of the cabinet model, serial number, with a return material authorization number (RMA#) issued by the Victory.

Special installation/applications, including remote locations, are limited in coverage by this warranty. Any installation that requires extra work, and/or travel, to gain

access to the unit for service is the sole responsibility of the equipment purchaser. Improper operation resulting from factors, including but not limited to, improper or negligent cleaning and maintenance, low voltage conditions, inadequate wiring, outdoor use, and accidental damage are not manufacturing defects and are strictly the responsibility of the purchaser.

Except Blast Chillers, a product is designed for maintaining temperature and not bringing food to the desired temperature, so cannot be held responsible for this function under warranty.

Units must be in conditioned environments or warranty will be void. Condenser coils must be cleaned at regular intervals. Failure to do so can cause compressor malfunction and will void warranty. Although cleaning requirements vary in accordance with the operation of various products, Victory recommends a minimum monthly cleaning.

NOTE: No claims can be made against these warranties for spoilage of products, loss of sales or consequential damages. The foregoing warranties are expressly given in lieu of all other warranties, express, implied, or statutory, including the implied warranties of merchantability and fitness for a particular purpose, which are hereby disclaimed, and all other obligations or liabilities on your part, and we neither assume, nor authorize any other person to assume for us, any obligation or liability in connection with the sale of said refrigeration units or any parts thereof.

These warranties shall not be assignable and shall be honored only as far as the original purchaser.

These warranties do not apply outside the limits of the USA and Canada, nor do they apply to any part that has been subject to misuse, neglect, alteration, accident, or to any damage caused by transportation, flood, fire, acts of terrorism, or acts of God.

LIMITATION OF LIABILITY:

Victory or its affiliates shall not be liable for any indirect, incidental, special, or consequential damages, or losses of a commercial nature arising out of malfunctioning equipment or its parts or components thereof, because of defects in material or workmanship. In no event shall Victory be liable for a sum more than the purchase price of the item.

THE ORIGINAL OWNER'S SOLE AND EXCLUSIVE REMEDY AND VICTORY'S SOLE AND EXCLUSIVE LIABILITY SHALL BE LIMITED TO THE REPAIR OR REPLACEMENT OF PARTS OR COMPONENTS CONTAINED IN THE EQUIPMENT IDENTIFIED ABOVE WHICH UNDER NORMAL USE AND SERVICE MALFUNCTION AS A RESULT OF DEFECTS IN MATERIAL OR WORKMANSHIP, SUBJECT TO THE APPLICABLE PROVISIONS AND LIMITATIONS STATED ABOVE.

07/2024

[illegible]

Canadian Regional Sales Representatives



REGION	REP / AGENT	E-MAIL	CELLULAR
British Columbia	Ryan Lewis – Sales Rep	ryan@masales.ca	604-329-0684
	Mark Thiessen – Sales Rep	mark@masales.ca	604-657-7615
Alberta	James Goodman – Sales Rep (Calgary)	james@masales.ca	403-618-3636
	Collin Von Hansen – Sales Rep	collin@masales.ca	587-832-2090
	Sandro Salvador – Sales Rep (Edmonton)	sandro@masales.ca	780-405-2637
Prairies	Jeff McGowan – Sales Rep (SK, MB)	mcgowansales@bellnet.ca	647-231-3815
Ontario	Chris Ozog – Sales Rep (Central ON)	chris.ozog@garland-group.com	416-526-7989
	Geoff Scott – Regional Sales Manager Rep (Southern & Western ON)	geoff.scott@garland-group.com	647-828-9391
	Chris Taylor – Sales Rep (Central ON)	chris.taylor@garland-group.com	416-358-4421
	Jeff McGowan – Sales Rep (Northeastern ON)	mcgowansales@bellnet.ca	647-231-3815
Quebec	Maxime Gaudreault – Regional Sales Manager Rep (Quebec City)	maxime.gaudreault@garland-group.com	437-577-3719
	Jean-François Bonin – Sales Rep (Montreal)	jean-francois.bonin@garland-group.com	438-221-4193
	Michel Grenier – Sales Rep (Montreal)	michel.grenier@garland-group.com	437-333-3447
Atlantic Canada	Aaron Taylor – Sales Rep (PEI, NB)	aaron@tayloragencies.com	506-872-1177
	Steven Donnelly – Sales Rep (NS, NL)	steven@tayloragencies.com	902-999-7631

GARLAND CANADA CUSTOMER SERVICE	VOICE	FAX
Sales	(888) 442-7526	(800) 361-2724

Scan the code below to locate a dealer, distributor or sales representative in your area.



www.garlandcanada.ca/sales/buy-locally



Welbilt offers fully-integrated kitchen systems with award-winning product brands: **Cleveland™**, **Convotherm®**, **Delfield®**, **Frymaster®**, **Garland®**, **Kolpak®**, **Lincoln®**, **Merco®**, **Merrychef®** and **Multiplex®**. Supported by service brands: **KitchenCare®**, aftermarket parts and service; **FitKitchen®**, fully-integrated kitchen systems; and **KitchenConnect®**, cloud-based open digital platform.

Bringing innovation to the table • welbilt.com