

MERRYCHEF®

Canada Price List



Effective: July 1, 2026



Visit Welbilt Brand Portal:

<https://assets.welbilt.com/login/>



www.garlandcanada.ca



@thegarlandcanada

GARLAND®
CANADA
WELBILT DISTRIBUTION

Price List Canada

NOTICE:

MERRYCHEF PRODUCTS ARE NOT APPROVED OR AUTHORIZED FOR HOME OR RESIDENTIAL USE, BUT ARE INTENDED FOR COMMERCIAL APPLICATIONS ONLY. MERRYCHEF WILL NOT PROVIDE SERVICE, WARRANTY, MAINTENANCE OR SUPPORT OF ANY KIND OTHER THAN IN COMMERCIAL APPLICATIONS.

INSTRUCTIONS AND ASSISTANCE IN ORDERING

Specify the following information when ordering:

1. Your order number
2. Quantity and model number of units
3. Voltage, Cycle, (Hz), & Phase
4. Delivery date and shipping instructions

SERVICE

When corresponding with the factory regarding service, performance or replacement parts, be sure to refer to the particular product by correct model number including prefix and suffix letters, numbers and serial number. This information can be found on the rating plate. Any information pertaining to performance parts or servicing can be obtained by writing our Mississauga office. Continuous product improvement is a Garland policy, therefore specifications and design are subject to change without notice.

TERMS AND CONDITIONS

All prices exclude the Goods and Services Tax (G.S.T.) and Provincial and Local Taxes. All prices are in Canadian Dollars. Refer to Garland dealer policy for:

- A. Terms of Sale
- B. Equipment Returns or Order Cancellations
- C. Damaged Shipments

Garland Canada reserves the right to change warranties, accessories or product configurations without notice. Access our website at www.GarlandCanada.ca for current information which supercedes any printed information. Further inquiries may also be directed to Customer Service at 1-888-442-7526.

GARLAND CANADA CUSTOMER SERVICE	VOICE	FAX
Sales	(888) 442-7526	(800) 361-2724
KitchenCare (Parts, Service and Warranty)	(844) 724-2273	N/A

Table of Contents

New conneX® 12	4
New conneX® 16	6
At the touch of an eikon®	8
Accelerated Cook Ovens:	
eikon® Series e1s	10
Rapid Cook Ovens:	
eikon® Series e3 Oven	14
eikon® Series e5 Oven	16
Limited Warranty Information	20
Canadian Regional Sales Representatives	21



New Merrychef conneX® 12

Ideal for cafés, bars, convenience stores and quick service outlets



Microwave



Convection



Impingement

The new highly aesthetic design, for front-of-house, features a high definition 7" operating screen in a robust glass surround. The compact 12" x 12" cavity, that sits in just a 14" width oven is available in high power, delivering ground-breaking speeds of up to 80% faster than conventional cooking methods, and standard power, up to 75% faster, and can operate off a standard plug.

The next generation, easyTouch®2.0, operating software is intuitive to use and connects to Wi-Fi or Ethernet, as standard, allowing access to the Welbilt KitchenConnect® for remote management of your oven. The conneX®12 operates quietly, is easy to clean and is energy efficient with fast heat up and cool down times, operating at <0.7 kWh on standby.

conneX®12

Colors

■ Stainless steel ■ Black

Dimensions (external) W x D x H

14" (356.2mm) x 25.2" (641.2mm) x 24.6" (619 mm) (depth excludes handles)

Dimensions (internal) W x D x H

12.2" (311mm) x 12.2" (311mm)

Can be stacked

Using a high speed oven stacking trolley

Model	Convection/ Microwave	Max. Power Input	Electrical Supply*	Plug type	Price \$ Stainless Steel	Price \$ Black
conneX®12 Standard Power	2200 W 1000 W	4500 W	208-240 V 60 Hz	NEMA 6-20P	\$19,775	\$20,355
conneX®12 High Power	2200 W 2000 W	6000 W	208-240 V 60 Hz	NEMA 6-30P	\$21,860	\$22,440


* Custom voltages and plug types available on request

KitchenConnect® Subscription - Free access for 12 months from when you register your first oven. Allowing you to readily see equipment data for both monitoring and diagnostic purposes, 'Push' menus onto your ovens and manage your oven settings.

Included accessories


▷ Flat cook plate

H¹⁵/₆₄ x W11¹³/₁₆ x D11¹³/₁₆ "
Part no: **DB0739**



▷ Paddle with hand guard and sides

W11⁴⁷/₆₄ x D11¹³/₁₆ "
Part no: **SR318**



▶ Full size cooking tray

H³⁸/₆₄ x W11¹³/₅₀ x D11¹³/₅₀ "
(Black) Part no: **32Z4165**



▷ Cool down pan

1/4 size 2⁹/₁₆ " deep
Part no: **32Z4079**



▶ Non-stick cooking liner

W11⁷/₃₂ x D11⁷/₃₂ "
Part no: **32Z4088**




Specifications and prices subject to change without notice.

New Merrychef connex® 12

Accessories

Flat cook plate

H¹⁵/₆₄ x W11¹³/₁₆ x D11¹³/₁₆ "
Part no: **DB0739**



\$300

Griddled cook plate


H¹⁵/₆₄ x W11¹³/₁₆ x D11¹³/₁₆ "
Part no: **DB0719**



\$300

Paddle with hand guard and sides

W11¹⁷/₆₄ x D11¹³/₁₆ "
Part no: **SR318**



\$165

Cool down pan

1/4 size 2⁹/₁₆ " deep
Part no: **32Z4079**



\$120

Non-stick cooking liner

W11⁷/₃₂ x D11⁷/₃₂ "
(Natural) Part no: **32Z4088**
(Green) Part no: **32Z4096**
(Purple) Part no: **32Z4160**




\$30 each

Accessories with ► can be used with any Merrychef oven if the dimensions fit the cavity. Additional signature range accessories suitable for this oven can be found on page 11.

Quarter size cooking tray

H³³/₆₄ x W5³³/₆₄ x D5³³/₆₄ "
(Black) Part no: **32Z4089**
(Red) Part no: **32Z4123**
(Green) Part no: **32Z4095**
(Blue) Part no: **32Z4125**



\$165 each

Half size cooking tray


H³³/₆₄ x W11 x D5³³/₆₄ "
(Black) Part no: **32Z4090**
(Green) Part no: **32Z4094**



\$195 each

Half size deeper cooking tray


H1 x W11 x D7¹/₆₄ "
(Red) Part no: **32Z4097**
(Green) Part no: **32Z4098**
(Blue) Part no: **32Z4099**



\$205 each

Full size cooking tray


H³³/₆₄ x W11 x D11 "
(Black) Part no: **32Z4080**
(Red) Part no: **32Z4100**
(Green) Part no: **32Z4093**
(Blue) Part no: **32Z4101**
(Purple) Part no: **32Z4159**



\$210 each

Full size mesh cooking tray


H³³/₆₄ x W11 x D11 "
(Black) Part no: **32Z4081**



\$210

Full size cooking tray

H³⁸/₆₄ x W11¹³/₅₀ x D11¹³/₅₀ "
(Black) Part no: **32Z4165**



\$210

Panini Press Tray

H⁴⁵/₆₄ " (17.8mm) x W11²⁷/₆₄ " (290mm)
x D9¹/₁₆ " (230mm)
Part no: **32Z4186**



\$195

Cavity Liner

H4²³/₃₂ " (120mm) x W25²³/₆₄ " (644.6mm)
x D17¹⁵/₁₆ " (455mm)
Part no: **PSY183**



\$600

Moveable oven trolley

H 42⁹/₁₀ " (1090mm) x W 18¹/₂ " (469mm)
x D 25 " (636mm)
Part no: **SR325**



\$3,330

Rear oven panel for added aesthetics

H2 x W23¹⁷/₆₄ x D14 "
(Black) Part no: **PSB2116**
(Stainless steel) Part no: **PSB2115**



\$410 each

Panini press

High opening panini press with grilled bottom plate

W 11.9" (302.2mm).
Opening H 3.11" (79mm), Closing H 1.18"(30mm).
Part no: **PSR163**

\$1,705

High opening panini press with flat bottom plate

W 11.9" (302.2mm).
Opening H 3.11" (79mm), Closing H 1.18"(30mm).
Part no: **PSR162**

\$1,575

Low opening panini press with flat bottom plate

W 11.9" (302.2mm).
Opening H 2.78" (70.5mm), Closing H 0.53"(13.5mm).
Part no: **PSR160**

\$1,575



The paddle (included) slides food between a top grill plate and a bottom plate. When the paddle is removed the grill will lower to compress the food.



New Merrychef connex® 16

Ideal for cafés, bars, convenience stores
and quick service outlets



The next generation of high speed ovens, the connex®16 has the largest cavity 16" x 16" in the smallest footprint of just 18" within the industry, delivering speeds of up to 80% faster than conventional cooking methods. Gives the flexibility to speedily 'batch' cook to hold popular food items and manage fluctuations in demand.

This revolutionary new design boasts all the features you would expect with a Merrychef, ventless, easy to install, operates quietly, easy to clean and is energy efficient with fast heat up and cool down times, operating at <0.9 kWh on standby.

Provided as standard, Wi-Fi or Ethernet connectivity enables access to Welbilt KitchenConnect® for remote management of your oven.

connex®16

Colors

■ Stainless steel ■ Black

Dimensions (external) W x D x H 18.1" (458.8mm) x 26.9" (683.4mm) x 24.4" (619 mm) *(depth excludes handles)*

Dimensions (internal) W x D x H 16.3" (412.8mm) x 16.3" (412.8 mm)

Model	Convection/ Microwave	Max. Power Input	Electrical Supply*	Plug type	Price \$ Stainless Steel	Price \$ Black
connex®16 High Power	3200 W 2000 W	6000 W	208-240 V 60 Hz	NEMA 6-30P	\$23,960	\$24,610


* Custom voltages and plug types available on request.

KitchenConnect® Subscription - Free access for 12 months from when you register your first oven. Allowing you to readily see equipment data for both monitoring and diagnostic purposes, 'Push' menus onto your ovens and manage your oven settings.

Included accessories


► Flat cook plate

H⁶/₂₅" x W15⁷/₁₀" x D15⁷/₁₀"
Part no: **DF0035**



► Paddle with hand guard and sides

W15³/₅" x D15⁷/₁₀"
Part no: **SF326**



► Full size cooking tray

H³⁸/₆₄" x W13⁹/₁₀" x D13⁹/₁₀"
(Black) Part no: **32Z4175**



► Cool down pan

Half size 4" deep
Part no: **32Z4028**



► Non-stick cooking liner

W15¹/₅" x D15¹/₅"
Part no: **32Z4178**



Specifications and prices subject to change without notice.


New Merrychef connex® 16

Accessories

▷ Flat cook plate

H $\frac{6}{25}$ " x W15 $\frac{7}{10}$ " x D15 $\frac{7}{10}$ "
Part no: **DF0035**

\$610



▷ Paddle with hand guard and sides

W15 $\frac{3}{5}$ " x D15 $\frac{7}{10}$ "
Part no: **SF326**

\$205



▷ Panini Press Tray

H $\frac{45}{64}$ " (17.8mm) x W11 $\frac{27}{64}$ " (290mm)
x D9 $\frac{1}{16}$ " (230mm)
Part no: **32Z4181**

\$285



▷ Full size cooking tray

H $\frac{38}{64}$ " x W13 $\frac{9}{10}$ " x D13 $\frac{9}{10}$ "
(Black) Part no: **32Z4175**

\$285



▷ Cool down pan

Half size 4" deep
Part no: **32Z4028**


\$165



▷ Non-stick cooking liner

W15 $\frac{1}{5}$ " x D15 $\frac{1}{5}$ "
Part no: **32Z4178**


\$40



▷ Full size cooking mesh tray

H $\frac{38}{64}$ " x W13 $\frac{9}{10}$ " x D13 $\frac{9}{10}$ "
Part no: **32Z4176**

\$275



The range of different size trays for connex® 12 (p5) can be used with this oven – allowing you to cook multiple items at once. They are available in different colors to avoid cross contamination of food allowing you to quickly switch between food products.

Additional signature range accessories suitable for this oven can be found on p11.

At the touch of an **eikon®**

There are no limits with the new Merrychef **eikon®** series. From fresh, hot and delicious convenience foods, to high quality fine dining, you can cook practically anything fast and to perfection - all with the ease of a touch screen.

■ Easy to use

- Exclusive easyTOUCH icon-driven touchscreen cooks the same high quality result with every order.
- MenuConnect® software enables instant USB menu updates

■ Guaranteed perfect results every time

- Precise power levels to cook the most delicate products
- Programs downloaded across multiple outlets via USB memory stick

■ Reduced wait and service times

- Increase speed, service, quality and freshness
- Three heating technologies (convected heat, impingement air and microwave energy)
- Cooks up to twenty (20) times faster than traditional cooking methods

■ Improved safety

- The cool-to-touch oven exterior means food heats quickly while the outside stays cool
- Monitored air filter

■ Cost effective

- Cooking to order reduces waste
- Latest catalytic technology eliminates grease and reduces cook odors, avoiding the need for separate extraction and ventilation systems

■ Minimize lifetime operation costs

- Reduced training times
- Easy to use and clean
- Built-in diagnostics to avoid unnecessary service calls

**BREAKFAST****SANDWICHES****DESSERTS****MEAT****FISH****POULTRY****VEGETABLES****BREADS/PASTRY**

Notes

[illegible]

Specifications and prices subject to change without notice.

EIKON® SERIES | e1s OVEN



STANDARD FEATURES

- Advanced Cooking Technology* combines three heat technologies - tuned impingement, microwave and convection
- "Ventless* Cooking" capabilities through built-in catalytic converter
- Rapid cooking up to 10 times faster than a conventional oven
- 12" cavity in a 16" width footprint
- Cool to touch exterior, black only
- Very easy to clean seam welded cavity with large rounded corners
- Quiet operation, 52 dB on standby
- eacyTouch®, icon driven touchscreen controls
- Easy access front-mounted air filter
- USB memory stick data transfer of up to 1,024 cooking profiles
- In-built diagnostic testing
- Fits on a 25" worktop

*Local codes prevail. These are the "authority having jurisdiction" as stated by the National Fire Protection Association, Inc., in NFPA96-1994.

Merrychef eikon® Series | e1s Oven

Model	Height	Width	Depth (overall with- out handle)	Depth (door open 90 degrees)	Amps	Volts	Hz	Phase	Shipping Weight	Shipping Cubic Feet	Plug Type	Price & Availability
e1s	23" (588 mm)	16" (407 mm)	22.5" (573 mm)	33" (842mm)	15	208/240	60	1	126 lb (57 kg)	6 cu. ft. (0.16 cu. m)	NEMA 6-15P	\$12,785

e1s general market models come standard with these accessories listed below:

Qty	P/N	Description
1	DC0322	Cook Plate
1	SR318	Paddle
1	32Z4080	Solid Basket
1	32Z4088	Sheet pan liner

Specifications and prices subject to change without notice.

EIKON® SERIES - e1s OVEN | ACCESSORIES

Cat. No.	Description	Dimensions	List Price Each
32Z4088	"Non-stick cook plate liner (Natural) *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates."	"285 mm x 285 mm (11.2" x 11.2)"	\$30
32Z4096	"Non-stick cook plate liner (Green) *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates."	"285 mm x 285 mm (11.2" x 11.2)"	\$30
32Z4080	Solid base basket (full size, Black)	"13 mm x 279 mm x 279 mm (0.5" x 11" x 11)"	\$210
32Z4100	Solid base basket (full size, Red)	"13 mm x 279 mm x 279 mm (0.5" x 11" x 11)"	\$210
32Z4093	Solid base basket (full size, Green)	"13 mm x 279 mm x 279 mm (0.5" x 11" x 11)"	\$210
32Z4101	Solid base basket (full size, Blue)	"13 mm x 279 mm x 279 mm (0.5" x 11" x 11)"	\$255
32Z4090	Solid base basket (half size, Black)	"13 mm x 279 mm x 140 mm (0.5" x 11" x 5.5)"	\$195
32Z4094	Solid base basket (half size, Green)	"13 mm x 279 mm x 140 mm (0.5" x 11" x 5.5)"	\$195
32Z4089	Solid base basket (quarter size, Black)	"13 mm x 140 mm x 140 mm (0.5" x 5.5" x 5.5)"	\$165
32Z4123	Solid base basket (quarter size, Red)	"13 mm x 140 mm x 140 mm (0.5" x 5.5" x 5.5)"	\$210
32Z4095	Solid base basket (quarter size, Green)	"13 mm x 140 mm x 140 mm (0.5" x 5.5" x 5.5)"	\$165
32Z4125	Solid base basket (quarter size, Blue)	"13 mm x 140 mm x 140 mm (0.5" x 5.5" x 5.5)"	\$210
32Z4081	Mesh base basket (full size, Black)	"13 mm x 279 mm x 279 mm (0.5" x 11" x 11)"	\$210
32Z4032	Air frying basket	50 mm x 280mm x 280mm (2" X 11" X 11")	\$195
DB0719	e2s Solid cook plate Serial 1901 ON	"308 mm x 306 mm (12.1" x 12.0)"	\$300
PSB3117	e2s Grill cook plate	"308 mm x 306 mm (12.1" x 12.0)"	\$270
PSB179	e2s Wire rack and jet plate	"38.6mm x 306 mm x 306.9 mm (1.5" x 12.0" x 12.1)"	\$600
SR318	Paddle with hand guard and sides	"298 mm x 300 mm (11.7" x 11.8)"	\$165
DV0344	Tray handle for use with PSA1108 and PSB3117	"25 mm x 250 mm x 76 mm (1" x 9.8" x 3")	\$105
32Z4034	Slotted turner	"100 mm x 79 mm x 300 mm (4" x 3" x 11.8)"	\$75
DV0390	Egg ring	"0 85 mm (3.3") H: 19 mm (0.7)"	\$145
32Z4126	Non-stick mould 2x	"4 mm x 304 mm x 304 mm (1.3" x 9.25" x 4.6)"	\$220
32Z4113	Non-stick mould 4x	20.3 mm x 254 mm x 254 mm (0.8" x 10.0" x 10.0")	\$285
32Z4132	Non-stick mould 9x	20.3 mm x 279 mm x 279 mm (0.8" x 11.0" x 11.0")	\$600
32Z4115	Small Bowl	35.6 mm x 180 mm (1.4" x 7")	\$220
32Z4117	Gyoza tray 2x	31.7 mm x 119.4 mm x 111.7 mm (1.25" x 4.7" x 4.4")	\$270
32Z4116	Gyoza tray 12x	31.7 mm x 279 mm x 279 mm (1.25" x 11.0" x 11.0")	\$300
32Z4119	1/2L Container 1/6GN	63.5 mm x 172.7 mm x 175.3 mm (2.5" x 6.8" x 6.9")	\$395
32Z4133	Small lided solid basket	19.0 mm x 294.6 mm x 294.6 mm (0.75" x 11.6" x 11.6")	\$375
32Z4134	Large lided solid basket	"35 mm x 290 mm x 290 mm (1.4" x 11.4" x 11.4)"	\$390
32Z4079	Cool down pan	1/4 size 65 mm (2.5") deep	\$120
CMC1032	High speed oven cleaner spray	6 x 946 ml (1box)	\$195
CMC1033	High speed oven protector spray	6 x 946 ml (1box)	\$230
USBKEY	Blank Menu Key (USB)		\$60
SR3-25	Stacking Cart e2s		\$3,330
PSB267	e2s Dual Oven Sealer Kit		\$480

Specifications and prices subject to change without notice.

EIKON® SERIES - e4 OVEN | ACCESSORIES

Cat. No.	Description	Dimensions	List Price Each
DX0254	"Non-stick tray liner *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates."	"277 mm x 236 mm (10.9" x 9.3")"	\$15
32Z4070	e4 Solid base basket (full size, Black)	"25 mm x 356 mm x 305 mm (1" x 14.0" x 12.0")"	\$210
32Z4054	e4 Mesh base basket (full size, Black)	"25 mm x 343 mm x 292 mm (1" x 13.5" x 11.5")"	\$210
32Z4032	Air frying basket	50 mm x 280mm x 280mm (2" X 11" X 11")	\$195
PSA1248	e4 Solid cook plate	"26 mm x 369 mm x 305 mm (1" x 14.6" x 12")"	\$420
DV0860	e4s Grill cook plate	"26 mm x 369 mm x 305 mm (1" x 14.6" x 12")"	\$660
40H0230	"e3, e4 & e4s Non-stick baking/ roasting tray"	"15 mm x 300 mm x 271 mm (0.6" x 11.8" x 10.7")"	\$165
DX0117	e3, e4 & e4s Vitreous baking/ roasting tray	"25 mm x 321 mm x 297 mm (1" x 12.7" x 11")"	\$240
DV0907	e4 Wire rack	"32 mm x 362 mm x 290 mm (1.3" x 14.3" x 11.4")"	\$255
PSR310	e4, e4s & e5 Paddle without sides (Replaces 400P)	"328 mm x 311 mm (13" x 12.3")"	\$210
SR320	e4, e4s & e5 Paddle with hand guard and sides	"328 mm x 311 mm (13" x 12.3")"	\$225
DV0342	Griddle cook plate	"25 mm x 346 mm x 279 mm (1" x 13.6" x 11")"	\$345
DV0343	Griddle frame	"30 mm x 340 mm x 296 mm (1.2" x 13.4" x 11.7")"	\$345
PSA1108	Griddle accessory pack (4 x Griddle plate, 4 x Handle, 2 x Griddle frame)		\$1,965
SR313	Tray handle for use with P40C1423, P40C1151, P40C1157, 40H0347, and DX0117	"25 mm x 264 mm x 91 mm (1" x 10.4" x 3.6")"	\$165
DV0344	Tray handle for use with PSA1108 and PSB3117	"25 mm x 250 mm x 76 mm (1" x 9.8" x 3")"	\$105
32Z4034	Slotted turner	"100 mm x 79 mm x 300 mm (4" x 3" x 11.8")"	\$75
DV0390	Egg ring	"0 85 mm (3.3") H: 19 mm (0.7")"	\$145
32Z4126	Non-stick mould 2x	"4 mm x 304 mm x 304 mm (1.3" x 9.25" x 4.6")"	\$220
32Z4113	Non-stick mould 4x	20.3 mm x 254 mm x 254 mm (0.8" x 10.0" x 10.0")	\$285
32Z4132	Non-stick mould 9x	20.3 mm x 279 mm x 279 mm (0.8" x 11.0" x 11.0")	\$600
32Z4131	Non-stick mould 12x	20.3 mm x 368 mm x 279 mm (0.8" x 14.5" x 11.0")	\$585
32Z4115	Small Bowl	35.6 mm x 180 mm (1.4" x 7")	\$220
32Z4117	Gyoza tray 2x	31.7 mm x 119.4 mm x 111.7 mm (1.25" x 4.7" x 4.4")	\$270
32Z4116	Gyoza tray 12x	31.7 mm x 279 mm x 279 mm (1.25" x 11.0" x 11.0")	\$300
32Z4118	1L Container 1/3GN	63.5 mm x 325.1 mm x 175.3 mm (2.5" x 12.8" x 6.9")	\$485
32Z4119	1/2L Container 1/6GN	63.5 mm x 172.7 mm x 175.3 mm (2.5" x 6.8" x 6.9")	\$395
32Z4128	Large cook tray	22.9 mm x 355.6 mm x 298.5 mm (0.9" x 14.0" x 11.75")	\$435
32Z4133	Small lided solid basket	19.0 mm x 294.6 mm x 294.6 mm (0.75" x 11.6" x 11.6")	\$375
32Z4134	Large lided solid basket	"35 mm x 290 mm x 290 mm (1.4" x 11.4" x 11.4")"	\$390
32Z4028	e4, e4s & e5 Cool down pan	1/2 size 100 mm (4") deep	\$165
40H0098	High speed oven stacking trolley	"1200 mm x 700 mm x 690 mm (47.2" x 27.5" x 24.8")"	\$5,520
PSA2208	e4/e4s Oven spacer kit	"51 mm x 520 mm x 588 mm (2" x 20.5" x 23.2")"	\$525
PSA2150	e4/e4s Paddle storage	"70 mm x 445 mm x 565 mm (2.75" x 17.5" x 22.25")"	\$1,185
CMC1032	High speed oven cleaner spray	6 x 946 ml (1box)	\$195
CMC1033	High speed oven protector spray	6 x 946 ml (1box)	\$230
USBKEY	Blank Menu Key (USB)		\$60
PSA2101	Upper Impingement Plate		\$750
PSA266	Lower Impingement Plate		\$750
4460	Griddle Plate	9" x 5.5"	\$210
SA3127	Air Filter Assembly		\$615
DV0752	Grease Filter Housing		\$375
SA3126	Grease Filter Cartridge		\$420
H5220	HardCoat Quarter-Size Sheet Pan	9.5" x 13" x 1"	\$165
32Z4031	"Teflon Basket, Large Mesh (Mfg Part Number P80022)"	28-48 Weave 25 mm x 343 mm x 292 mm (1" x 13.5" x 11.5")	\$195
P80011	Teflon Screen, large mesh	28-48 weave, 12" x 12"	\$145

Specifications and prices subject to change without notice.

EIKON® SERIES - e4s OVEN | ACCESSORIES

Cat. No.	Description	Dimensions	List Price Each
DX0254	"Non-stick tray liner *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates."	277 mm x 236 mm (10.9" x 9.3")	\$15
32Z4086	e4s Solid base basket (full size, Black)	25 mm x 343 mm x 343 mm (1" x 13.5" x 13.5")	\$210
32Z4032	Air frying basket	50 mm x 280mm x 280mm (2" X 11" X 11")	\$195
DV0870	e4s Solid cook plate	25 mm x 371 mm x 355 mm (2" x 14.6" x 14")	\$240
DV0860	e4s Grill cook plate	26 mm x 369 mm x 305 mm (1" x 14.6" x 12")	\$660
DV0880	e4s Pizza plate	16 mm x 371 mm x 355 mm (0.6" x 14.6" x 14")	\$240
40H0230	"e3, e4 & e4s Non-stick baking/ roasting tray"	15 mm x 300 mm x 271 mm (0.6" x 11.8" x 10.7")	\$165
DX0117	e3, e4 & e4s Vitreous baking/ roasting tray	25 mm x 321 mm x 297 mm (1" x 12.7" x 11")	\$240
DV0908	e4s Wire rack	36 mm x 366 mm x 344 mm (1.4" x 14.4" x 13.5")	\$240
PSR310	"e4, e4s & e5 Paddle without sides (Replaces 400P)"	328 mm x 311 mm (13" x 12.3")	\$210
SR320	e4, e4s & e5 Paddle with hand guard and sides	328 mm x 311 mm (13" x 12.3")	\$225
DV0342	Griddle cook plate	25 mm x 346 mm x 279 mm (1" x 13.6" x 11")	\$345
DV0343	Griddle frame	30 mm x 340 mm x 296 mm (1.2" x 13.4" x 11.7")	\$345
PSA1108	"Griddle accessory pack (4 x Griddle plate, 4 x Handle, 2 x Griddle frame)"		\$1,965
SR313	Tray handle for use with P40C1423, P40C1151, P40C1157, 40H0347, and DX0117	"25 mm x 264 mm x 91 mm (1" x 10.4" x 3.6")"	\$165
DV0344	Tray handle for use with PSA1108 and PSB3117	"25 mm x 250 mm x 76 mm (1" x 9.8" x 3")"	\$105
32Z4034	Slotted turner	"100 mm x 79 mm x 300 mm (4" x 3" x 11.8")"	\$75
DV0390	Egg ring	"0 85 mm (3.3") H: 19 mm (0.7")"	\$145
32Z4126	Non-stick mould 2x	"4 mm x 304 mm x 304 mm (1.3" x 9.25" x 4.6")"	\$220
32Z4113	Non-stick mould 4x	20.3 mm x 254 mm x 254 mm (0.8" x 10.0" x 10.0")	\$285
32Z4132	Non-stick mould 9x	20.3 mm x 279 mm x 279 mm (0.8" x 11.0" x 11.0")	\$600
32Z4131	Non-stick mould 12x	20.3 mm x 368 mm x 279 mm (0.8" x 14.5" x 11.0")	\$585
32Z4115	Small Bowl	35.6 mm x 180 mm (1.4" x 7")	\$220
32Z4117	Gyoza tray 2x	31.7 mm x 119.4 mm x 111.7 mm (1.25" x 4.7" x 4.4")	\$270
32Z4116	Gyoza tray 12x	31.7 mm x 279 mm x 279 mm (1.25" x 11.0" x 11.0")	\$300
32Z4118	1L Container 1/3GN	63.5 mm x 325.1 mm x 175.3 mm (2.5" x 12.8" x 6.9")	\$485
32Z4119	1/2L Container 1/6GN	63.5 mm x 172.7 mm x 175.3 mm (2.5" x 6.8" x 6.9")	\$395
32Z4128	Large cook tray	22.9 mm x 355.6 mm x 298.5 mm (0.9" x 14.0" x 11.75")	\$435
32Z4133	Small lided solid basket	19.0 mm x 294.6 mm x 294.6 mm (0.75" x 11.6" x 11.6")	\$375
32Z4134	Large lided solid basket	"35 mm x 290 mm x 290 mm (1.4" x 11.4" x 11.4")"	\$390
32Z4028	e4, e4s & e5 Cool down pan	1/2 size 100 mm (4") deep	\$165
40H0098	High speed oven stacking trolley	"1200 mm x 700 mm x 690 mm (47.2" x 27.5" x 24.8")"	\$5,520
PSA2208	e4/e4s Oven spacer kit	"51 mm x 520 mm x 588 mm (2" x 20.5" x 23.2")"	\$525
PSA2150	e4/e4s Paddle storage	"70 mm x 445 mm x 565 mm (2.75" x 17.5" x 22.25")"	\$1,185
CMC1032	High speed oven cleaner spray	6 x 946 ml (1box)	\$195
CMC1033	High speed oven protector spray	6 x 946 ml (1box)	\$230
USBKEY	Blank Menu Key (USB)		\$60
PSA2101	Upper Impingement Plate		\$750
PSA2191	Lower Impingement Plate		\$750
H5220	HardCoat Quarter-Size Sheet Pan	9.5" x 13" x 1"	\$165
32Z4031	"Teflon Basket, Large Mesh (Mfg Part Number P80022)"	28-48 Weave 25 mm x 343 mm x 292 mm (1" x 13.5" x 11.5")	\$195

Specifications and prices subject to change without notice.

EIKON® SERIES | e3 OVEN



STANDARD FEATURES

- Advanced Cooking Technology* combines two heat technologies of convection and microwave with a rotating turntable for fast, even heating of food product
- Up to five (5) times faster than conventional cooking methods
- "Ventless" Cooking" capability through standard built-in catalytic converter
- Two (2) rack position options
- Ability to use standard metal baking pan or one (1) round carousel pan while in convection mode
- Automatic voltage detection (U.S. only)
- Cool to touch door exterior
- 13" (332 mm) wide x 12.8" (325mm) deep x 12.6" (320mm) high cooking chamber

*Local codes prevail. These are the "authority having jurisdiction" as stated by the National Fire Protection Association, Inc., in NFPA96-1994.



Merrychef eikon® Series | e3 Oven

Model	Height	Width	Depth (overall with handle)	Depth (door open 90 degrees)	Amps	Volts	Hz	Phase	Shipping Weight	Shipping Cubic Feet	Plug Type	Price & Availability
e3	21.7" (551 mm)	23.5" (598 mm)	24.5" (622 mm)	37" (939 mm)	30	208/240	60	1	155 lb (70 kg)	17.5 cu. ft. (0.5 cu. m)	NEMA 6-30P	\$11,205

e3 general market models come standard with these accessories listed below:

Qty	P/N	Description
2	40H0347ANO	Cast Turntable, Coated, NSF
1	32Z4043	Cool Down Pan
1	32Z4148	Cleaner Kit
1	40H0249	Turntable Disk
1	SR313	Oven Tray Handle
1	40H0190	Teflon Sheet
2	DR0056	Chromium Plated Steel Rack

Specifications and prices subject to change without notice.

Cat. No.	Description	Dimensions	List Price Each
40H0190	"Non-stick cook plate liner *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates."	"0 287 mm (0 11.3")"	\$120
DX0254	"Non-stick tray liner *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates."	"277 mm x 236 mm (10.9" x 9.3")"	\$15
40H0347ANO	e3 Solid cook plate	"0 312 mm (12.3") H: 40 mm (1.6")"	\$540
40H0240	e3 Grill insert	"0 312 mm (12.3") H: 25 mm (1")"	\$110
40H0230	"e3, e4 & e4s Non-stick baking/ roasting tray"	"15 mm x 300 mm x 271 mm (0.6" x 11.8" x 10.7")"	\$165
DX0117	e3, e4 & e4s Vitreous baking/ roasting tray	"25 mm x 321 mm x 297 mm (1" x 12.7" x 11")"	\$240
31Z1234	e3 Wire rack insert	"0 300 mm (11.8") H: 75 mm (3")"	\$210
DR0056	e3 Wire rack	"30 mm x 323 mm x 275 mm (1.2" x 12.7" x 10.8")"	\$165
40H0249	e3 Turntable disk for use with 40H0347ANO	0 191 mm (7.5")	\$150
SR313	Tray handle for use with P40C1423, P40C1151, P40C1157, 40H0347, and DX0117	"25 mm x 264 mm x 91 mm (1" x 10.4" x 3.6")"	\$165
32Z4034	Slotted turner	"100 mm x 79 mm x 300 mm (4" x 3" x 11.8")"	\$75
DV0390	Egg ring	"0 85 mm (3.3") H: 19 mm (0.7")"	\$145
32Z4126	Non-stick mould 2x	"4 mm x 304 mm x 304 mm (1.3" x 9.25" x 4.6")"	\$220
32Z4115	Small Bowl	35.6 mm x 180 mm (1.4" x 7")	\$220
32Z4117	Gyoza tray 2x	31.7 mm x 119.4 mm x 111.7 mm (1.25" x 4.7" x 4.4")	\$270
32Z4119	1/2L Container 1/6GN	63.5 mm x 172.7 mm x 175.3 mm (2.5" x 6.8" x 6.9")	\$395
32Z4043	e3 Cool down pan	1/6 size 150 mm (6") deep	\$165
40H0098	High speed oven stacking trolley	"1200 mm x 700 mm x 690 mm (47.2" x 27.5" x 24.8")"	\$5,520
CMC1032	High speed oven cleaner spray	6 x 946 ml (1box)	\$195
CMC1033	High speed oven protector spray	6 x 946 ml (1box)	\$230
USBKEY	Blank Menu Key (USB)		\$60
SX328	Air Filter Assembly		\$450
	Start-Up Accessory Kit e3 Individual Units: (1x) DX0117 Oven Tray (2x) DR0056 Chromium Plated Steel Rack (1x) 40H0190 Round Teflon Sheet (1x) 32Z4043 Cool Down Pan		\$585

Specifications and prices subject to change without notice.

EIKON® SERIES | e5 OVEN



STANDARD FEATURES

- Advanced Cooking Technology* combines two heat technologies of convection and microwave for fast, even heating of food product
- Up to five (5) times faster than conventional cooking methods
- "Ventless" Cooking" capability through standard built-in catalytic converter
- Ability to use a standard, ½ size metal baking pan while in convection mode
- Automatic voltage detection (U.S. only)
- Cool to touch door exterior
- Removable baking rack with optional two positions
- Cooks multiple items at the same time perfectly
- 19.5" (495 mm) wide x 14.1" (358 mm) deep x 10.2" (259 mm) high cooking chamber

*Local codes prevail. These are the "authority having jurisdiction" as stated by the National Fire Protection Association, Inc., in NFPA96-1994.



Merrychef eikon® Series | e5 Oven

Model	Height	Width	Depth (overall with handle)	Depth (door open 90 degrees)	Amps	Volts	Hz	Phase	Shipping Weight	Shipping Cubic Feet	Plug Type	Price & Availability
e5	25.3" (642 mm)	28" (712 mm)	27.8" (705 mm)	39" (990 mm)	30	208/240	60	1	245 lb (111 kg)	11 cu. ft. (0.3 cu. m)	NEMA 6-30P	\$22,510

e5 general market models come standard with these accessories listed below:

Qty	P/N	Description
1	40C1011	Wire Rack
1	32Z4028	Cool Down Pan
1	USBKey	Menu Key
1	32Z4148	Cleaner Kit

Specifications and prices subject to change without notice.

EIKON® SERIES - e5 OVEN | ACCESSORIES

MERRYCHEF™

Cat. No.	Description	Dimensions	List Price Each
40C1218	"Non-stick tray liner *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates."	"390 mm x 295 mm (15.4" x 11.6")"	\$165
32Z4032	Air frying basket	50 mm x 280mm x 280mm (2" X 11" X 11")	\$195
P40C1423	e5 Vitreous baking/roasting tray (Black)	"25 mm x 432 mm x 336 mm (1" x 17" x 13.2")"	\$210
P40C1151	e5 Vitreous baking/roasting tray (Green)	"25 mm x 432 mm x 336 mm (1" x 17" x 13.2")"	\$195
P40C1157	e5 Vitreous baking/roasting tray (Blue)	"25 mm x 432 mm x 336 mm (1" x 17" x 13.2")"	\$195
DR0057	e5 Wire rack	"32 mm x 435 mm x 332 mm (1.3" x 17.1" x 13")"	\$180
PSR310	"e4, e4s & e5 Paddle without sides (Replaces 400P)"	"328 mm x 311 mm (13" x 12.3")"	\$210
SR320	e4, e4s & e5 Paddle with hand guard and sides	"328 mm x 311 mm (13" x 12.3")"	\$225
SR313	Tray handle for use with P40C1423, P40C1151, P40C1157, 40H0347, and DX0117	"25 mm x 264 mm x 91 mm (1" x 10.4" x 3.6")"	\$165
32Z4034	Slotted turner	"100 mm x 79 mm x 300 mm (4" x 3" x 11.8")"	\$75
DV0390	Egg ring	"0 85 mm (3.3") H; 19 mm (0.7")"	\$145
32Z4126	Non-stick mould 2x	"4 mm x 304 mm x 304 mm (1.3" x 9.25" x 4.6")"	\$220
32Z4113	Non-stick mould 4x	20.3 mm x 254 mm x 254 mm (0.8" x 10.0" x 10.0")	\$285
32Z4132	Non-stick mould 9x	20.3 mm x 279 mm x 279 mm (0.8" x 11.0" x 11.0")	\$600
32Z4131	Non-stick mould 12x	20.3 mm x 368 mm x 279 mm (0.8" x 14.5" x 11.0")	\$585
32Z4115	Small Bowl	35.6 mm x 180 mm (1.4" x 7")	\$220
32Z4117	Gyoza tray 2x	31.7 mm x 119.4 mm x 111.7 mm (1.25" x 4.7" x 4.4")	\$270
32Z4116	Gyoza tray 12x	31.7 mm x 279 mm x 279 mm (1.25" x 11.0" x 11.0")	\$300
32Z4118	1L Container 1/3GN	63.5 mm x 325.1 mm x 175.3 mm (2.5" x 12.8" x 6.9")	\$485
32Z4119	1/2L Container 1/6GN	63.5 mm x 172.7 mm x 175.3 mm (2.5" x 6.8" x 6.9")	\$395
32Z4128	Large cook tray	22.9 mm x 355.6 mm x 298.5 mm (0.9" x 14.0" x 11.75")	\$435
32Z4133	Small lided solid basket	19.0 mm x 294.6 mm x 294.6 mm (0.75" x 11.6" x 11.6")	\$375
32Z4134	Large lided solid basket	"35 mm x 290 mm x 290 mm (1.4" x 11.4" x 11.4")"	\$390
32Z4028	e4, e4s & e5 Cool down pan	1/2 size 100 mm (4") deep	\$165
CMC1032	High speed oven cleaner spray	6 x 946 ml (1box)	\$195
CMC1033	High speed oven protector spray	6 x 946 ml (1box)	\$230
USBKEY	Blank Menu Key (USB)		\$60
5303	Half-Size Sheet Pan, Aluminum	17.75" x 12.88" x 1"	\$210
5303P	Half-Size Sheet Pan, Perforated, Aluminum	17.75" x 12.88" x 1"	\$210
40C1011	Wire Baking Rack	13.5" x 18.25" x .25"	\$225
	Start-Up Accessory Kit e5 (set includes one of each of the items listed below)		
	Individual Units:		
	5303 Aluminum Half-Size Sheet Pan		
	5303P Aluminum Half-Size Sheet Pan - Perforated		
	40C1218 Teflon Liner		
	32Z4028 Cool Down Pan		\$645

Specifications and prices subject to change without notice.

[illegible]

[illegible]

LIMITED WARRANTY

Garland Canada (GC) warrants this product to be free from defects in material and workmanship for a period of one (1) year from the date the product is installed or twenty-four (24) months from the date of shipment from our facility, whichever comes first, and sold within Canada.

During the warranty period, GC shall, at GC's option, repair or replace parts determined by GC to be defective in material or workmanship, and with respect to services, shall re-perform any defective portion of said services. The foregoing shall be the sole obligation of GC under this Limited Warranty with respect to the equipment, products and services. With respect to equipment, materials, parts and Accessories manufactured by others, GC's sole obligation shall be to use reasonable efforts to obtain the full benefit of the manufacturer's warranties. GC shall have no liability, whether in contract, tort, negligence, or otherwise, with respect to non-GC manufactured products.

WHO IS COVERED

This Limited Warranty is available only to the original purchaser of the product and is not transferable.

EXCLUSIONS FROM COVERAGE

- Repair or replacement of parts required because of misuse, improper care or storage, negligence, alteration, accident, use of incompatible supplies or lack of specified maintenance shall be excluded;
- Normal maintenance items, including but not limited to, light bulbs, fuses, gaskets, O-rings, interior and exterior finishes, lubrication, de-liming, broken glass, etc.;
- Failures caused by improper or erratic voltages;
- Improper or unauthorized repair;
- Changes in adjustment and calibration after ninety (90) days from equipment installation date;
- This Limited Warranty will not apply to any parts subject to damage beyond the control of GC, or to equipment which has been subject to alteration, misuse or improper installation, accidents, damage in shipment, fire, floods, power changes, other hazards or acts of God that are beyond the control of GC;
- This Limited Warranty does not apply, and shall not cover any products or equipment manufactured or sold by GC when such products or commercial equipment is installed or used in a residential or non-commercial application. Installations not within the applicable building or fire codes render this Limited Warranty and any responsibility or obligations associated therein null and void. This includes any damage, costs or legal actions resulting from the installation of any GC commercial cooking equipment in a non-commercial application or installation, where the equipment is being used for applications other than those approved for by GC;
- If any product is cleaned without using an approved GC cleaning solution, this Limited Warranty shall be void;
- Removal, alterations or obliteration of the rating plate;
- Consequential damages (the cost of repairing other property which is damaged) loss of time, profits or any other incidental damages of any kind.

LIMITATIONS OF LIABILITY

The preceding paragraphs set forth the exclusive remedy for all claims based on failure of, or defect in, products or services sold hereunder, whether the failure or defect arises before or during the warranty period, and whether a claim, however instituted, is based on contract, indemnity, warranty, tort (including negligence), strict liability, implied by statute, common-law or otherwise, and GC its servants and agents shall not be liable for any claims for personal injuries, incidental or consequential damages or loss, howsoever caused. Upon the expiration of the warranty period, all such liability shall terminate. **THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, WHETHER WRITTEN, ORAL, IMPLIED OR STATUTORY. NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE SHALL APPLY, GC DOES NOT WARRANT ANY PRODUCTS OR SERVICES OF OTHERS.**

REMEDIES

The liability of GC for breach of any warranty obligation hereunder is limited to: (i) the repair or replacement of the equipment on which the liability is based, or with respect to services, re-performance of the services; or (ii) at GC's option, the refund of the amount paid for said equipment or services. Any breach by GC with respect to any item or unit of equipment or services shall be deemed a breach with respect to that item or unit or service only.

WARRANTY CLAIM PROCEDURE

Customer shall be responsible to:

- Immediately advise the Dealer or GC's Factory Authorized Servicer of the equipment serial number and the nature of the problem. For a list of Factory Authorized Services, please refer to www.garlandcanadaservice.ca;
- Verify that the problem is a factory responsibility. Improper installation or misuse of equipment is not covered under this Limited Warranty;
- Cooperate with the Factory Authorized Servicer so that warranty service may be completed during normal working hours;
- Travel time not to exceed two (2) hours and mileage not to exceed one hundred fifty (150) kilometres. Does not include travel other than overland, overtime, holiday charges and any special arrangement.

GOVERNING LAW

For equipment, products and services sold in Canada this Limited Warranty shall be governed by the laws of the province of Ontario, Canada excluding their conflicts of law principles. The United Nations Convention on Contracts for the International Sale of Goods is hereby excluded in its entirety from application to this Limited Warranty.

Garland Canada

1177 Kamato Road
Mississauga, Ontario
Canada L4W1X4

www.garlandcanada.ca



REGION	REP / AGENT	E-MAIL	CELLULAR
British Columbia	Ryan Lewis – Sales Rep	ryan@masales.ca	604-329-0684
	Mark Thiessen – Sales Rep	mark@masales.ca	604-657-7615
Alberta	James Goodman – Sales Rep (Calgary)	james@masales.ca	403-618-3636
	Collin Von Hansen – Sales Rep	collin@masales.ca	587-832-2090
	Sandro Salvador – Sales Rep (Edmonton)	sandro@masales.ca	780-405-2637
Prairies	Jeff McGowan – Sales Rep (SK, MB)	mcgowansales@bellnet.ca	647-231-3815
Ontario	Chris Ozog – Sales Rep (Central ON)	chris.ozog@garland-group.com	416-526-7989
	Geoff Scott – Regional Sales Manager Rep (Southern & Western ON)	geoff.scott@garland-group.com	647-828-9391
	Chris Taylor – Sales Rep (Central ON)	chris.taylor@garland-group.com	416-358-4421
	Jeff McGowan – Sales Rep (Northeastern ON)	mcgowansales@bellnet.ca	647-231-3815
Quebec	Maxime Gaudreault – Regional Sales Manager Rep (Quebec City)	maxime.gaudreault@garland-group.com	437-577-3719
	Jean-François Bonin – Sales Rep (Montreal)	jean-francois.bonin@garland-group.com	438-221-4193
	Michel Grenier – Sales Rep (Montreal)	michel.grenier@garland-group.com	437-333-3447
Atlantic Canada	Aaron Taylor – Sales Rep (PEI, NB)	aaron@tayloragencies.com	506-872-1177
	Steven Donnelly – Sales Rep (NS, NL)	steven@tayloragencies.com	902-999-7631

GARLAND CANADA CUSTOMER SERVICE	VOICE	FAX
Sales	(888) 442-7526	(800) 361-2724
KitchenCare (Parts, Service and Warranty)	(844) 724-2273	N/A

Scan the code below to locate a dealer, distributor or sales representative in your area.



www.garlandcanada.ca/sales/buy-locally



Welbilt offers fully-integrated kitchen systems with award-winning product brands: **Cleveland™**, **Convotherm®**, **Delfield®**, **Frymaster®**, **Garland®**, **Kolpak®**, **Lincoln®**, **Merco®**, **Merrychef®** and **Multiplex®**. Supported by service brands: **KitchenCare®**, aftermarket parts and service; **FitKitchen®**, fully-integrated kitchen systems; and **KitchenConnect®**, cloud-based open digital platform.

Bringing innovation to the table • welbilt.com